KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

l

Type Test:				((See Instru	ctions on Re	verse Side)					
	n Flow			Test Date	٥.								
Dellv	verabilty			10-13-1					No. 15 19-21287	$-\infty$			
Company O'BRIEN E	ENERG	Y RESOU	RCES CORP			Lease VAIL				2-30	Well Nu	mber	
County Location MEAD N/2 NW			Section 30		TWP 33S			N)		Acres Attribute			
Field				Reservoi					nering Conr				
Completion 6-10-11	Date			Plug Back Total Depth 6290				Packer S 5740					
Casing Size Weight 4.5 10.5			Internal t 4.090	Diameter		Set at Perfor. 6378 5824			To 5858	· · · · · · · · · · · · · · · · · · ·	···.		
Tubing Size Weight 2.375 4.7			Internal Diameter Set 1.995 575			t Perforations		To To					
Type Comp		escribe)			Type Fluid Production			Pump Unit or Traveling Plunger? Yes / No					
	Thru (An	nulus / Tubi	ng)		Carbon Dio	xide		% Nitroge	en.	Gas G	aravity - (
TUBING				0.144				4.813		0.68		30	
Vertical Dep 5841					FLA	ssure Taps		· J.L		(Meter 3.06	Run) (P	rover) Size	
Pressure Bu	uildup:	Shut in 10)-9-11 2	20 at	500	_ (AM) (PM)	Taken_10	-12-11	20	, 1500		AM) (PM)	
Well on Line	e: 	Started 10	-12-11 2	0 at	500	_ (AM) (PM)	Taken 10	-13-11	20	at 1500	(AM) (PM)	
					OBSERV	ED SURFAC	E DATA			Duration of Shu	_{t-in} 72.	0 Hours	
Dynamic	Orifice Size	Circle one: Meter Prover Press	Differential	Flowing Temperature	Well Head Temperatur	mperature Wellhead F		Tubing Wellhead Pressure		Duration	Liqui	Liquid Produced	
Property ((inches)	psig (Pm		t .	t	(P _m) or (P	psia	(P _w) or (P ₁) or (P _c) psig psia		(Hours) (Bi		Barrols)	
	1.750	112.3	133.1	66	75			1154.0		72.0	-		
		172.0	100.1	1 00				1031.3	1045.7	24.0	8		
Plate	 -	Circle one:		1	FLOW ST	REAM ATTR	IBUTES						
Coefflecien		Meter or over Pressure	Press Extension	Extension Faci		tor Temperature		Deviation Metered Flor Factor R		(Cubic Feet/		Flowing Fluid	
Mcfd		psia	√ P _m xħ	F,		F _{st}		F _{pv} (Mcfd)		Вале	1)	Gravity G _m	
16.0088	12	6.70	129.86	1.210		.9943	1.011		2532.5	NONE		0.682	
$(P_c)^2 = 136$	65.2	(P _w)²:	1219.2		OW) (DELI 94.5	VERABILITY _% (F) CALCUL ² c - 14.4) +		168.4 _:		$)^2 = 0.2$	07	
(P _e)*- (P _s))² (F	2 ₀)2 - (P_)2	Choose formula 1 or 2	LOG of	Γ٦	Backpre	ssure Curve		<u>г</u> ј			en Flow	
or (P _c) ² - (P _d) ²			2. P _e ² - P _e ² divided by: P _e ² - P _e ²	formula 1. or 2. and divide by:	1. or 2. and divide p 2 p 2		Slope = "n" or Assigned Standard Slope		og	Antilog	Deli Equals	verability R x Antilog Mcfd)	
											<u> </u>		
1364.95		145.93 9.353		0.9710		0.789	0.789		61	5.8357	14,7	79.07	
Open Flow 14,779 Mcfd @ 14.6			65 psla		Deliverab	Deliverability		Mefd		fd © 14.65 psia			
			on behalf of the said report is true							ort and that he h			
				z ana consti	. EXECUTE	u инэ ине <u></u>						20	
	LIUI	CCC WIC			 -	_	PREC	ISION	WIRELIN	IE AND TES	TIRE	CEIVED	
		Witness					MARK BROCK Checked			. ,			
			GE CITY		 -	-		MA	RK BROC	CK cked by	-0C7	1 9 201 NICHIT	

	ł
	are under penalty of perjury under the laws of the state of Kansas that I am authorized to request atus under Rule K.A.R. 82-3-304 on behalf of the operator
	ne foregoing pressure information and statements contained on this application form are true and the best of my knowledge and belief based upon available production summaries and lease records
of equipm	ent installation and/or upon type of completion or upon use being made of the gas well herein named. by request a one-year exemption from open flow testing for the
	n the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
	is not capable of producing at a daily rate in excess of 250 mcf/D
	er agree to supply to the best of my ability any and all supporting documents deemed by Commission acessary to corroborate this claim for exemption from testing.
Date:	
	Signature:
	Title:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

Sample No: 20113486

PRECISION WIRELINE AND TESTING NATURAL GAS ANALYSIS REPORT 620-624-4505

Operator: O'BRIEN ENERGY RESOURCES Analysis Date: 10/14/11 Well Name: VAIL 2-30 Sample Date: 10/12/11

Location: 30-33S-29W

Sample Pressure: 326.3

County: MEADE

Sample Temperature: 70

State: KANSAS

Sample Time: 1900

Sample Source: METER RUN Formation: MORROW Bottle No: P-12

Requested By: O'BRIEN ENERGY RESOURCES

Sampled By: MARK

NATURAL GAS ANALYSIS

	Mole %	GPM
Helium	0 100	
Hydrogen	0.128	
	0.000	
Oxygen	0.000	
Nitrogen	4.813	
Carbon Dioxide	0.144	
Methane	82.650	
Ethane	6.076	2.279
Propane	3.816	1.431
Iso Butane	0.522	0.160
Normal Butane	1.064	0.338
Iso Pentane	0.238	
Normal Pentane	0.251	0.065
Hexanes Plus		0.069
nexunes rius	0.298	0.068
TOTALS	100 000	
TOTALS	100.000	4.411
Z Factor:		
		0.9998
Specific Gravity:		0.6819
BTU/cu.ft. (sat, 60		1118.5
BTU/cu.ft. (dry, 60	F. 14.73 psia):	1138.3
Octane Rating	- '	119.3
-		119.5

OCT 1 9 2011

KCC WICHITA