## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test   | t:          |                   |  |   | 0   | See Instruct   | ions on Re                      | verse Side                               | )  |                            |                              |                                 |   |  |
|---|-------------|-------------------|--|---|---|----------------|---------------------------------|--|--|----------------------------|------------------------------|---------------------------------|---|--|
| Open Flow   |             |                   |  |   | Total Deba                                  |                |                                 |  | ADL  | No. 45                     |                              |                                 |   |  |
| Deliverabilty   |             |                   | Test Date:<br>4/4/2011                               |   |   |                |                                 | No. 15<br>-22465                         | - OOC  | $\vec{O}$                  |                              |                                 |   |  |
| Company   |             | Ор                | erating, In  | c.  |   |                | Lease<br>Sooter                 | EK A                                     |  |                            | 2                            | Well Nu<br>-2                   | ımber   |  |
| ,   |             |                   |  | Location<br>IW NW NE  |   | Section<br>2   |                                 | TWP<br>34S                               |  | RNG (E/W)<br>14W           |                              | Acres Attributed                |   |  |
| Field<br>Aetna  |             |                   |  | Reservoir<br>Mississippi Lime   |   |                |                                 |  |  | ering Conn<br>em Oil & Ga  |                              |                                 |   |  |
| Completion Date 4/27/65                                     |             |                   |  |   | Plug Back Total Depth<br>5190               |                | h                               | Packer Set at<br>None                    |  | et at                      |                              |                                 |   |  |
| Casing Size<br>5.5  |             |                   | Weight<br>15.5                                       |   | Internal Diameter                           |                | Set at 5309                     |  | Perforations<br>4842   |                            | то<br>4880                   |                                 |   |  |
| Tubing Size<br>2.375  |             |                   | Weight   |   | Internal Diameter                           |                | Set at<br>4720                  |  | Perforations   |                            | To                           | То                              |   |  |
| Type Completion (Describe) Single Gas                       |             |                   |  | Type Fluid Production   |   |                |                                 | Pump Unit or Traveling Plunger? Yes / No |  |                            |                              |                                 |   |  |
| Producing Thru (Annulus / Tubing) Annulus                   |             |                   |  | % Carbon Dioxide  |   |                |                                 | % Nitroge                                | en   | G                          | Gas Gravity - G <sub>g</sub> |                                 |   |  |
| Vertical D  | Depth(H     | )                 |  |   |   | Pres           | sure Taps                       |  |  |                            | (N                           | leter Run) (F                   | rover) Size   |  |
| Pressure  | Buildu      | o: S              | hut in <u>4/4</u>                                    | 2   | 0 11 at 7                                   | :00            | (AM) (PM)                       | Taken 4/                                 | 5  | 20                         | 11 at 7:                     | 00                              | (AM) (PM)   |  |
| Well on L   | .ine:       | S                 | tarted   | 2   | 0 at  |                | (AM) (PM)                       | Taken                                    |  | 20                         | at                           |                                 | (AM) (PM)   |  |
|   | ı           |                   |  | 1 _   | T   | OBSERVE        | D SURFAC                        |  | _  |                            | Duration of                  | Shut-in 24                      | Hours   |  |
| Static /<br>Dynamic<br>Property                             | ynamic Size |                   | Circle one:<br>Meter<br>Prover Pressuri<br>psig (Pm) | Pressure Differential in Inches H <sub>2</sub> 0  | remperature remperatu                       |                | 1 Wallhood Praccura             |  | Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia |                            | Duration<br>(Hours)          | 1 ' '                           | Liquid Produced<br>(Barrels)                                |  |
| Shut-In   | Shut-In     |                   |  |   |   |                | 80                              | 94.4                                     | 15   | 29.4                       | 24                           |                                 |   |  |
| Flow  |             |                   |  |   |   |                |                                 |  |  |                            |                              |                                 |   |  |
|   |             |                   |  | <del></del>   |   | FLOW STR       |                                 | RIBUTES                                  | ———Т   |                            |                              |                                 | Flowing   |  |
| Plate Coefficeient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd |             | ٨                 | Direle one:<br>Meler or<br>Per Pressure<br>psia      | Press<br>Extension<br>P <sub>m</sub> x h  | Grav<br>Fac<br>F                            | tor            | Flowing Temperature Factor F,   |  | iation<br>ctor<br>:<br>pv  | Metered Flo<br>R<br>(Mcfd) | (Cu                          | GOR<br>(Cubic Feet/<br>Barrel)  |   |  |
|   |             |                   |  |   |   |                |                                 |  | <u>-</u>   |                            |                              |                                 |   |  |
| (P <sub>c</sub> ) <sup>2</sup> =                            |             | _:                | (P <sub>w</sub> ) <sup>2</sup> =_                    | :   | •   | OW) (DELIV     |                                 | /) CALCUL<br>P <sub>c</sub> - 14.4) +    |  | :                          |                              | $(P_a)^2 = 0.3$<br>$(P_d)^2 = $ | 207   |  |
| $(P_a)^2 - (P_a)^2$<br>or $(P_c)^2 - (P_d)^2$               |             | (P <sub>a</sub>   | )²- (P <sub>w</sub> )²                               | hoose formula 1 or 2<br>1. $P_c^2 - P_s^2$<br>2. $P_c^2 - P_d^2$<br>vided by: $P_c^2 - P_w$ | LOG of<br>formula<br>1. or 2.<br>and divide |                | Backpressure Cur<br>Slope = "n" |  | 1001106  |                            | Antilog                      | De                              | Open Flow<br>Deliverability<br>Equals R x Antilog<br>(Mcfd) |  |
|   |             |                   |  |   |   |                |                                 |  |  |                            |                              |                                 |   |  |
| Open Flow   |             | Mcfd @ 14.65 psia |  |   |   | Deliverability |                                 |  | <b>-1-</b>   | Mcfd @ 14.65 psia          |                              |                                 |   |  |
|   |             | _                 | authority, on  |   |   |                | •                               |  |  | •                          | ort and that                 |                                 | •   |  |
| the facts s   | stated th   | nerein            | , and that sai                                       | d report is tru   | e and correct                               | t. Executed    | this the _8                     | PM 1                                     | day of <u>Ju</u>   | ··· <b>J</b>               |                              |                                 | 20 11   |  |
|   |             |                   | Witness (if i  | any)  |   |                |                                 |  | <del> </del>   | For                        | Company                      | KE                              | CEIVED  |  |
|   |             |                   | For Commis   | Sion  |   | <del></del>    |                                 |  | •  | Che                        | ecked by                     | ——0C                            | T <del>-1-3-20</del> 1                                      |  |

| exempt status u<br>and that the for<br>correct to the be<br>of equipment ins | nder penalty of perjury under the laws of the state of Kansas that I am authorized to request a nder Rule K.A.R. 82-3-304 on behalf of the operator Chesapeake Operating, Inc.  Regoing pressure information and statements contained on this application form are true and lest of my knowledge and belief based upon available production summaries and lease records stallation and/or upon type of completion or upon use being made of the gas well herein named. I guest a one-year exemption from open flow testing for the Sooter EK A 2-2 grounds that said well: |
|--|--|
| I further ag   | is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D  ree to supply to the best of my ability any and all supporting documents deemed by Commission ary to corroborate this claim for exemption from testing.  |
|  | Signature:   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

OCT 1 3 2011

KCC WICHITA