KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-23014-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	NE_NW_NE_NE_Sec. 23 Twp. 22 S. R. 16 ▼ East West
Address 2:	5,115 Feet from ☐ North / ☑ South Line of Section
City: Burlington State: Ks Zip: 66839 +	825 Feet from 🗸 East / 🗋 West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311	□ NE □ NW ☑ SE □ SW
31280	County: Coffey
Name: Birk Petroleum	Lease Name: East Gilbert Well #: 2
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy
Purchaser: _Coffeyville Resources	Desducing Formation, Squirrel
Designate Type of Completion:	Elevation: Ground: 1042 est. Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1013 Plug Back Total Depth: 1013
	Amount of Surface Pipe Set and Cemented at: 41 Feet
✓ Oii	<u> </u>
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ Temp. Abd.	Multiple Stage Cementing Collar Used?
☐ OG ☐ ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane)	If yes, show depth set:Feet
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 995
If Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 120 sx cmt.
Operator:	
	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Dewatering method used:
Conv. to GSW	Location of fluid disposal if hauled offsite;
Plug Back: Plug Back Total Depth Commingled Permit #:	Location of hold disposal inflatiled offsite.
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	QuarterSecTwpS. REast West
GSW Permit #:	County: Permit #:
09/20/2011 09/21/2011 09/21/2011	NOV 07 200
Spud Date or Date Reached TD Completion Date or	NOV 0 7 201 KCC WICHIT
Recompletion Date Recompletion Date	KCC MUCH
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if requitiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- i report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and re	eau-
lations promulgated to regulate the oil and gas industry have been fully complied	
and the statements herein are complete and correct to the best of my knowledge	Date: Confidential Release Date;
MILLIAN / LACTA	☐ Wireline Log Received
Signature: DUM CON	— Geologist Report Received
Title: Agent Date: 11/03/2011	UIC Distribution ALT

Side Two

Operator Name: Birk	Petroleum		Lease Na	me:	East Gilbert		Well #: _2_		
Sec. 23 Twp.22	s. R. <u>16</u>	✓ East ☐ West	County: _	Coffe	Э				
time tool open and clo	sed, flowing and shu es if gas to surface te	nd base of formations pen ut-in pressures, whether s est, along with final chart(I well site report.	hut-in pressur	re read	ched static level,	hydrostatic p	pressures, bottom i	hole temp	perature, fluid
Drill Stem Tests Taken (Attach Additional S		☐ Yes 🗸 No		L		n (Top), Dept	th and Datum	7	Sample
Cores Taken Yes Electric Log Run Yes		Yes No Yes No Yes No Yes No	Yes No Sq Yes No Yes No		Name quirrel Sand		Top 1000		Datum 42
List All E. Logs Run:									
		CASING Report all strings set-	•	Ne	_	on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft,		Setting Depth	Type of Cement			and Percent Additives
Surface Casing	9 7/8"	7*	17#		41'	Portland	14	Calciu	m
Long String	6 1/8"	2 7/8"	6.5#		995'	Portland	120		
	<u>l</u>	ADDITIONAL	L	/ SQU	EEZE RECORD			<u> </u>	···
Purpose: —— Perforate —— Protect Casing	Depth Top Bottom	Type of Cement	# Sacks Us	sed		Туре а	and Percent Additives		
Plug Back TD Plug Off Zone									
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Perl					ment Squeeze Recor of Material Used)	d	Depth
None	Open Hole Comp	letion 995-1013'			Frac w/42 sx	sand			995-1013
							F	RECE	VED
							N	DV 0	2011 HITA
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:		KC(2 Wir	۸۳۱۵
		······				Yes) No		<i>י</i> ПИА
Date of First, Resumed F 10/20/2011	Production, SWD or EN	HR. Producing Meth	nod: Pumping		Gas Lift O	ther (Explain) _			
Estimated Production Per 24 Hours	Oil 2	Bbls. Gas	Mcf	Wate	er Bb	is.	Gas-Oli Ratio		Gravity
DISPOSITIO	NOE CAS:		AETHOD OF OC		TON				
Vented Sold	Used on Lease			Dually	Comp. Com	ımingled	PRODUCTIO	ON INTER	VAL:
(If vented, Subi	mit ACO-18.)	Other (Specify)	(Si	ubmit A	(Subm	nit ACO-4)			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessfule point over playable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to siderwalks, nearly seller of the experimental or siderwalks, nearly seller of the experimental or siderwalks, such which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated, we do not assume responsibility for strength lists when water is added at customer's request.

44

strength less when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property

ጌ **ካ TO**; BPOOL B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON EG

66839

B17 21 B & B COMP. VEHITURES/BIRK DIL 35 U TO F ST IN LEROY N OUT OF THIRD TO THE U 3/4 MI S SD EAST CH BERT WELL# 2 IT ROV. M.S. 66857

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	-1 -5 * 5	PLANT/TRANSACTION #
01:41:13p	HELL.	12.00 yd .	12.00 yd	Ø. ØU	38 34	0.00	
DATE	r. n.	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
09-21-11	oday,	1	12.00 yd	18497	6/yd -70.0	4.00 in	30218

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Weer Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS, Avoid Contact: With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, it Imitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED IN the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not cald within 30 days of delivery will beer interest at the rate of 24% per ecount Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material to Deherred.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Chiecks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(10 BE SIGNED IF DELIVERY TO BE MADE INSDE CURB LINE)
Deer Customer-The driver of this buck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of its
truck may possibly cause demage to the premises end/or adjacent
propery if a places the materials in this bload where you desire it it is
our with to help you in every way that we can, but in order to do this
to driver is requesting that you sign this RELEASE releving him and
this supplier from any responsibility from any demage that may occur
to the premises and/or adjacent property. Dudlings, sicheris,
chowways, curbs, etc. by the delivery of the material, and that you
also agree to help him remove must from the wheels of his relicities so
that the will not little the public street. Further, as additional consideration, the undersigned agrees to indimnify and hold hardness the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
exist out of delivery of this order.

SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

TICE MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING TICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED EN DELIVERING INSIDE CURBLINE

QUANTITY	CODE	DESCRIPTION		UNIT PRICE	EXTENDED PRICE
12.00	MELL	WELL (10 SACKS PER UNIT)	12.00	76.00	912,00
2.50	MELL	TRUCKING CHARGE	2.30	50.00	125,00

Х

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED (JubTotal \$	1037.00
			JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION		Tax % 6.300	65.33 1102,33
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME BUE	Grder \$	1102.33
2.00	2:35					ADDITIONAL CHARGE 1	1700170
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
L				/ /		GRAND TOTAL	

RECEIVED NOV 0 7 2011 KCC WICHITA