KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-23017-00-00				
Name: Birk Petroleum	Spot Description:				
Address 1: 874 12th Rd SW	NE_NE_NE_NE_Sec. 23 Twp. 22 S. R. 16 F East West				
Address 2:	5,115 Feet from North / South Line of Section				
City: Burlington State: Ks Zip: 66839 +	Feet from				
Contact Person: Brian L Birk					
Phone: (620) 364-1311	□NE □NW Øse □sw				
CONTRACTOR: License #_31280	County: Coffey				
Name: Birk Petroleum	Lease Name: East Gilbert Well #: 4				
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy				
Purchaser: Coffeyville Resources	Producing Formation: Squirrel				
Designate Type of Completion:	Elevation: Ground: 1039 est Kelly Bushing:				
∇ New Well	Total Depth: 999 Plug Back Total Depth: 999				
[7] Oii ☐ wsw ☐ swp ☐ slow	Amount of Surface Pipe Set and Cemented at: 41 Feet				
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No				
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet				
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 983				
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.				
If Workover/Re-entry: Old Well Info as follows:	SX GAL.				
Operator:	Partition of the Control of the Cont				
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls				
Deepening Re-perf. Conv. to ENHR Conv. to SWD					
Conv. to GSW	Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:	QuarterSecTwpS. R East West				
GSW Permit #:	County:Permit #:RECEIVED				
09/27/2011 09/28/2011 09/28/2011	- -				
Spud Date or Date Reached TD Completion Date or Recompletion Date	NOV 1 0 2011				
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copies of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden-II report shall be attached with this form. ALL CEMENTING TICKETS MUST				
AFFIDAVIT	KCC Office Use ONLY				
I am the affiant and I hereby certify that all requirements of the statutes, rules and relations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge.	with Letter of Confidentiality Received				
Signature: WW/G/W	Geologist Report Received				
Title: Agent Date: 11/08/2011	ALT				

Side Two

Operator Name: Birk	Retroleum			Lease	e Name: _	East Gilber	rt	Well #: _4		
Sec. 23 Twp.22	s. R. <u>16</u>	✓ East	■ West	Coun	ty: Coffe	ey	- -			
INSTRUCTIONS: Shi time tool open and clo recovery, and flow rate line Logs surveyed. A	sed, flowing and shufes if gas to surface te	i⊣in pressu st, along v	ires, whether sl vith final chart(s	hut-in pre	essure read	ched static le	vel, hydrostatic ş	oressures, bottom	hole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S		Ye	es ☑No			og Forma	ation (Top), Dept	th and Datum	? :	Sample
Samples Sent to Geol	•	<u></u> Y€	s 🗹 No		Nam			Тор 990		Datum 49
Cores Taken Electric Log Run		Ye	s 🗹 No	Squares S		5. GG.1.5		333		
List All E. Logs Run:										
		Reno	CASING		_		luction, etc.		·	
Purpose of String	Size Hole Drilled	Siz	e Casing (in O.D.)	W	elght s. / Ft.	Setting Depth	Type of Cemen			and Percent Additives
Surface casing	9 7/8*	7°		17#		41'	Portland	15	Catciu	m
Long String	6 1/8"	2 7/8"		6.5#		983'	Portland	120	 	
			ADDITIONAL	CEMEN	TING / SQL	JEEZE RECO	RD			
Purpose: —— Perforate —— Protect Casing	Depth Top Bottom	Туре	of Cernent	# Sac	ks Used		Туре	and Percent Additive	3	
Plug Beck TD Plug Off Zone										
Shots Per Foot			D - Bridge Plug Each Interval Per		ė	Acid,	Fracture, Shot, Ce (Amount and Kind	ement Squeeze Reco	ord	Depth
None	Open Hole compl	etion 983	-999'			Frac w/22	2 sx sand			983-999
	<u> </u>			<u></u>				R	CEIV	ED.
									V 1 0	
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes [NO	WICI	HIIA
Date of First, Resumed 10/20/2011	Production, SWD or EN	HR.	Producing Meth	nod: Pump	oing 🗌	Gas Lift [Other (Explain)	,		
Estimated Production Per 24 Hours	OII 1	Bbls.	Gas	Mcf	Wat	er	Bbis.	Gas-Oll Ratio		Gravity
Vented Sok	ON OF GAS: Used on Lease bmit ACO-18.)		_	METHOD (OF COMPLI Dually (Submit	y Comp. 🔲	Commingled Submit ACO-4)	PRODUCT	ION INTER	RVAL:

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over gassable road, under truck's own power. Due to delivery at owner's or intermediarly's direction, seller assumes no responsibility for damages in any manher to sidewalks, roadways, driveways, bulkdings, trees, shrubbey, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mis indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER
Failure of this contracto to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

general

BERRY IC.

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON KS

DESCRIPTION

66839

tovera

B & B COOP, WINTURES/PIRK OIL 50 W TO F ST IN LEROY NUMBER OF THUS TO 7TH E 3/4 MT S SD

POST OF BERT WELL# 4

10 ROY, KO 66857

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	v 000	DRIVER/THUCK	- 4 AID	PLANTYTRANSAUTION #
10:37:52p	IELL	12.00 yd	12.00 yd	6, 00	31	0.00	
DATE	Ta Dat	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TIOKET NUMBER
09-28-11	roday	1	12.00 yd	18615	6/yd70.0	4.00 in	30299

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Glores. PROLONGED CONTACT MAY
CAUSE BURN'S. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Montand With Skin or Eyes, Flush Thoroughly With Water, If Imitation Persists, Get Medical
Attention. REEP CHILDREN AWAMS.

CONCRETE IS a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON-LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED IN the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will been interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

Excess Delay Time Charged @ \$50/HR. ^^ne

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURBILINE)

(TO BE SIGNED & POLITERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the option that the size and weight of his
truck may possibly cause dismage to the premises and/or adjacent
properly if places the materials in this load where your desire it is
our wish to help you in every way that we can, but in order to do this
drive in requesting that you give this RELEASE releasing them and
this apposer from any responsibility from any dismage that may occur
to the premises under adjacent properly, buddings -entered the
till the premises and/or adjacent properly, buddings -entered
the properly of the place of the properly of the whole so
the will not inter the public crises. Further, as additional consideration, the undersigned agrees to indire year, and the law these the drive
of this truck and this supplier for any and it cleaned to the premises
and/or adjacent properly which may be cleaned by anytone to have
existing out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER.

l	QUANTITY	CODE	DESCRIPTION			VINE PRICE	EXICIABLISTABIO
Ī	12.00 2.50	TBOCK (NG MEIT		SACKS PER UNIT) CHARGE	12.00 2 50	76. ØØ 50. ØØ	912.00 125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED 6	SubTotal \$ 1037.00
			JOB NOT READY SLOW POUR OR PUMP TACCIDENT TRUCK AHEAD ON JOB CITATION		Tax % 6.300 65.33 Lotal ? 1102.33
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER		Order 1 1102.33
12:53	1:30				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL

RECEIVED NOV 1 0 2011 **KCC WICHITA**