RECEIVED

DEC 0 2 2011

For KCC Use: Effective Date:	12-7-2011
District #	3
SGA? Yes	No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 KCC WICHITA

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Spot Description:	
NE NE SW - NE_ Sec. 15 Twp. 14 S. R. 22	w
feet from N / X S Line of Se	 ection
1,630 Feet from XE / W Line of Se	ection
Is SECTION: Regular Irregular?	
(Note: Locate well on the Section Plat on reverse side)	
Eigld Name: Gardner Well #: 1001	
	71
Target Formation(s): Bartlesville	
Ground Surface Elevation: 1010 feet	MSL
Water well within one-quarter mile:	∑ No∫
Public water supply well within one mile:	₹ No
Depth to bottom of fresh water: 200	
Depth to bottom of usable water: 300	
Surface Pipe by Alternate:	
Length of Surface Pipe Planned to be set: 20'	
Length of Conductor Pipe (if any): N/A	
Projected Total Depth: 900'	
Water Source for Drilling Operations:	
Well X Farm Pond Other:	
DWR Permit #:	
(Note : Apply for Permit with DWR	
Will Cores be taken?	₹Nο
If Yes, proposed zone: ,	
IDAVIT	
ggang at the transition to our dog.	
drilling rig;	
by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Thick office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	
by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. The inderlying formation is the inderlying formation in the inderlying formation in the inderlying formation is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
by circulating cement to the top; in all cases surface pipe shall be set underlying formation. Thick office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	
by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. The inderlying formation is the inderlying formation in the inderlying formation in the inderlying formation is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. The index on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is worked by the wholes and belief.	
by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. The incident of the top; in all cases surface pipe shall be set enderlying formation. The incident of the top; in all cases surface pipe shall be set enderly in the shall be set enderly in the shall be set of the shall be shall be set of the shall be sh	
by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. The incident of the top; in all cases surface pipe shall be set enderlying formation. The incident of the top; in all cases surface pipe shall be set enderlying formation. The incident of the top; in all cases are prior to plugging; end or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. The incident of the top; in all cases are plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent	15
by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. The incident of the top; in all cases surface pipe shall be set enderlying formation. The incident of the top; in all cases surface pipe shall be set enderly in the shall be set enderly in the shall be set of the shall be shall be set of the shall be sh	15
by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If y knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	!
by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing, by knowledge and belief. Agent Agent	15 14
by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	14
by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If y knowledge and belief. File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	!
by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Agent Agent	14
by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Agent Agent	14 22
by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Agent Agent	14
Ç	NE SW NE Sec. 15 Twp. 14 S. R. 22 SE [3.848 feet from N / S S Line of St 1,630 feet from N / S Line of St 1,630 feet from N / S Line of St 1,630 feet from N / S Line of St 1,630 feet from N / S Line of St 1,630 feet from N / S S Line of St 1,630 feet from N /

For KCC Use ONLY
API # 15 - 09/-237/3-00-00

Operator: Kansas Resource Exploration & Development, LLC

RECEIVED
DEC 0 2 2011
KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: Johnson

Lease: Knabe M	
Well Number: KR-1	1,630 feet from X E / W Line of Section
Field: Gardner	Sec. 15 Twp. 14 S. R. 22 X E W
Number of Acres attributable to well:	Is Section: 🔀 Regular or 🔲 Irregular
QTR/QTR/QTR/QTR of acreage: NE - NE - SW - NE	is decitori.
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	PLAT
	lease or unit boundary line. Show the predicted locations of quired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a s	separate plat if desired.
Sec 15	:
	LEGEND
	Tank Battery Location
	—— Pipeline Location
12.	Lease Road Location
	:
	EXAMPLE
3849	
	980 FSL
	SEMARD CO. 2300' EEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-091-23713-0000

RECEIVED
DEC # 2 2011
KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Trail	nsfer) CP-1 (Plugging Application)
OPERATOR: License # 34592 Name: Kansas Resource Exploration & Development, LLC	Well Location: NE_NE_SW_NE_Sec15_Twp14_SR22_XEas_West County: Johnson	
Address 1: 9393 W. 110th St., Suite 500		
	Knobo M	Well #. KR-1
Address 2: City: Overland Park State: KS Zip: 66210 + Contact Person: Bradley Kramer Phone: (913) 669-2253 Fax: () Email Address: brad@kansasresource.com	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:	
Phase / 913 \ 669-2253 Fau /	-	
Email Address: brad@kansasresource.com	-	
Surface Owner Information: Name: Doris J. Vervynck Trust, Trustee Address 1: 31450 W. 159th St.	When filing a Form T-1 involving multiple sheet listing all of the information to the	e left for each surface owner. Surface
Address 2:	 owner information can be found in the records of the register of deeds for county, and in the real estate property tax records of the county treasurer. 	
City: Gardner State: KS Zip: 66030 +	- · · · · · · · · · · · · · · · · · · ·	,
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cata the KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice	ank batteries, pipelines, and electrical lines on the Form C-1 plat, Form CB-1 plat, or a Act (House Bill 2032), I have provided t	. The locations shown on the plat a separate plat may be submitted. The following to the surface
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,	e located: 1) a copy of the Form C-1, Forr n being filed is a Form C-1 or Form CB-1,	n CB-1, Form T-1, or Form
I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handling.	owner(s). To mitigate the additional cost	of the KCC performing this
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C		ived with this form, the KSONA-1
I hereby certify that the statements made herein are true and correct	•1 /	
Date: 11-15-11 Signature of Operator or Agent:	Title: Ag	ent

RECEIVED DEC 0 2 2011

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

KCC WICHITA

APPLICATION FOR SURFACE PIT

Submit in Duplicate Operator Name: Kansas Resource Exploration & Development, LLC License Number: 34592 Operator Address: 9393 W. 110th St., Suite 500 Overland Park KŞ 66210 Contact Person: Bradley Kramer Phone Number: (913) 669-2253 Lease Name & Well No.: Knabe M KR-1 Pit Location (QQQQ): NE NE SW NE Type of Pit: Pit is: Sec. 15 Twp. 14 R. 22 X East West Emergency Pit Burn Pit X Proposed Existing Settling Pit X Drilling Pit 3,848 If Existing, date constructed: Feet from North / X South Line of Section Workover Pit Haul-Off Pit 1,630 Feet from X East / West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) 120 Johnson (bbls) County Is the pit located in a Sensitive Ground Water Area? Yes X No. Chloride concentration: (For Emergency Pits and Settling Pits only) Is the bottom below ground level? **Artificial Liner?** How is the pit lined if a plastic liner is not used? X Yes No Yes X No Native Clay Pit dimensions (all but working pits): Length (feet) _Width (feet) N/A: Steel Pits Depth from ground level to deepest point: _ (feet) If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water Source of information: N/A feet measured well owner electric log X KDWR Depth of water well _ feet Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: **Drilling Mud** Producing Formation: ____ Type of material utilized in drilling/workover: Number of producing wells on lease: ___ Number of working pits to be utilized: Air dry and backfill Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 11-15-11 Date Signature of Applicant or Agent