SGA? Yes X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

**CATHODIC PROTECTION BOREHOLE INTENT** Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas	
Expected Spud Date:12/07/2011	Spot Description Mitchell Station #34
month day year	Mile State of the second
OPERATOR: Licensett 33471	
OT LIVE OF THE PROPERTY OF THE	1 470
	leet from E / V Line of Section
Address 1: One Williams Center	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City: Tulsa State: OK Zip: 74172 +	County: Rice
Contact Person: Ryan Barta	Facility Name: Mitchell Station #34
Phone: 620-245-8104	Borehole Number:1
CONTRACTOR: License# 6427	Ground Surface Elevation: 1736 MS
Name: Rosencrantz-Bemis Enterprise, Inc	Cathodic Borehole Total Depth: 200 fee
Type Drilling Equipment: 🗹 Mud Rotary 🔲 Cable	Depth to Bedrock:
☐ Air Rotary ☐ Other	Water Information
Construction Features	Aquifer Penetration: 2 None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:60
Planned to be set: See Attached Drawing 200 feet	Depth to bottom of usable water:
Length of Conductor pipe (if any): See Attached Drawing D feet	Water well within one-quarter mile:
Surface casing borehole size: 12 inches	Public water supply well within one mile: Yes V
Cathodic surface casing size: 6 inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of: 40 ; 80 ;	☐ Well ☐ Farm Pond ☐ Stream ✔ Other
120 , 180 , 200 ; ; ; ; ;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
✓ Above surface	Standard Dimension Ratio (SDR) is = See Attached Drawing
Pitless casing adaptor will be used: Tyes Ao Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are: 90 ; 100 ; 120 ; 130 ; 140	Annular space between borehole and casing will be grouted with:
	☐ Concrete ☐ Neat Cement ☑ Bentonite Cement ☐ Bentonite Clay
150 , 160 , 170 , 180 , 190 ,;	Anode vent pipe will be set at: See Attached Drawing feet above surface
	Anode conductor (backfill) material TYPE: Loresco SC-3
	Depth of BASE of Backlin installation material.
AFFIDAVIT	Depth of TOP of Backfill installation material: 3'
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.	Borehole will be Pre-Plugged? Yes And
t is agreed that the following minimum requirements will be met:	DECENTE
·	RECEIVEL
. Notify the appropriate District office prior to spudding and again before plugging the	well. An agreement between the operator and the District Office on plugs
and placement is necessary prior to plugging. In all cases, notify District Office prior	
Notify appropriate District Office 48 hours prior to works as months.	or to any grouting. UEC (1.2. 2)
, , , ,	UEC 02 20
A copy of the approved notice of intent to drill shall be posted on each drilling rig.	5EC 0 2 20
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by	grouting to the top when the cathodic surface casing is set.  KCC WICH
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (	grouting to the top when the cathodic surface casing is set.  KCC WICH  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by	grouting to the top when the cathodic surface casing is set.  KCC WICH  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set.  KCC WICH  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set.  KCC WICH  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  hereby certify that the statements made herein are true and to the best of my known at 11/30/2011.	grouting to the top when the cathodic surface casing is set.  KCC WICH  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  hereby certify that the statements made herein are true and to the best of my known at 11/30/2011	grouting to the top when the cathodic surface casing is set.  KCC WICH  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the completion of CP-4.  Signature of Operator or Agent:	grouting to the top when the cathodic surface casing is set.  KCC WICH  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of the certify that the statements made herein are true and to the best of my known and the certification.  The minimum amount of cathodic surface casing as specified below shall be set by the complete of the complete of the complete of the complete of the certification.  The minimum amount of cathodic surface casing as specified below shall be set by the complete of the complete of the complete of the complete of the certification.  The minimum amount of cathodic surface casing as specified below shall be set by the case of the complete of the complete of the complete of the complete of the certification.  The minimum amount of cathodic surface casing as specified below shall be set by the complete of the certification.  The minimum amount of cathodic surface casing as specified below shall be set by the case of the complete of the certification of the complete of the certification of the certific	grouting to the top when the cathodic surface casing is set.  KCC WICH  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by it. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the completion of Operator of Agent:  11/30/2011  Signature of Operator or Agent:	grouting to the top when the cathodic surface casing is set.  KCC WICH  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  Cowledge and Nellef.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of the certify that the statements of Operator or Agent:  For KCC Use ONLY  API # 15 - 1 59 - 226 73 - OOOD	grouting to the top when the cathodic surface casing is set.  KCC WICH form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of Operator or Agent:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 159-22673-0000  Conductor pipe required feet	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kensas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (b) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known attention of the Destroy of the Destroy of Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / 59 - 226 73 - OOOO  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kensas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (b) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the completion of Operator or Agent:  For KCC Use ONLY  API # 15 - 159-226-73-0000  Conductor pipe required feet	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (b) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (d) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (e) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of CP-1 within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of CP-1 within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of CP-1 within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of CP-1 within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of CP-1 within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of CP-1 within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of CP-1 within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of CP-1 within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of CP-1 within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of CP-1 within 30 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (b) Swing and speller.  Title: JGCCNT  If this permit has expired or will not be drilled, check a box below, sign. date and return to the address below.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the bast of my known and the statements made herein are true and to the bast of my known are:  11/30/2011  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 1 59 - 2 2 6 73 - 0000  Conductor pipe required  Minimum Cathodic Surface Casing Required:  Approved by:  Minimum Cathodic Surface Casing Required:  This authorization expires:  13-2-2013	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (b) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (d) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (e) Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the best of my known and the complete of the certify that the statements of Operator or Agent:  For KCC Use ONLY  API # 15 - 1 59 - 2 2 6 73 - 0000  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  Developed and wellef.  If this permit has expired or will not be drilled, check a box below, sign. date and return to the address below.
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completio d. Submit plugging report (CP-4) within 30 days after final plugging is completed.  Thereby certify that the statements made herein are true and to the bast of my known and the statements made herein are true and to the bast of my known are:  11/30/2011  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 1 59 - 2 2 6 73 - 0000  Conductor pipe required  Minimum Cathodic Surface Casing Required:  Approved by:  12-2-2013  This authorization expires:  13-2-2-013	grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (b) Switch Surface Owner Notification Act in Form (ACO-1) within 30 days from spud date.  (c) Switch Surface Casing is set.  (d) COMICH Surface Casing is set.  (e) COMICH Surface Casing is set.  (e) COMICH Surface Casing is set.  (f) COMICH Surface Casing is set.  (e) COMICH Surface Casing is set.  (f)

For KCC Use ONLY
API # 15 - 159-22673-00-00

### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

itv Namo, iv	litchell Stat	ion #34			· · · · · · · · · · · · · · · · · · ·		cation of Well 768	•		V <sub>N</sub>		
ty Name: Mitchell Station #34 hole Number: 1						1,476		feet from		-	of Sectio	
HOIE NUMBER						Se		Twp. 19	feet from S.R.		process	of Section
						ls :	Section:	Regular or	Irreg	ular		
							Section is Irre	egular, locate v used: NE	,		orner bour ]SW	dary.
								boundary line. S				
lease 10	aos, tank b	atteries, pi	pelines an				py the Kansas plat if desire	Surface Owne d.	r Notice .	Act (House	Bill 2032).	
4			•		:		•					
		189			:				LE	GEND		
147	V/ +.	76						_(	O_ W	ell Locatio		
147	6' FV	76		,				(	O We	ell Location	Location	
147	6' FV	76							O We	ell Locatio	Location ation	
147	6' FV	76							O We	ell Location nk Battery peline Loc	Location ation Location	
147	6' Fv	76							O We	ell Location nk Battery Deline Loc Pectric Line	Location ation Location	
147	6' FV	76						EXAMF	O We	ell Location nk Battery Deline Loc Pectric Line	Location ation Location	
147	6' FV	76							O We	ell Location nk Battery Deline Loc Pectric Line	Location ation Location	
147	6' FV	76							O We	ell Location nk Battery Deline Loc Pectric Line	Location ation Location	
147	6' FV	76							O We	ell Location nk Battery Deline Loc Pectric Line	Location ation Location	
147	6' FV	76							O We	ell Location nk Battery Deline Loc Pectric Line	Location ation Location	1000.50
147	6' FV	76							O We	ell Location nk Battery Deline Loc Pectric Line	Location ation Location	1980°F\$

#### In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, KCC WICHITA 4 sections, etc.;

SEWARD CO. 3390 FEL

RECEIVED

DEC 02 2011

2. The distance of the proposed drilling location from the section's south / north and east / west; line.

NOTE: In all cases locate the spot of the proposed drilling locaton.

3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

### 15-159-22673-00-00

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) 🗵 CB-1 (	Cethodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 33471  Name: Mid-Continent Fractionation & Storage LLC	Well Location:
Address 1: One Williams Center	Sec. 26 Twp. 19 S. R. 7 East West
***************************************	County: Rice  Lease Name: Mitchell Station #34 Well #: 1
Address 2:	Lease Name: Well #:
Contact Person: Ryan Barta	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Phone: ( 620 ) 245-8104 Fax: ( 620 ) 834-2155	सम्बद्धाः स्टब्स्स
Phone: ( 620 ) 245-8104 Fax: ( 620 ) 834-2155 Email Address: ryan.barta@williams.com	
Email Address; 1941. Data Williams. COM	
Surface Owner Information:  Name: Mid-Continent Fractorotion and Storage LLC  Address 1: One Williams Center  Address 2:  City: TUSA State: OK zip: 74172+	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be k	Act (House Bill 2032), I have provided the following to the surface coated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface owners, I acknowledge that I am being charged a \$30.00 handling	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned,
I hereby certify that the statements made herein are true and correct to Date: 1130111 Signature of Operator or Agent:	the best of my knowledge and belief.  Title: Manages

RECEIVED

DEC 0 2 2011


KCC WICHITA

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

# DEEP/SHALLOW CATHODIC PROTECTION GROUNDBEDS DRILL FLUID DISPOSAL LETTER OF AGREEMENT

This agreement is made and entered into this1th Day of <u>December</u> , 2011 by and between Williams Midstream and
MESA P.O. Box 52608 Tulsa, Oklahoma, 74152-0608
Hereinafter referred as the "Contractor", with
Ryan Barta 2805 Ave H Little River, KS 67457
Hereinafter referred to as "Property Owner"
The Property Owner acknowledges that the signing of this Agreement is an independent act of the Property Owner agrees to allow access to their property at:
State: Kansas County: Rice
Section: 3 Township: 19 Range: 6
And at the request of the Property Owner, Fluids will be hauled to the above location on private property disposed of by the Contractor, The Property Owner is accepting any and all responsibility for this action.
IN WITNESS WHEREOF, the parties have executed this Agreement in several counterparts original on the day and year first above written.
Maximal Date 12-1-2011 Property Owner Date 11-317-11

RECEIVED
DEC 0 2 2011
KCC WICHITA



### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate Operator Name: Mid-Continent Fractionation & Storage LLC License Number: 33471 Operator Address: One Williams Center Tulsa OK 74172 Contact Person: Ryan Barta Phone Number: 620-245-8104 Lease Name & Well No.: Mitchell Station #34 Plt Location (QQQQ): \_ NW Type of Pit: Pit is: Sec. 26 Twp. 19 R. 7 East West Emergency Pit Burn Pit Proposed Existing Settling Pit X Drilling Pit If Existing, date constructed: Feet from X North / South Line of Section Workover Pit Haul-Off Pit 1,476 Feet from East / X West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Rice (bbls) County Is the pit located in a Sensitive Ground Water Area? Yes X No mg/l (For Emergency Pits and Settling Pits only) Artificial Liner? is the bottom below ground level? How is the pit lined if a plastic liner is not used? X Yes No X Yes No 2 Length (feet) Pit dimensions (all but working pits): Width (feet) N/A: Steel Pits Depth from ground level to deepest point: \_ No Pit (feet) Describe procedures for periodic maintenance and determining if the pit is lined give a brief description of the liner material, thickness and installation procedure. liner integrity, including any special monitoring. 6M Clear plastic liner layed in pit and edges secured to pit. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water, Source of information: **JADWR** measured well owner electric log Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: **Drilling Mud** Type of material utilized in drilling/workover: Producing Formation: Number of producing wells on lease: \_\_\_ Number of working pfts to be utilized: Backfill Barrels of fluid produced daily:\_ Abandonment procedure:\_ Does the slope from the tank battery allow all spilled fluids to KCC WICHITA flow into the pit? Yes No Drill pits must be closed within 365 days of soud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. TO AGENT 11/30/2011 Date KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS Date Received: 12-2-1( Permit Number: Permit Date: /2-2-// Lease Inspection: Yes V No