# For KCC Use: /2-/1-2011 District #\_\_\_\_\_\_\_ SGA? Yes XNo

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

pected Spud Date:	December 28, 2011	·	Spot Description:	
,pootoo op	month day	year	S/2 NE SW SE Sec. 19 Twp. 6 S. R. 19 E	₹w
	34390		(Q/Q/Q/Q/Q) 700 feet from N / X S Line of Se	ction
PERATOR: License# _	dba Kapp Company LLC		1,650 feet from XE / W Line of Se	ction
ame: 10940 South	Parker Road #755		Is SECTION: Regular Imegular?	
Idress 2:	State: CO Z	in: 60134 ±	(Note: Locate well on the Section Plat on reverse side)	
ty: Parker ontact Person: Dougla		ip. <u></u> +	County	
one: (719) 338-3650	O COTTON		Lease Name: Carpenter Well #. 1	<del></del>
			Field Name: wildcat	ภ
ONTRACTOR: License	e#33493		Is this a Prorated / Spaced Field?	7No
ime: American Eagle D	rilling LLC		Target Formation(s): Arbuckle	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage): 700	
		X Mud Rotary	Ground Surface Elevation: 2135 est. feet	_
	h Rec Infield	Air Rotary		No
	prage Pool Ext.	Cable	Public water supply well within one mile:	No
	sposal X Wildcat # of Holes Other	L	Depth to bottom of fresh water: 150	
Other:	# Of CIOIESOther		Depth to bottom of usable water: 1050 950	
			Surface Pine by Alternate: I I X III	
If OWWO: old w	ell information as follows:		Length of Surface Pipe Planned to be set: 240 ft.	
•			Projected Total Depth: 3800 ft.	
	5 . 0.1-1	LT-A-I Darathy	Formation at Total Depth: Arbuckle	
Original Completion	Date: Origina	ai iotal Depth:	Water Source for Drilling Operations:	
rectional, Deviated or	Horizontal wellhore?	☐Yes X No	Well X Farm Pond Other:	
	1:			
	l			
			DWR Permit #:	
ottom Hole Location: _			(Note: Apply for Permit with DWR	
ottom Hole Location: _			── (Note: Apply for Permit with DWR ✓ Yes ✓ Yes ✓	Ŋo
ottom Hole Location: _ CC DKT #: he undersigned herel	by affirms that the drilling,	A completion and eventual	(Note: Apply for Permit with DWR	No
totom Hole Location: CC DKT #:  the undersigned herel is agreed that the foli  1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT	by affirms that the drilling, lowing minimum requirement priate district office <i>prior</i> to proved notice of intent to comount of surface pipe as spaced in a greement between district office will be notific if it compared.	completion and eventual ents will be met: o spudding of well; drill shall be posted on eapecified below shall be so a minimum of 20 feet into the operator and the ced before well is either placetion pipe shall be cement	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date.	
totom Hole Location: CC DKT #:  the undersigned herel is agreed that the foli  Notify the approperate A copy of the ap The minimum are through all unco If the well is dry The appropriate If an ALTERNAT Or pursuant to A must be comple	by affirms that the drilling, lowing minimum requirement priate district office <i>prior</i> to proved notice of intent to comount of surface pipe as spinsolidated materials plus a hole, an agreement between district office will be notified if a completion of the surface within 30 days of the surface within 30	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be se a minimum of 20 feet into the operator and the ced before well is either pluction pipe shall be cementas surface casing order pud date or the well shall	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ungged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	ive:
totom Hole Location:CC DKT #:	by affirms that the drilling, allowing minimum requirements of the prior to proved notice of intent to comount of surface pipe as symbolic and agreement between district office will be notifice. If COMPLETION, production of the symbolic appendix "B" - Eastern Karted within 30 days of the see statements made herein	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be seen the operator and the ced before well is either pluction pipe shall be cementas surface casing order pud date or the well shall are true and to the best of	Will Cores be taken?  If Yes, proposed zone:  If Yes,	ive:
totom Hole Location:CC DKT #:	by affirms that the drilling, lowing minimum requirement priate district office <i>prior</i> to proved notice of intent to comount of surface pipe as spinsolidated materials plus a hole, an agreement between district office will be notified if a completion of the surface within 30 days of the surface within 30	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be seen the operator and the ced before well is either pluction pipe shall be cementas surface casing order pud date or the well shall are true and to the best of	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  uugged or production casing is cemented in;  nuted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing.  It be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Title: Agent	5 2
totom Hole Location:CC DKT #:	by affirms that the drilling, allowing minimum requirements of the prior to proved notice of intent to comount of surface pipe as symbolic and agreement between district office will be notifice. If COMPLETION, production of the symbolic appendix "B" - Eastern Karted within 30 days of the see statements made herein	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be seen the operator and the ced before well is either pluction pipe shall be cementas surface casing order pud date or the well shall are true and to the best of	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  uugged or production casing is cemented in;  nuted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing.  It be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Title: Agent	IVE
totom Hole Location:CC DKT #:	by affirms that the drilling, lowing minimum requirement priate district office <i>prior</i> to proved notice of intent to concurt of surface pipe as symbolic and agreement between district office will be notifice. If COMPLETION, product appendix "B" - Eastern Karted within 30 days of the see statements made herein 2011. Signature of Open	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be seen the operator and the ced before well is either pluction pipe shall be cementas surface casing order pud date or the well shall are true and to the best of the complete that the center of the well shall are true and to the best of the well shall are true and the well shall are true and the well shall are true	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ungged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. This is a plugged. In all cases, NOTIFY district office prior to any cementary of my knowledge and belief.  Title:  Remember to:  KCC W	IVE 5 2
the undersigned herel is agreed that the foli 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple thereby certify that the	by affirms that the drilling, allowing minimum requirements of the prior to proved notice of intent to comount of surface pipe as symbolic and agreement between district office will be notifice. If COMPLETION, production of the symbolic appendix "B" - Eastern Karted within 30 days of the see statements made herein	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be seen the operator and the ced before well is either pluction pipe shall be cementas surface casing order pud date or the well shall are true and to the best of the complete that the center of the well shall are true and to the best of the well shall are true and the well shall are true and the well shall are true	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  uugged or production casing is cemented in;  nuted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing.  It be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Title: Agent	IVE 5 2
to the undersigned herel is agreed that the foli 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple thereby certify that the late: December 5,  For KCC Use ONLY API # 15 - 16 3-	by affirms that the drilling, lowing minimum requirement priate district office <i>prior</i> to proved notice of intent to comount of surface pipe as spaced as a specific proved materials plus a hole, an agreement between district office will be notific E II COMPLETION, product appendix "B" - Eastern Karled within 30 days of the see statements made herein 2011. Signature of Operation of State	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be so a minimum of 20 feet into sen the operator and the ced before well is either pluction pipe shall be cementas surface casing order pud date or the well shall are true and to the best of the complete of the sent of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and the well shall are true are true and the well shall are true are	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  Inplugging of this well will comply with K.S.A. 55 et. seq.  If Yes proposed zone:  In FIDAVIT  In plugging of this well will comply with K.S.A. 55 et. seq.  In the underlying formation.  In the underlying formation.  In the underlying formation asing is cemented in;  Intel from below any usable water to surface within 120 DAYS of spud date.  In the plugged. In all cases, NOTIFY district office prior to any cementing.  In the plugged. In all cases, NOTIFY district office prior to any cementing.  If Yes   Yes   Yes   Yes   Yes   Title:  Agent  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification	5 2
to the undersigned herel is agreed that the foli 1. Notify the appropriate 2. A copy of the ap 3. The minimum arthrough all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to Amust be complethereby certify that the hereby certify that the hereby certify that the hereby certify that the hereby certify that the	by affirms that the drilling, lowing minimum requirement of the prior to proved notice of intent to compound of surface pipe as synsolidated materials plus a hole, an agreement between district office will be notified E. II. COMPLETION, product the product of the separate of the separa	completion and eventual ents will be met: o spudding of well; drill shall be posted on eapecified below shall be so a minimum of 20 feet into ent he operator and the ced before well is either pluticition pipe shall be cementas surface casing order pud date or the well shall are true and to the best of the complete or Agent:  The complete of the complete of the complete or Agent:  The complete of the complete or Agent:  The complete of the complete or Agent:  The complete or Agent:  The complete or Agent or Agen	Will Cores be taken?  If Yes, proposed zone:  If Yes,	IVE 5 2
the undersigned herel is agreed that the foli 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple thereby certify that the late: December 5,  For KCC Use ONLY API # 15 - //O 3- Conductor pipe require Minimum surface pipe	by affirms that the drilling, lowing minimum requirement of the prior to proved notice of intent to compound of surface pipe as synsolidated materials plus a hole, an agreement between district office will be notified in the product of the product of the second of the	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be so a minimum of 20 feet into sen the operator and the ced before well is either pluction pipe shall be cementas surface casing order pud date or the well shall are true and to the best of the complete of the sent of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and to the best of the well shall are true and the well shall are true are true and the well shall are true are	Will Cores be taken?  If Yes, proposed zone:  If Yes,	IVE 5 2
the undersigned herel is agreed that the foli 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple hereby certify that the late: December 5,  For KCC Use ONLY API # 15 - // 0 3 Conductor pipe require Minimum surface pipe	by affirms that the drilling, lowing minimum requirement of the prior to proved notice of intent to comount of surface pipe as synsolidated materials plus a hole, an agreement between district office will be notified to the complete of the second of the	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be se minimum of 20 feet into each the operator and the cent the operator and the cent the operator and the cent pipe shall be cement as surface casing order pud date or the well shall are true and to the best of the cent or Agent:	Will Cores be taken?  If Yes, proposed zone:  If Yes,	IVE 5 2
totom Hole Location:CC DKT #:	by affirms that the drilling, lowing minimum requirement priate district office <i>prior</i> to proved notice of intent to comount of surface pipe as synsolidated materials plus a hole, an agreement between district office will be notified in the complex of intention of the second within 30 days of the second	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be se minimum of 20 feet into each the operator and the cent the operator and the cent the operator and the cent pipe shall be cement as surface casing order pud date or the well shall are true and to the best of the cent or Agent:	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  nted from below any usable water to surface within 120 DAYS of spud date.  *#133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing  of my knowledge and belief.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification  Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	5 2
the undersigned herel is agreed that the foli 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple hereby certify that the late: December 5,  For KCC Use ONLY API # 15 - 10 3 - Conductor pipe require Minimum surface pipe Approved by:	by affirms that the drilling, lowing minimum requirement priate district office <i>prior</i> to proved notice of intent to comount of surface pipe as synsolidated materials plus a hole, an agreement between district office will be notified in the complex of intention of the second within 30 days of the second	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be se a minimum of 20 feet into ent the operator and the cent the operator and the cent is either pluction pipe shall be cemen sas surface casing order pud date or the well shall are true and to the best of rator or Agent:  feet  feet  feet  feet per ALT.	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  If yes, proposed zone:  In If Yes, proposed zone:  If Yes, propo	5 2
the undersigned herel is agreed that the foli 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple hereby certify that the late: December 5,  For KCC Use ONLY API # 15 - 10 3 - Conductor pipe require Minimum surface pipe Approved by:	by affirms that the drilling, lowing minimum requirement priate district office <i>prior</i> to proved notice of intent to a mount of surface pipe as synsolidated materials plus a hole, an agreement between district office will be notifice. If COMPLETION, product appendix "B" - Eastern Karneted within 30 days of the set attements made herein 2011. Signature of Operation of the set of the	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be se a minimum of 20 feet into ent the operator and the cent the operator and the cent is either pluction pipe shall be cemen sas surface casing order pud date or the well shall are true and to the best of rator or Agent:  feet  feet  feet  feet per ALT.	Will Cores be taken?  If Yes, proposed zone:  SFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  ugged or production casing is cemented in;  nted from below any usable water to surface within 120 DAYS of spud date.  "#133,891-C, which applies to the KCC District 3 area, alternate II cementing."  If the plugged. In all cases, NOTIFY district office prior to any cementary.  If the prill Pit Application of Compliance with the Kansas Surface Owner Notification  Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date)	5 2
the undersigned herel is agreed that the foli 1. Notify the appro 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple hereby certify that the late: December 5,  For KCC Use ONLY API # 15 - 10 3 - Conductor pipe require Minimum surface pipe Approved by:	by affirms that the drilling, lowing minimum requirement priate district office <i>prior</i> to proved notice of intent to a mount of surface pipe as synsolidated materials plus a hole, an agreement between district office will be notifice. If COMPLETION, product appendix "B" - Eastern Karneted within 30 days of the set attements made herein 2011. Signature of Operation of the set of the	completion and eventual ents will be met: o spudding of well; drill shall be posted on expecified below shall be se a minimum of 20 feet into ent the operator and the cent the operator and the cent is either pluction pipe shall be cemen sas surface casing order pud date or the well shall are true and to the best of rator or Agent:  feet  feet  feet  feet per ALT.	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  If yes, proposed zone:  In If Yes, proposed zone:  If Yes, propo	5 2

For KCC Use ONLY API # 15 - 16 3-23995-000

Operator: Douglas Stewart dba Kapp Company LLC

Lease: Carpenter

Well Number: 1

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

in all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

1,650

Location of Well: County: Rooks

N / X S Line of Section

Field: wildcat	Sec. 19 Twp. 6 S. R. 19 E W Line of Section
Number of Acres attributable to well:	
QTR/QTR/QTR of acreage: S/2 - NE - SW - SE	ls Section: 🛛 Regular or 🔲 Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW
Show location of the well. Show footage to the nearest	LAT lease or unit boundary line. Show the predicted locations of
You may attach a s	quired by the Kansas Surface Owner Notice Act (House Bill 2032). reparate plat if desired.
	LEGEND
	O Well Location  Tank Battery Location
	Pipeline Location  Electric Line Location
	Lease Road Location
	EXAMPLE
19	
Q.	1980' FSL
	SEWARD CO. 3390' FEL

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# 15-16-3-23-995-00-00 KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

34390	Well Location:		
DPERATOR: License # 34390  lame: Douglas Stewart dba Kapp Company LLC	S/2 NE_SW_SE_Sec. 19 Twp. 6 S. R. 19 Eas X West		
address 1: 10940 South Parker Road #755	<del>_</del>		
Address 2:	County: Rooks Lease Name: Carpenter	Well #: 1	
Contact Person: Douglas Stewart			
Phone: ( 719 ) 338-3650 Fax: ( )	_		
Surface Owner Information:  Name: Byron Carpenter  Address 1: 840 H Road	When filing a Form T-1 involving multiple sur sheet listing all of the information to the left owner information can be found in the recon	for each surface owner. Surface ds of the register of deeds for the	
Address 2:			
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Ca the KCC with a plat showing the predicted locations of lease roads,	athodic Protection Borehole Intent), you must si tank batteries, pipelines, and electrical lines. Th	ne locations snown on the plat	
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be enterested to be of the following:	ethodic Protection Borehole Intent), you must so tank batteries, pipelines, and electrical lines. The ed on the Form C-1 plat, Form CB-1 plat, or a second ce Act (House Bill 2032), I have provided the form being filed is a Form C-1 or Form CB-1, the	ne locations snown on the plat in the plat in parate plat may be submitted.  following to the surface in the su	
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be enteresselect one of the following:	athodic Protection Borehole Intent), you must so tank batteries, pipelines, and electrical lines. The don the Form C-1 plat, Form CB-1 plat, or a second ce Act (House Bill 2032), I have provided the fibe located: 1) a copy of the Form C-1, Form Corm being filed is a Form C-1 or Form CB-1, the ax, and email address.  I acknowledge that, because I have not provide owner(s). To mitigate the additional cost of the stank batteries and the second cost of the second control of the second control of the second cost of the second control of the second control of the second cost of the second control of the second cont	following to the surface B-1, Form T-1, or Form e plat(s) required by this ded this information, the he KCC performing this	
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered.  Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, father that I am form the surface owner(s) is the form; and I have not provided this information to the surface owner(s) information to the surface owner(s).	athodic Protection Borehole Intent), you must so tank batteries, pipelines, and electrical lines. The don the Form C-1 plat, Form CB-1 plat, or a second ce Act (House Bill 2032), I have provided the fibe located: 1) a copy of the Form C-1, Form Corm being filed is a Form C-1 or Form CB-1, the ax, and email address.  I acknowledge that, because I have not provide owner(s). To mitigate the additional cost of the ding fee, payable to the KCC, which is enclosed dling fee with this form. If the fee is not received	following to the surface B-1, Form T-1, or Form e plat(s) required by this ded this information, the he KCC performing this d with this form.	
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered.  Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, factorized the provided this information to the surface owner(s) KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands of the second option, submit payment of the \$30.00 hands form and the associated Form C-1, Form CB-1, Form T-1, or Form	athodic Protection Borehole Intent), you must so tank batteries, pipelines, and electrical lines. The don the Form C-1 plat, Form CB-1 plat, or a second ce Act (House Bill 2032), I have provided the fibe located: 1) a copy of the Form C-1, Form Corm being filed is a Form C-1 or Form CB-1, the ax, and email address.  I. I acknowledge that, because I have not provide electric owner(s). To mitigate the additional cost of the dling fee, payable to the KCC, which is enclosed dling fee with this form. If the fee is not received CP-1 will be returned.	following to the surface B-1, Form T-1, or Form e plat(s) required by this ded this information, the he KCC performing this d with this form, the KSONA-1	
the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered.  Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, factorized the provided this information to the surface owner(s) KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands of the second option, submit payment of the \$30.00 hands.	athodic Protection Borehole Intent), you must so tank batteries, pipelines, and electrical lines. The don the Form C-1 plat, Form CB-1 plat, or a second cell (House Bill 2032), I have provided the fibe located: 1) a copy of the Form C-1, Form Corm being filed is a Form C-1 or Form CB-1, the ax, and email address.  I. I acknowledge that, because I have not provide owner(s). To mitigate the additional cost of the dling fee, payable to the KCC, which is enclosed dling fee with this form. If the fee is not received CP-1 will be returned.	following to the surface B-1, Form T-1, or Form the plat has be submitted.  It is plated by this the kCC performing this did with this form, the kSONA-1	

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Douglas Stewart dba	Kapp Company	License Number: 34390				
Operator Address: 10940 South Pa	rker Road #7	Parker CO 60134				
Contact Person: Douglas Stewart		Phone Number: (719) 338-3650				
Lease Name & Well No.: Carpenter 1			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit Burn Pit X Proposed Existing Settling Pit X Drilling Pit If Existing, date constructed:  Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water Area? Yes No  Is the bottom below ground level?  Yes No  Pit is:  Proposed Existing Artificial Liner?  Yes No		(bbls) No	S/2 NE SW SE  Sec. 19 Twp. 6 R. 19 East West  700 Feet from North / South Line of Section  1,650 Feet from East / West Line of Section  Rooks County  Chloride concentration: mg/l			
If the pit is lined give a brief description of the li material, thickness and installation procedure.  Distance to nearest water well within one-mile						
N/A 4600 feet Depth of water well	<b>46</b> feet	measured well owner electric log X KDWR				
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Air dry and backfill				
Does the slope from the tank battery allow all s flow into the pit?  Yes  No	spilled fluids to	Drill pits must	be closed within 365 days of spud date. RECEIVED			
December 5, 2011  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  DEC 0 5 20  KCC WICHI						
Date  Signature of Applicant or Agent  KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  Date Received: 12-5-/1 Permit Number: Permit Date: 12-5-/1 Lease Inspection: Yes X No						