For KCC Use: Effective Date: District # Yes SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.


pected Spud Date:	December 9	2011	Spot Description:	00 ET ET
pected Spud Date	month day	year	SW _ NE _ SW _ Sec Twp	_S. R. <u>29</u> E _W
	22650		(a/a/a/a) 1,481 feet from	N / X S Line of Section
ERATOR: License#	33650		1,682 feet from	E / W Line of Section
me. West Bay Explorati	ion, Inc.		Is SECTION: Regular Irregular?	<u>ے</u>
dress 1: 13685 S. West	Bay Shore, #200			
O.			(Note: Locate well on the Section Plat or	reverse side)
y. Traverse City,	State: MI _ Z	ip: _49684 +	County: Gray	
ntact Person: Charles	Schmidt		Lease Name: Wendel	Well #: 1-14
one: 316-755-3523			Field Name: Wildcat	
one:				☐Yes XNo
ONTRACTOR: License#	_# 5822	<u></u>	Is this a Prorated / Spaced Field?	
ame: VAL Energy, Inc.			Target Formation(s): Mississippian	927
	Mail Class	Type Equipment:	Nearest Lease or unit boundary line (in footage): 14	02
Well Drilled For:	Well Class:	<u> </u>	Ground Surface Elevation: 2737.2	
⊠oii ∕ □Enh	RecInfield	Mud Rotary	Water well within one-quarter mile:	×Yes No _
Gas Stor	age Pool Ext.	Air Rotary	Duella water aupaly wall within one mile:	Yes No
	osal XWildcat	Cable	Donth to bottom of fresh water: 350 250	
	of Holes Other		Depth to bottom of usable water: 350 780	
Other:			Depth to bottom of usable water.	
			Surface Pipe by Alternate: 1750'	
If OWWO: old we	ell information as follows:		Length of Surface Pipe Planned to be set: 1750'	
			Length of Conductor Pipe (if any):	
			Projected Total Depth: 5350'	
Well Name:	Date: Origin	nai Total Denth	Formation at Total Depth: Mississippian	
Original Completion I	Date: Origin	lai totai beptiti	Water Source for Drilling Operations:	
Directional, Deviated or F	Josizontal wellhore?	√Yes X No	Well Farm Pond Other: Irrigation w	vell
)irectional, Deviated of F	- TOHZOHILAH WENDOFE		DWR Permit #:	
ryes, true vertical deptin.	:		(Note: Apply for Permit with DV	VR 🗍)
				Yes No
(CC DK I #:			Will Cores be taken?	
			If Yes, proposed zone:	RECEIVED
		AF	DAVIT	LOCIVED
		Al I	agging of this well will comply with K.S.A. 55 et. seq.	MOV a a a a
The undersigned herek	by affirms that the drilling	, completion and eventual pic	gging of this well will comply with K.S.A. 55 et. seq.	NOV 2 8 201
		nents will be met:		i.a.—
t is agreed that the foll	lowing minimum requiren			KCO IAMA
t is agreed that the foll	priate district office prior	to spudding of well;		ハししがババーレット
t is agreed that the foll 1. Notify the approp	priate district office prior		drilling rig;	KCC WICHIT
t is agreed that the foll 1. Notify the appropriate the appropriate appropria	priate district office <i>prior</i> proved notice of intent to	o drill shall be posted on each specified below shall be set	by circulating certient to the top; in an ecoso series i	NCC WICHIT
t is agreed that the foll 1. Notify the approf 2. A copy of the ap 3. The minimum ar	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as	specified below shall be set	by circulating cement to the top, in an ecoso conserving	pipe shall be set
t is agreed that the foll Notify the approp A copy of the ap The minimum ar through all unco	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus	o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the speen the operator and the dis	e underlying formation. trict office on plug length and placement is necessary	pipe shall be set
t is agreed that the foll 1. Notify the appropulation 2. A copy of the ap 3. The minimum are through all unco 4. If the well is dry 5. The appropriate	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betweet its rict office will be noti	o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plug.	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in;	prior to plugging; DAYS of spud date.
t is agreed that the foll 1. Notify the appropulation 2. A copy of the ap 3. The minimum are through all unco 4. If the well is dry 5. The appropriate	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betweet its rict office will be noti	o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plug.	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in;	prior to plugging; DAYS of spud date.
It is agreed that the foll 1. Notify the approperation of the ap 3. The minimum are through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwoet instrict office will be notice it COMPLETION, processions.	o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plugiduction pipe shall be cemented.	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120	prior to plugging; DAYS of spud date. alternate II cementing
It is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betweed district office will be notice I COMPLETION, proc Appendix "B" - Eastern Kated within 30 days of the	specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plugiduction pipe shall be cemente ansas surface casing order # is spud date or the well shall be	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior	prior to plugging; DAYS of spud date. alternate II cementing
It is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betweed district office will be notice I COMPLETION, proc Appendix "B" - Eastern Kated within 30 days of the	specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plugiduction pipe shall be cemente ansas surface casing order # is spud date or the well shall be	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior	prior to plugging; DAYS of spud date. alternate II cementing
It is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwoed district office will be notice II COMPLETION, programmer to the will be notice with the district office will be notice to the properties of the within 30 days of the estatements made hereigners.	o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plugiduction pipe shall be cemente ansas surface casing order # spud date or the well shall be in are true and to the best of	by circulating cernation. trict office on plug length and placement is necessary ged or production casing is cemented in; ad from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a e plugged. In all cases, NOTIFY district office prior my knowledge and belief	prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
It is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwoed district office will be notice II COMPLETION, programmer to the will be notice with the district office will be notice to the properties of the within 30 days of the estatements made hereigners.	o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plugiduction pipe shall be cemente ansas surface casing order # spud date or the well shall be in are true and to the best of	by circulating cernation. trict office on plug length and placement is necessary ged or production casing is cemented in; ad from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a e plugged. In all cases, NOTIFY district office prior my knowledge and belief	prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
It is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwoed district office will be notice II COMPLETION, programmer to the will be notice with the district office will be notice to the properties of the within 30 days of the estatements made hereigners.	specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plugiduction pipe shall be cemente ansas surface casing order # is spud date or the well shall be	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in: and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief. Remember to:	prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
t is agreed that the foll 1. Notify the appropriate 2. A copy of the ap 3. The minimum are through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to Amust be comple I hereby certify that the	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwiction of the motion of	o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plugiduction pipe shall be cemente ansas surface casing order # e spud date or the well shall be in are true and to the best of operator or Agent:	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in: and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief. Remember to:	prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple I hereby certify that the Date: November 22.	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwiction of the motion of	o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plugiduction pipe shall be cemente ansas surface casing order # e spud date or the well shall be in are true and to the best of operator or Agent:	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Suact (KSONA-1) with Intent to Drill;	prior to plugging; DAYS of spud date. alternate II cementing to any cementing. nt
t is agreed that the foll 1. Notify the appropriate 2. A copy of the ap 3. The minimum are through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to Amust be comple I hereby certify that the	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwoed district office will be notice II COMPLETION, programmer to the will be notice with the district office will be notice to the properties of the within 30 days of the estatements made hereigners.	odrill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plugiduction pipe shall be cemented ansas surface casing order # spud date or the well shall be in are true and to the best of perator or Agent:	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Suact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to	prior to plugging; prior to plugging; DAYS of spud date. alternate il cementing to any cementing. nt urface Owner Notification Drill;
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple I hereby certify that the Date: November 22.	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwoed district office will be notice if COMPLETION, procappendix "B" - Eastern Kated within 30 days of the estatements made hereing, 2011 Signature of Open 19 19 19 19 19 19 19 19 19 19 19 19 19	odrill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distiffed before well is either plugiduction pipe shall be cemented ansas surface casing order # spud date or the well shall be in are true and to the best of perator or Agent:	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief. File Certification of Compliance with the Kansas Sunact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp	prior to plugging; DAYS of spud date. alternate II cementing to any cementing. Int Drill; and date;
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple I hereby certify that the Date: November 22 For KCC Use ONLY API # 15 - Column Conductor pipe requir	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement between the surface will be notice to the surface of the	odrill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distilled before well is either plugiduction pipe shall be cemented ansas surface casing order # spud date or the well shall be in are true and to the best of perator or Agent:	e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief. File Certification of Compliance with the Kansas Sundat (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prora	prior to plugging; DAYS of spud date. alternate il cementing to any cementing. Int Drill; and date; ation orders;
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple I hereby certify that the Date: November 22 For KCC Use ONLY API # 15 - Column Conductor pipe requir	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement between the surface will be notice to the surface of the	odrill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distiffed before well is either plugiduction pipe shall be cemented ansas surface casing order # spud date or the well shall be in are true and to the best of perator or Agent:	trict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief. - File Certification of Compliance with the Kansas St. Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field prora. Notify appropriate district office 48 hours prior to with the case and positive appropriate district office 48 hours prior to with the case and positive appropriate district office 48 hours prior to with the case and positive appropriate district office 48 hours prior to with the case and positive appropriate district office 48 hours prior to with the case and positive appropriate district office 48 hours prior to with the case and positive appropriate district office 48 hours prior to with the case and positive appropriate district office 48 hours prior to with the case and positive appropriate district office 48 hours prior to with the case and positive appropriate district office and positive appropriate a	prior to plugging; DAYS of spud date. alternate il cementing to any cementing. Int Drill; and date; ation orders; orkover or re-entry;
t is agreed that the foll 1. Notify the approp 2. A copy of the ap 3. The minimum ar through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAT Or pursuant to A must be comple 1 hereby certify that the Date: November 22 For KCC Use ONLY API # 15 - Conductor pipe requir Minimum surface pipe Approved by Lame	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwork of intention of the surface will be notice to the surface will be notice to the surface within 30 days of the estatements made hereing a contract of the surface of the s	odrill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distiffed before well is either plugiduction pipe shall be cemente ansas surface casing order # e spud date or the well shall be in are true and to the best of operator or Agent: Description	rict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief. File Certification of Compliance with the Kansas St. Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field prora. Notify appropriate district office 48 hours prior to w. Submit plugging report (CP-4) after plugging is corrected.	prior to plugging; DAYS of spud date. alternate II cementing to any cementing. Int Drill; and date; ation orders; orkover or re-entry; mpleted (within 60 days);
t is agreed that the foll 1. Notify the appropriate of the appropriat	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwoed district office will be notice if COMPLETION, proceed within 30 days of the estatements made hereing. 2011 Signature of Operating a surface of the erequired to the t	odrill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distiffed before well is either plugiduction pipe shall be cemente ansas surface casing order # spud date or the well shall be in are true and to the best of perator or Agent: Description	rict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief? Remember to: - File Certification of Compliance with the Kansas Surface (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File completion Form ACO-1 within 120 days of sport in Submit plugging report (CP-4) after plugging is consumer to the submit plugging report (CP-4) after plugging is consumer to the submit plugging report (CP-4) after plugging is consumer to the submit plugging report (CP-4) after plugging is consumer to the submit plugging report (CP-4) after plugging is consumer to the submit plugging report (CP-4) after plugging is consumer to the submit plugging report (CP-4) after plugging is consumer to the submit plugging report (CP-4) after plugging is consumer to the submit plugging is consumer to the submit plugging report (CP-4) after plugging is consumer to the submit plugging is consumer to the submit plugging report (CP-4) after plugging is consumer to the submit plugging is consumer to	prior to plugging; DAYS of spud date. alternate II cementing to any cementing. Int Drill; and date; ation orders; orkover or re-entry; inpleted (within 60 days); ing salt water.
t is agreed that the foll 1. Notify the appropriate of the appropriat	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwoed district office will be notice if COMPLETION, proceed within 30 days of the estatements made hereing. 2011 Signature of Operating a surface of the erequired to the t	odrill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distiffed before well is either plugiduction pipe shall be cemente ansas surface casing order # e spud date or the well shall be in are true and to the best of operator or Agent: Description	rict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief? Remember to: - File Certification of Compliance with the Kansas St. Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to w. Submit plugging report (CP-4) after plugging is cordinated the provided of the provided from the plugging of the plugging of injecting the plugging will not be drilled or permit has expired (See	prior to plugging; pays of spud date. alternate il cementing to any cementing. Int priace Owner Notification Drill; and date; ation orders; orkover or re-entry; inpleted (within 60 days); ing salt water. authorized expiration date)
t is agreed that the foll 1. Notify the appropriate of the appropriat	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwoed district office will be notice if COMPLETION, proceed within 30 days of the estatements made hereing. 2011 Signature of Operating a surface of the erequired to the t	odrill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distiffed before well is either plugiduction pipe shall be cemente ansas surface casing order # spud date or the well shall be in are true and to the best of perator or Agent: Description	rict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief. File Certification of Compliance with the Kansas St. Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field prora. Notify appropriate district office 48 hours prior to w. Submit plugging report (CP-4) after plugging is corrected.	prior to plugging; DAYS of spud date. alternate II cementing to any cementing. Int Drill; and date; ation orders; orkover or re-entry; inpleted (within 60 days); ing salt water. It authorized expiration date) east below
t is agreed that the foll 1. Notify the appropriate of the appropriat	priate district office <i>prior</i> proved notice of intent to mount of surface pipe as insolidated materials plus hole, an agreement betwood district office will be notice if I COMPLETION, proceed within 30 days of the estatements made hereing, 2011 Signature of Operation of the estatement of the estate	odrill shall be posted on each specified below shall be set is a minimum of 20 feet into the veen the operator and the distiffed before well is either plugiduction pipe shall be cemente ansas surface casing order # spud date or the well shall be in are true and to the best of perator or Agent: Description	rict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, are plugged. In all cases, NOTIFY district office prior my knowledge and belief? Remember to: - File Certification of Compliance with the Kansas St. Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to w. Submit plugging report (CP-4) after plugging is cordinated the provided of the provided from the plugging of the plugging of injecting the plugging will not be drilled or permit has expired (See	prior to plugging; DAYS of spud date. alternate II cementing to any cementing. Int Drill; and date; stion orders; orkover or re-entry; npleted (within 60 days); ng salt water. : authorized expiration date) ess below.

For KCC Use ONLY API#15-069-20356-000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: West Bay Exploration, Inc. Lease: Wendel Well Number: 1-14 Field: Wildcat	Location of Well: County: Gray 1,481
Number of Acres attributable to well: SW _ NE _ SW _ SW _ NE _ SW _ NE _ SW _ NE _ SW _ NE _ SW _ SW _ SW _ NE _ SW _ SW _ SW _ NE _ SW _ S	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical lines, as req	_AT ease or unit boundary line. Show the predicted locations of uired by the Kansas Surface Owner Notice Act (House Bill 2032). eparate plat if desired.
	LEGEND



LEGEND Well Location Tank Battery Location Pipeline Location **Electric Line Location** Lease Road Location **EXAMPLE** 1980' FSL SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-069-20356-000

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

. 33650	Well Location:	
OPERATOR: License # 33650 West Bay Exploration, Inc.	SW_NE_SW Sec. 14 Twp. 27 S. R. 29 EastX West	
Mest Bay Exploration, Inc. Address 1: 13685 S. West Bay Shore, #200	-	
	County: Gray Lease Name: Wendel Well #: 1-14	
ddress 2:		
ontact Person: Charles Schmidt	the lease below:	
Contact Person: Charles Schmidt Phone: (316) 755-3523 Fax: (316) 755-3543	_	
mail Address: cdschmidt49@hotmail.com	_	
Surface Owner Information: Jame: Leroy Wendel	_ When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1: 412 E. 3rd St.	sheet listing all of the information to the left for each surface owner. Surface	
Address 2:	owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treater.	
City: Ingalls State: KS Zip: 67853		
State: zip	- NOV 2 a	
•	NOV 2 8 KCC WiCh	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, the prediction of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, far I have not provided this information to the surface owner(s).	thodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface performed be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the plate of the surface performed by the surface of the	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, the prediction of lease roads, the prediction of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, father I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands.	thodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat of on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form rm being filled is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address. I acknowledge that, because I have not provided this information, the electric owner(s). To mitigate the additional cost of the KCC performing this alling fee, payable to the KCC, which is enclosed with this form.	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, the are preliminary non-binding estimates. The locations may be entered Select one of the following:	thodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat of on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface of located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form or movement being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address. I acknowledge that, because I have not provided this information, the electron owner(s). To mitigate the additional cost of the KCC performing this alting fee, payable to the KCC, which is enclosed with this form. Illing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

License Number: 33650 Operator Name: West Bay Exploration, Inc. Traverse City, MI 49684 Operator Address: 13685 S. West Bay Shore, #200 316-755-3523 Contact Person: Charles Schmidt Phone Number: 1-14 Pit Location (QQQQ): Lease Name & Well No.: Wendel SW NE SW Type of Pit: Pit is: Sec. 14 Twp. 27 R. 29 East X West X Proposed Existing Burn Pit Emergency Pit 1,481 Feet from North / X South Line of Section ➤ Drilling Pit If Existing, date constructed: Settling Pit Haul-Off Pit 1,682 Workover Pit Feet from East / X West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) Gray 400 (bbls) mg/l Is the pit located in a Sensitive Ground Water Area? Yes X No Chloride concentration: (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Artificial Liner? Is the bottom below ground level? Mud solids Yes X No X Yes No 100 100 N/A: Steel Pits Length (feet) _Width (feet) Pit dimensions (all but working pits): No Pit Depth from ground level to deepest point: .. (feet) Describe procedures for periodic maintenance and determining If the pit is lined give a brief description of the liner liner integrity, including any special monitoring. material, thickness and installation procedure. Depth to shallowest fresh water_ feet. Distance to nearest water well within one-mile of pit: Source of information: 200 well owner electric loa 300 measured Depth of water well. teet feet Drilling, Workover and Haul-Off Pits ONLY: Emergency, Settling and Burn Pits ONLY: 5069-20356-000 Bentonite mud Type of material utilized in drilling/workover: Producing Formation:_ Number of working pits to be utilized: _ Number of producing wells on lease: ___ Air dry - backfill Abandonment procedure:_ Barrels of fluid produced daily:_ Does the slope from the tank battery allow all spilled fluids to Drill pits must be closed within 365 days of spud date. flow into the pit? Yes No I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 11/22/2011 Signature of Applicant or Agent KCC OFFICE USE ONLY Liner Steel Pit NRFAC Permit Date: 12-4-11 Lease Inspection: Yes No Date Received: 11-29-11 Permit Number:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

December 6, 2011

West Bay Exploration, Inc. 13685 S. West Bay Shore, #200 Traverse City, MI 49684

Re:

Drilling Pit Application

Wendel Lease Well No. 1-14 SW/4 Sec. 14-27S-29W Gray County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of drilling completion.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File