## For KCC Use: 12-17-2011 Effective Date: District #

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL


Expected Spud Date: December 27, 2011	Spot Description:	
month day year	NE - NE - NE - NE Sec. 15 Twp. 14 S. R. 22	≡∏w
34592	(Q/Q/Q/Q/Q) 5,250 feet from N / X S Line of	Section
PERATOR: License#	feet from X E / W Line of	Section
ddress 1: 9393 W. 110th St., Suite 500	Is SECTION: Regular Irregular?	
ddress 2	(Note: Locate well on the Section Plat on reverse side)	
city: Overland Park State: KS Zip: 66210 +	County: Johnson	
ontact Person: Bradley Kramer	Lease Name: Knabe M Well #: KRI-6	
hone: (913) 669-2253	Field Name: Gardner	<del></del> -
ONTRACTOR: License#_ 8509 /		No
lame: Evans Energy Development, Inc.	- Target Formation(s): Bartlesville	
	Nearest Lease or unit boundary line (in footage): 30'	
Well Drilled For: Well Class: Type Equipment:		eet MSL
Oil XEnh Rec XInfield Mud Rotary		No
Gas Storage Pool Ext. Air Rotary	· · · · · · · · · · · · · · · · · · ·	X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 200	
Seismic ;# of HolesOther	Depth to bottom of usable water: 300	
Other:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: _20'	
	Length of Conductor Pipe (if any): N/A	
Operator:	Projected Total Depth: 900'	
Well Name:Original Total Depth:	5 0 0	
Original Completion Date	Water Source for Drilling Operations:	
or the distribution of the	Well Farm Pond Other:	
r Yes, true vertical deptil	DWP Permit #	
·	DWR Permit #:(Note: Apply for Permit with DWR	
f Yes, true vertical depth:	(Note: Apply for Permit with DWR	  X No
Althe undersigned hereby affirms that the drilling, completion and eventual page 1.50 p. 1.00		⊠No
All the undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> suffice through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the description of the suffice of the sufficient	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date.	
All The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be sufficiently through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the described of the sufficient of the sufficie	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and placement is necessary prior to plugging; under from below any usable water to surface within 120 DAYS of spud date.  #133.891-C, which applies to the KCC District 3 area, alternate II cementing	<b>—</b>
All The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> such through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the description of the surface pipe is either plus. If an ALTERNATE if COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. For my knowledge and belief.	~ RECEIVE
All The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on eason through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the document of the strict office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of	Will Cores be taken?  Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. For my knowledge and belief.	<b>—</b>
Althe undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the description of the specified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the control of the control of the specific states and the description of the spud date or the well shall the statements made herein are true and to the best of the control of the spud date or the specific states.  2. **Example **Incompletic states**  2. **Example **Incompletic states**  3. **The appropriate district office prior to specific states and the description of the spud date or the well shall shall shall be states as the specific states are states are states as the specific states are states as the spe	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged and belief.  Title: Agent	REC 0 9 2
Althe undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the described of the surface pipe shall be composed in a proportion of the dry hole. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be composed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the composed of the spud date or Agent:  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged and belief.  Title: Agent	REC 0 9 2
All the undersigned hereby affirms that the drilling, completion and eventual grains agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluided. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the formal prior of the complete of	REC 0 9 2
Althe undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the doing 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged and belief.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;	REC 0 9 2
Althe undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the description of the surface of the plus of the surface of th	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; unged or production casing is cemented in; all cases within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged and belief.  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	REC 0 9 2
All The undersigned hereby affirms that the drilling, completion and eventual goals agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the d. 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete states of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete states of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete states of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete states of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certified before the spud date or the well shall hereby certified before well is a statement of the shall hereby certified before the shall hereby certified before the shall hereby certified before the shal	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; unged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.    Remember to:	ECEIVE EC 0 9 2 C WICH
All the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plu.  5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the com	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; unged or production casing is cemented in; all cases within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged and belief.  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	ECEIVE EC 0 9 2 C WICH
Africation Hole Location:  ACC DKT #  The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the description of the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:    12-1-11	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  ach drilling	EC 0 9 2 C WICH
All The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the certification of the certification.  For KCC Use ONLY  API # 15 - O9/- 23 730 OOO  Conductor pipe required feet  Minimum surface pipe required feet per ALT. If If III  Approved by: Pure 12 - 12 - 20 11	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  ach drilling rig;  ach drilling rig;  ach drilling formation.  district office on plug length and placement is necessary prior to plugging;  agged or production casing is cemented in;  anted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notificate  Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days)  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration decording to decord in the completion of the comp	ECEIVE EC 0 9 2 C WICH
Africation Hole Location:  ACC DKT #  The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the description of the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:    12-1-11	Will Cores be taken?  If Yes, proposed zone:  SFIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  ach drilling	ECEIVE EC 0 9 2 CWICH

For KCC Use ONLY API#15-091-23730-00-00

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Kansas Resource Exploration & Development, LLC	Location of Well: County: Johnson
Lease: Knabe M	5,250 feet from N / N S Line of Section
Well Number: KRI-6	170 feet from X E / W Line of Section
Field: Gardner	Sec. 15 Twp. 14 S. R. 22 X E W
Number of Acres attributable to well:	ls Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
PL	AT
Show location of the well. Show footage to the nearest le	ase or unit boundary line. Show the predicted locations of
lease roads, tank batteries, pipelines and electrical lines, as requ	ired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a sep	parate plat if desired.
Dec 15	KKI - G



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

KCC WICHITA

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-091-23730 -0000 Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 34592	Well Location:	
Name: Kansas Resource Exploration & Development, LLC  Address 1: 9393 W. 110th St., Suite 500	NE NE NE Sec. 15 Twp. 14	
Address 1: 9393 W. 110th St., Suite 500	County: Johnson Lease Name: Knabe M	
	Lease Name: Knabe M	Well #: KRI-6
City: Overland Park State: KS Zip: 66210 + Contact Person: Bradley Kramer	If filing a Form T-1 for multiple wells on a lease, enter the legal description the lease below:	ease, enter the legal description of
913 669-2253 -		
Phone: ( 913 ) 669-2253 Fax: ( ) Email Address: brad@kansasresource.com		
Name: Doris J. Vervynck Trust, Trustee  Address 1: 31450 W. 159th St.	sheet listing all of the information to the lef	
Address 2:		
Address 2:  City: Gardner  State: KS  Zip: 66030  H  If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cithe KCC with a plat showing the predicted locations of lease roads are preliminary non-binding estimates. The locations may be entered.	county, and in the real estate property tax re  Cathodic Protection Borehole Intent), you must so	ecords of the county treasurer.  Supply the surface owners and the locations shown on the plat
Address 2:  City: Gardner  State: KS  Zip: 66030 +  If this form is being submitted with a Form C-1 (Intent) or CB-1 (Counter the KCC with a plat showing the predicted locations of lease roads are preliminary non-binding estimates. The locations may be entered to be select one of the following:    Certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, the content of the counter that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, the content of the counter that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, the content of the counter that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, the counter that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, the content of the counter that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, the content of the counter that I am filing in connection with this form; 2) if the form; and 3 my operator name, address, phone number, the content of the counter that I am filing in connection with this form; 2) if the form; and 3 my operator name, address, phone number, the content of the counter that I am filing in connection with the counter that I am filing in connection with the counter that I am filing in connection with the connection with th	county, and in the real estate property tax reconstruction.  Cathodic Protection Borehole Intent), you must so, tank batteries, pipelines, and electrical lines. The country of the Form C-1 plat, Form CB-1 plat, or a second country of the Form C-1, Form Country of the Form C-1, The fax, and email address.	supply the surface owners and the locations shown on the plat eparate plat may be submitted.  following to the surface CB-1, Form T-1, or Form eplat(s) required by this
Address 2:  City: Gardner  State: KS  Zip: 66030  H  If this form is being submitted with a Form C-1 (Intent) or CB-1 (Counter KCC with a plat showing the predicted locations of lease roads are preliminary non-binding estimates. The locations may be enter Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form is predicted to the counter of the subject well is or will connection with this form; 2) if the form is predicted to the counter of the	county, and in the real estate property tax recall to the county, and in the real estate property tax recall to the county, and in the real estate property tax recall to the county of	supply the surface owners and the locations shown on the plat eparate plat may be submitted.  following to the surface CB-1, Form T-1, or Form the plat eparate by this eparate by this ded this information, the he KCC performing this
Address 2:  City: Gardner  State: KS  Zip: 66030  If this form is being submitted with a Form C-1 (Intent) or CB-1 (Counter the KCC with a plat showing the predicted locations of lease roads are preliminary non-binding estimates. The locations may be entered select one of the following:  I certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, if I have not provided this information to the surface owner(s KCC will be required to send this information to the surface	county, and in the real estate property tax re- Cathodic Protection Borehole Intent), you must so, tank batteries, pipelines, and electrical lines. The red on the Form C-1 plat, Form CB-1 plat, or a selected on the Form C-1 plat, Form CB-1 plat, or a selected on the Form C-1 plat, Form CB-1, the form being filed is a Form C-1 or Form CB-1, the fax, and email address.  (a). I acknowledge that, because I have not provide owner(s). To mitigate the additional cost of the total plates and the face of the face owner is a payable to the KCC, which is enclosed the face of the face with this form. If the fee is not received.	supply the surface owners and the locations shown on the plat eparate plat may be submitted.  following to the surface CB-1, Form T-1, or Form the plat plat is plat to be plat
Address 2:  City: Gardner  State: KS  Zip: 66030  H  If this form is being submitted with a Form C-1 (Intent) or CB-1 (Counter the KCC with a plat showing the predicted locations of lease roads are preliminary non-binding estimates. The locations may be entered select one of the following:    Certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or will CP-1 that I am filling in connection with this form; 2) if the form; and 3) my operator name, address, phone number, form; and 3) my operator name, address, phone number, form; and the required to send this information to the surface owner(set) KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 harm form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form CB-1, Form T-1, or Form T-1, or Form CB-1, For	county, and in the real estate property tax re- Cathodic Protection Borehole Intent), you must so, tank batteries, pipelines, and electrical lines. The country of the Form C-1 plat, Form CB-1 plat, or a second on the Form C-1 plat, Form CB-1 plat, or a second on the Form C-1 plat, Form CB-1 plat, or a second on the Form C-1 plat, Form CB-1, Form CB-1, the form being filed is a Form C-1 or Form CB-1, the fax, and email address.  (a) I acknowledge that, because I have not provide owner(s). To mitigate the additional cost of the thing fee, payable to the KCC, which is enclosed dling fee with this form. If the fee is not received in CP-1 will be returned.	supply the surface owners and the locations shown on the plat eparate plat may be submitted.  following to the surface CB-1, Form T-1, or Form the plat plat is plat to be plat
Address 2:  City: Gardner  State: KS  Zip: 66030  H  If this form is being submitted with a Form C-1 (Intent) or CB-1 (Counter KCC with a plat showing the predicted locations of lease roads are preliminary non-binding estimates. The locations may be enter Select one of the following:    Certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or will CP-1 that I am filling in connection with this form; 2) if the form; and 3) my operator name, address, phone number, form the counter of the surface owner(selection in the surface owner) in the surface owner (selection in the surface owner) in the surface owner (selection in the surface owner) in the surface owner) in the surface owner (selection in the surface owner) in the surface owner) in the surface owner (selection in the surface owner) in the surface owner) in the surface owner (selection in the surface owner) in the surface owner	county, and in the real estate property tax re- Cathodic Protection Borehole Intent), you must so, tank batteries, pipelines, and electrical lines. The country of the Form C-1 plat, Form CB-1 plat, or a second on the Form C-1 plat, Form CB-1 plat, or a second on the Form C-1 plat, Form CB-1 plat, or a second on the Form C-1 plat, Form CB-1, Form CB-1, the form being filed is a Form C-1 or Form CB-1, the fax, and email address.  (a) I acknowledge that, because I have not provide owner(s). To mitigate the additional cost of the thing fee, payable to the KCC, which is enclosed dling fee with this form. If the fee is not received in CP-1 will be returned.	supply the surface owners and the locations shown on the plat eparate plat may be submitted.  following to the surface CB-1, Form T-1, or Form e plat(s) required by this ded this information, the he KCC performing this d with this form.  RECEIVED  RECEIVED

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Kansas Resource Exploration & Development, LLC		License Number: 34592	
Operator Address: 9393 W. 110th St., Suite 500		Overland Park KS 66210	
Contact Person: Bradley Kramer		Phone Number: (913) 669-2253	
Lease Name & Well No.: Knabe M KRI-6		Pit Location (QQQQ):	
			NE NE NE NE
Type of Pit:    Emergency Pit	Pit is:  X Proposed	Existing	Sec15Twp14R22 X East West
Settling Pit X Drilling Pit	If Existing, date cor		5,250 Feet from North / X South Line of Section
Workover Pit Haul-Off Pit	— — —		470
(If WP Supply API No. or Year Drilled)	Pit capacity: 120	(bbls)	Johnson East / West Line of Section  County
Is the pit located in a Sensitive Ground Water	the pit located in a Sensitive Ground Water Area? Yes X No		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  X Yes No	Artificial Liner?  Yes X	No.	How is the pit lined if a plastic liner is not used? Native Clay
Pit dimensions (all but working pits):	Length (fee	et) 8	Width (feet) N/A: Steel Pits
Depth fr	om ground level to dee	epest point:	5 (feet) No Pit
· · · · · · · · · · · · · · · · · · ·			
Distance to nearest water well within one-mile	of pit:	Depth to shallo	west fresh water feet.
Distance to nearest water well within one-mile  N A feet Depth of water well	·	,	
N A feet Depth of water well	feet	Source of infor measured  Drilling, Worke Type of materia	well owner electric log KDWR  over and Haul-Off Pits ONLY:  It utilized in drilling/workover:  Air day and bookfill
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all states.	feet	Source of infor measured  Drilling, Worke Type of materia Number of wor Abandonment	mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY:  Utilized in drilling/workover:  bring pits to be utilized:  procedure:  Air dry and backfill  RECEIVED
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all story into the pit?  Yes No	feet fluids to	Source of infor measured  Drilling, Worke Type of materia Number of wor Abandonment  Drill pits must to	well owner electric log KDWR  over and Haul-Off Pits ONLY:  It utilized in drilling/workover:  procedure:  Air dry and backfill  re closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all states.	feet fluids to	Source of infor measured  Drilling, Worke Type of materia Number of wor Abandonment  Drill pits must to	mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY:  It utilized in drilling/workover:  procedure:  Air dry and backfill  re closed within 365 days of spud date.  my knowledge and belief.  KDWR  Drilling Mud  2  RECEIVED  RECEIVED
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all sflow into the pit?  I hereby certify that the above stater	feet fluids to	Source of infor measured  Drilling, Worked Type of material Number of work Abandonment  Drill pits must the second of the best	mation:  well owner electric log X KDWR  over and Haul-Off Pits ONLY:  It utilized in drilling/workover:  Air dry and backfill  percocedure:  Air dry and backfill  RECEIVED  my knowledge and belief.  KCC WICHI
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all a flow into the pit?  I hereby certify that the above stater	feet fluids to	Source of infor measured  Drilling, Worked Type of material Number of work Abandonment  Drill pits must the second of the best	mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY:  It utilized in drilling/workover:  procedure:  Air dry and backfill  re closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all afflow into the pit?  I hereby certify that the above stater	spilled fluids to	Source of infor measured  Drilling, Worked Type of material Number of work Abandonment  Drill pits must the second of the best	mation:  well owner electric log KDWR  over and Haul-Off Pits ONLY:  It utilized in drilling/workover:  procedure:  Air dry and backfill  re closed within 365 days of spud date.  my knowledge and belief.  RECEIVED  Consture of Applicant or Agent

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.