

## Kansas Corporation Commission Oil & Gas Conservation Division

1068208

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #32710	API No. 15 - 15-207-27912-00-00
Name:Laymon Oil II, LLC	Spot Description:
Address 1: 1998 SQUIRREL RD	SW_SW_SE_SE_Sec. 17 Twp. 24 S. R. 16 ▼ East West
Address 2:	
City: NEOSHO FALLS State: KS Zip: 66758 + 7124	2475 Feet from ✓ East / West Line of Section
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 963-2495	□ne □nw ☑se □sw
CONTRACTOR: License #_32710	County: Woodson
Name: Laymon Oil II, LLC	Lease Name: Shepard Well #: 15-11
Wellsite Geologist: None	Field Name:
Purchaser:	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1083 Kelly Bushing: 1088
✓ New Well Re-Entry Workover	Total Depth: 1120 Plug Back Total Depth:
☑ Oil ☐ WSW ☐ SWD ☐ SIOW	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to: 40 w/ 10 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	W. SX CITE.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	,
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Chloride content: 0 ppm Fluid volume: 80 bbls
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
ENHR	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
10/24/2011 10/25/2011 11/4/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
☑ Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I I III Approved by: Dearna Garrison Date: 11/21/2011				

Side Two



Operator Name: <u>Lay</u>	mon Oil II, LLC	···	Lease N	Name: Snepard		Well #:15	-11
Sec. 17 Twp.24	s. r. <u>16</u>	✓ East  West	County:	Woodson			
INSTRUCTIONS: Sho time tool open and clo recovery, and flow rate line Logs surveyed. At	sed, flowing and shues if gas to surface to	ut-in pressures, whetl est, along with final cl	ner shut-in press	sure reached static I	evel, hydrostatic pre-	ssures, bottom h	ole temperature, flui
Drill Stem Tests Taken (Attach Additional S	Cheets)	Yes V	D	Log Form	nation (Top), Depth a	and Datum	Sample
Samples Sent to Geolo	ogical Survey	Yes N	<b>)</b>	Name Attached		Top	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	•	Yes No	o	Attached		Attached	Attached
ist All E. Logs Run:							
Gamma Ray Neutror	1						
<b>W</b>			ING RECORD set-conductor, sur	✓ New Used			•
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigi Lbs. /		Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10.2500	8.6250	24	40	common	10	
Production	6.1250	2.8750	7	1115	common	150	
		ADDITIO	NAL CEMENTIN	G / SQUEEZE RECO	DRD		
Purpose: Depth Top Bottom Perforate Top Bottom Protect Casing Plug Back TD		Type of Cement	# Sacks I	Used	Type and	Percent Additives	
Plug Off Zone	-						
Shots Per Foot		ON RECORD - Bridge Footage of Each Interva		Acid	, Fracture, Shot, Cemer (Amount and Kind of M		I Depth
· ·							
TUBING RECORD:	Síze:	Set At:	Packer At:	Liner Run:	Yes No	)	
Date of First, Resumed P	roduction, SWD or EN	HR. Producing	······	Gas Lift [	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION	_	Open Hole	METHOD OF (		0	PRODUCTIO	N INTERVAL:
Vented Sold	Used on Lease	Open Hole		Dually Comp. (Submit ACO-5)	Commingled (Submit ACO-4)		

Form	ACO1 - Well Completion		
Operator	Laymon Oil II, LLC		
Well Name	Shepard 15-11	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Doc ID	1068208	•	

Tops

Tops		
Mame	Top	Datum
Soil	0	14
Shale	14	180
Lime	180	. 240
Shale & Lime	240	985
Black Shale	985	990
5' Lime	990	995
Shale	995	1000
Upper Squirrel Sand	1000	1010
Shale	1010	1045
Cap Rock	1045	1046
Shale	1046	1049
Cap Rock	1049	1050
Lower Squirrel Sand	1050	1052
Shale	1052	1120

	Phone 365-2201 "Courtesy" - "Quality" - "Service"  THE NEW KLEIN LUMBER CO., I	NC.	Sinc	ce 1903	
PO#	MADISON & WALNUT  On O O O O		1-23	. 20	11
SOLD TQ	Zaymon Ull BILLING ADDRESS				
Delivered To _	C. Loaded By	На	uled By		
QUANTITY	DESCRIPTION	FEET	PRICE	TOTAL	
200	Sarlas Portland Cement	200_	945	1890	00
			101	161	60
				2.05.1	40
		A STATE OF THE STA			
RECEIVED AI	BOVE IN GOOD ORDER				Ravin 39
1	NF-11 IDAGENO 1 AUNER 26	(	10	Dae	RS
yone p	(Mal)				
Shepa	, d 7-11 - 10 DICKO - 1 0 4 5		7.11	IN DO	C.A.Z.
11.	and P.H. ID Dacker Lectures		<b>?</b>		: 22
weep	and 9-11-10 Dacker Michors 3  rd 3-11-10 packs Thomas 4				0
Whet a		DY12/1	1		
Shop		the facility of the first of th	"		$O\lambda$
Shop				one bo	
Shap	parol 12-11 12 miles 12 12 12 12 12 12 12 12 12 12 12 12 12			00x. K.D	<b>a</b>
Shep			+10-	Deckel	# /3 *
Ship			10	Dark	ad and
	23-11 Dacks Shipard	15.11	10	pack	1.4 <b>)</b> = -

802 N. Industrial Rd. P.O. Rox 664 Iola, Kansas 66749 Phone: (620) 365-5588

# Payless Concrete Products INC.

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, oradways, durineways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will, be made for holding trucks, longer, This concrete contains correct water contents for strength or mix indicated. We'do not assume responsibility for strength lists when vater is added at customer's request.

NOTICE TO OWNER.
Failure of this contractor to pay those persons supplying material or, services to complete this contract can result in the fitting of a mechanic's lien on the property which is the subject of this contract.

DESCRIPTION

2 40 40 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		in the second se
TIME	FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK :	PLANT/TRANSACTION #
DATE	LOAD # YARDS DEL BATCH# WATER TRIM SLUMP	TICKET NUMBER
	1 255 90 m 1967 1 10 70 0 40 10 1	

### WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porland Cament, West Rubber Boots and Cloves, PROLONGED CONTACT MAY
GAUSE BURNS Avoid Contact With Eyes and Prolonged Contact With Skin in Gase of
Contact With Skin or Eyes, Flush, Throughly With Water, If Imitation Persists, Get Medical
Autontion (KEEP, CHILDREN AWAY)

CONCRETE IS a PERISPABLE COMMODITY and BECOMES THE PROPERTY of the PURCHASER UPON-LEAVING THE PLANT ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys less, mounted in collecting

At accounts not paid within 30 days of delivery will bear interest at the rate of 24% per amorn.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unicos Made at Time

A \$25 Service Chaine and Loss of the Cash Discourt, will be collected on all Returned Checks Excess Detay Time Charged @ \$50/HR.

QUANTITY

PROPERTY DAMAGE RELEASE

OF OBE SIGNED IF DELIVERY IT OBE MADE INSIDE CURB LINE; bear Customer. The driver of this mock in presenting the PRELEXE to you far your signature to of the opinion that the size and neight of his tild kin may possibly cause damage to the prefiness and/or adjacent property if a place for manner in this band where you desire. It is confused to help you the every way that visit care, but if order to do the interfered is requested, that you you stop this prefiness to find the to do the interfered is requested, that you you got this prefiness. Freelying him and this supplier from any responsibility from any dentings that may occur to the premises and/or adjacent properly, buildering, defended, directly of the matterial and that you do the prefiness and/or adjacent properly, buildering, defended, directly of the matterial and that you that he will not later the public street. Further, as additional consideration, the understanded series to indemnity and hold the million the driver. that he me that does are profits seens. Further, as according considerable from the understanded sprease to indemnify and hold harmest like driver, or this truck and this supplier for any and all damage in the premises and/or adjacent property, within may be claimed by anyone to have arise out of delivery of this order.

#### Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

WHEN DELIVERING INSIDE CURB LINE.

GRAND TOTAL

	TRUCKING				Ten do Ten do
			A Company of the Comp		
RETURNED TO PLANT	LEFT JØB	FINISH UNLOADING	DELAY EXPLANATION/CYUNDER TEST TAKEN	TIME ALLOWED	
			100 NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AREAD ON JOS 8. CITATION	NIME ALLOWED	interación inverse as se accesso de domina
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER SADDED WATER	TIME DUE	
TÔTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 1  ADDITIONAL CHARGE 2