KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

	~									_
-20,631-000	. 15 -025	API 1):	Test Date			en Flow	
7					-				verabilty	De
Well Number	B	nan	rryn	Lease Be			s Inc	il + Ga	B 0	ompany R +
Acres Attributed		RNG (E/V		TWP		Section		Location		ounty
		21 W		315		13		5/2	K	clar
	ing Connection	Gas Gath			ola_	Reservoi		L	de	eld Wi
	at	Packer Se		epth	_	Plug Bac		·		ompleti
				<u> </u>	209				- 198	
59 - 5164	ons 5/	Perfora		Set	Diameter	Internal [Weight #		asing Size	
То	ons	Perfora		Set	Diameter	Internal (ng Size Weight		ubing Size Weight	
er? Yes / No	y Traveling Plur	Pump []ñi	46	5/	a Drodu	Type Flui	/ 	4. j	pletion (D	2
err. les /etto	n navenny rich	-rump om		noi.		- Type Fiul	-	•		•
Gas Gravity - G _g				Ucing Three (Annulus / Tubing)						
(Meter Run) (Prover) Size	•	······································		essure Taps	F	· · · · · · · · · · · · · · · · · · ·	•		epth(H)	ertical D
t (AM) (PM)	20		Taken	(AMY (PM)	1:01	10 at	0-270	Shut in 1	Buildup:	'ACCUIFA
t (AM) (PM)	20		Taken	_ (AM) (PM)	.00	10 at _1	1-68 2	Started	ne:	ell on L
on of Shut-in 24 Hours		r		VED SURFAC	OBSE			T		
uration Liquid Produced	ng Pressure	1	I Meter I Differential i I Wellnead Pressure		Orifice	Static /				
1 '	or (P_t) or (P_c) (Hours)		in Temperature Temperature (P) or (P) or (P)		Prover Pressure in Temperature Temper		Size (inches)	ynamic roperty		
	psia	psig	psia	psig			Inches H ₂ 0	psig (Pm)	(Inches)	торенту
· [82						hut-In
· ,		ı	'	/ / / / /			<u> </u>	1		
				02						Flow
			PUTES		El Cu:					Flow
			IBUTES	TREAM ATT	FLOW					Flow
GOR Flowing	Metered Flow	ation	Devi	TREAM ATT	/ity	Gra	Press	Circle one:	ent	Plate
(Cubic Feet/ Fluid Gravity	R'	ctor	Devi Fac	TREAM ATTF Flowing Temperature Factor	vity tor	Fac	Extension	Circle one: Meter or over Pressure		Plate
(Cubic Feet/ Fluid		i	Devi Fac	TREAM ATTF Flowing Temperature	vity tor	1		Meter or		Plate Coeffiec
(Cubic Feet/ Fluid Gravity	R'	ctor	Devi Fac	TREAM ATTF Flowing Temperature Factor	vity tor	Fac	Extension	Meter or over Pressure		Plate Coeffiec (F _b) (F
(Cubic Feet/ Gravity G _m	R'	pv	Devi Fac F	TREAM ATTF Flowing Temperature Factor	vity tor	Fac	Extension	Meter or over Pressure		Plate Coeffiec (F _b) (F
(Cubic Feet/ Fluid Gravity	R'	ATIONS	Devi Fac F	Flowing Temperature Factor Fit	vity tor OW) (DE	Fac	Extension P _m xh	Meter or over Pressure psia (P _w) ² =		Plate Coeffiec (F _b) (F
(Cubic Feet/Barrel) $(P_a)^2 = 0.207$ $(P_d)^2 = 0.207$ Open Flow	R'	ATIONS 14.4 =	Devi Fac F	Flowing Temperature Factor Fit LIVERABILITY % (vity tor OW) (DE	(OPEN FL	Extension P _m x h	Meter or over Pressure psia (P _w) ² =)	Plate Coeffiec (F _b) (F Mcfd
(Cubic Feet/Barrel) $(P_a)^2 = 0.207$ $(P_d)^2 = 0.207$ $(P_d)^2 = 0.207$ Open Flow Deliverability	R (Mcfd)	ATIONS 14.4 =	Devi Fac F C CALCUL C - 14.4) + Ssure Curve De = "n"	Flowing Temperature Factor Fit LIVERABILITY % (Backpri	vity tor OW) (DE	(OPEN FL P _d =	Extension P _m x h coose formula 1 or 2 1. P _c ² - P _a ²	Meter or over Pressure psia (P _w) ² =) Pr	Plate Coeffiec (F _b) (F Mofd c) ² = (P _c) ² - (I
(Cubic Feet/Barrel) $(P_a)^2 = 0.207$ $(P_d)^2 = 0.207$ $(P_d)^2 = 0.207$ Open Flow Deliverability	R (Mcfd)	ATIONS 14.4 =	Devi Fac F C CALCUL C - 14.4) + Ssure Curve De = "n"	Flowing Temperature Factor Fit. LIVERABILITY % (Backpry Sic.	vity tor OW) (DE	(OPEN FL P _d = LOG of formula 1. or 2. and divide	Extension P _m x h cose formula 1 or 2 1. P _c ² - P _e ² 2. P _c ² - P _c ²	Meter or over Pressure psia $(P_w)^2 = \frac{Ch}{Ch}$) Pr	Plate Coeffiec (F _b) (F Mofd
(Cubic Feet/Barrel) $(P_a)^2 = 0.207$ $(P_d)^2 = 0.207$ $(P_d)^2 = 0.207$ Antilog Open Flow Deliverability Equals R x Antilog	R (Mcfd)	ATIONS 14.4 =	Devi Fac F C-14.4) + Surre Curve De = "n"	Flowing Temperature Factor Fit. LIVERABILITY % (Backpry Sic.	OW) (DE	(OPEN FL P _d = LOG of formula 1. or 2.	Extension P _m x h coose formula 1 or 2 1. P _c ² - P _a ²	Meter or over Pressure psia $(P_w)^2 = \frac{Ch}{Ch}$) Pr	Plate Coeffiec (F _b) (F Mofd c) ² = (P _c) ² - (I
(Cubic Feet/Barrel) $(P_a)^2 = 0.207$ $(P_d)^2 = 0.207$ $(P_d)^2 = 0.207$ Antilog Open Flow Deliverability Equals R x Antilog	R (Mcfd)	ATIONS 14.4 =	Devi Fac F C-14.4) + Surre Curve De = "n"	Flowing Temperature Factor Fit. LIVERABILITY % (Backpry Sic.	OW) (DE	(OPEN FL P _d = LOG of formula 1. or 2. and divide	Extension P _m x h cose formula 1 or 2 1. P _c ² - P _e ² 2. P _c ² - P _c ²	Meter or over Pressure psia $(P_w)^2 = \frac{Ch}{Ch}$) Pr	Plate Coeffiec (F _b) (F Mofd c) ² = (P _c) ² - (I
(Cubic Feet/Barrel) $(P_a)^2 = 0.207$ $(P_d)^2 = 0.207$ $(P_d)^2 = 0.207$ Antilog Open Flow Deliverability Equals R x Antilog	R (Mcfd)	ATIONS 14.4 =	Devi Fac F C-14.4) + Surre Curve De = "n"	Flowing Temperature Factor Fit. LIVERABILITY % (Backpry Sic.	OW) (DE	(OPEN FL P _d = LOG of formula 1. or 2. and divide	Extension P _m x h cose formula 1 or 2 1. P _c ² - P _e ² 2. P _c ² - P _c ²	Meter or over Pressure psia $(P_w)^2 = \frac{Ch}{Ch}$) Pr	Plate Coeffiec (F _b) (F Mofd c) ² = (P _c) ² - (I
(Cubic Feet/Barrel) $(P_a)^2 = 0.207$ $(P_d)^2 = 0.207$ $(P_d)^2 = 0.207$ Antilog Open Flow Deliverability Equals R x Antilog	R (Mcfd)	ATIONS 14.4 =	Devi Fac F C CALCUL C - 14.4) + ssure Curve be = "n" orsigned and Slope	Flowing Temperature Factor Fit. LIVERABILITY % (Backpri	OW) (DE	(OPEN FL P _d = LOG of formula 1. or 2. and divide by:	Extension P _m x h cose formula 1 or 2 1. P _c ² - P _e ² 2. P _c ² - P _c ²	Meter or over Pressure psia $(P_w)^2 = \frac{Ch}{Ch}$) Pr	Plate Coeffiec (F _b) (F Mofd c) ² = (P _c) ² - (I
(Cubic Feet/Barrel) (P _a) ² = 0.207 (P _d) ² = Open Flow Deliverability Equals R x Antilog (Mcfd)	R (Mcfd)	ATIONS 14.4 =	Devi Fac F C CALCUL C - 14.4) + Sure Curve De = "n" or	Flowing Temperature Factor Fit Control of the Process of the Proce	OW) (DE	(OPEN FL P _d = LOG of formula 1. or 2. and divide by:	Extension P _m x h coose formula 1 or 2 1. P _c ² - P _c ² 2. P _c ² - P _c ² ided by: P _c ² - P _c ² Mcfd @ 14.	Meter or over Pressure psia $(P_w)^2 = \underline{\qquad \qquad }$ $C_c)^2 - (P_w)^2$ div) Pr	Plate Coeffiec (F_b) (F Mcfd $F_c)^2 = $ $(P_c)^2 - (F_c)^2 - (F_c)^2$
(Cubic Feet/Barrel) $(P_a)^2 = 0.207$ $(P_d)^2 = $	Mcfd Mcfd	ATIONS 14.4 = n x L	Devi Fac F CALCUL C - 14.4) + Sure Curve De = "n" or	Flowing Temperature Factor Fit LIVERABILITY % (Backpri Sk	OW) (DB	(OPEN FL P _d = LOG of formula 1. or 2. and divide by:	Extension P _m x h coose formula 1 or 2 1. P _c ² - P _c ² 2. P _c ² - P _d ² ided by: P _c ² - P _w Mcfd @ 14.	Meter or over Pressure psia $ (P_{w})^{2} = {Ch} $ $ (P_{w})^{2} - (P_{w})^{2} $ $ div$ $ d \text{ authority, on } I $: : : : : : : : : : : : : : : : : : :	Plate Coeffiec (F_b) (F Mofd $(F_b)^2 = $ $(P_c)^2 - ((F_c)^2 - ((F_c)^2)$ pen Flo
(Cubic Feet/Barrel) (Pa)² = 0.207 (Pd)² = Open Flow Deliverability Equals R x Antilog (Mcfd) 2 14.65 psia That he has knowledge of , 20	R (Mcfd)	ATIONS 14.4 =	Devi Fac F CALCUL C - 14.4) + Sure Curve De = "n" or	Flowing Temperature Factor Fit LIVERABILITY % (Backpri Sk	OW) (DB	(OPEN FL P _d = LOG of formula 1. or 2. and divide by:	Extension P _m x h coose formula 1 or 2 1. P _c ² - P _c ² 2. P _c ² - P _d ² ided by: P _c ² - P _w Mcfd @ 14.	Meter or over Pressure psia $(P_w)^2 = \underline{\qquad \qquad }$ $C_c)^2 - (P_w)^2$ div	: : : : : : : : : : : : : : : : : : :	Plate Coeffiec (F_b) (F Mofd $(F_b)^2 = $ $(P_c)^2 - ((F_c)^2 - ((F_c)^2)$ pen Flo
(Cubic Feet/Barrel) (P _a) ² = 0.207 (P _d) ² = Open Flow Deliverability Equals R x Antilog (Mcfd)	Mcfd Mcfd	ATIONS 14.4 = n x L	Devi Fac F CALCUL C - 14.4) + Sure Curve De = "n" or	Flowing Temperature Factor Fit LIVERABILITY % (Backpri Sk	OW) (DB	(OPEN FL P _d = LOG of formula 1. or 2. and divide by:	Extension P _m x h cose formula 1 or 2 1. P _c ² - P _c ² 2. P _c ² - P _c ² ided by: P _c ² - P _c Mcfd @ 14. cehalf of the	Meter or over Pressure psia $ (P_{w})^{2} = {Ch} $ $ (P_{w})^{2} - (P_{w})^{2} $ $ div$ $ d \text{ authority, on } I $: : : : : : : : : : : : : : : : : : :	Plate Coeffiec (F_b) (F Mofd $(F_b)^2 = $ $(P_c)^2 - ((F_c)^2 - ((F_c)^2)$ pen Flo

I dec	clare under penalty of perjury under the laws of the state of Kansas that I am authorized to request
	status under Rule K.A.R. 82-3-304 on behalf of the operator $2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 + 2 $
	the foregoing pressure information and statements contained on this application form are true and
•	o the best of my knowledge and belief based upon available production summaries and lease records
	ment installation and/or upon type of completion or upon use being made of the gas well herein named.
• •	eby request a one-year exemption from open flow testing for the <u>Berryman</u> B#/
	on the grounds that said well:
J	
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
•	is on vacuum at the present time; KCC approval Docket No
	is not capable of producing at a daily rate in excess of 250 mcf/D
	ther agree to supply to the best of my ability any and all supporting documents deemed by Commission necessary to corroborate this claim for exemption from testing.
Date:	11-7-2011
·	
•	
	// A
	Signatura: Water La Landa
e gan jage en seu	Signature: Manch Merley
	Signature: Handy Mewleys. Title:
	organical Control of the Control of

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no receptable.

December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

NOV 0 9 2011