ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15
Name: Birk Petroleum	Spot Description:
Address 1: _ 874 12th Rd SW	SW_SW_SE_SE Sec. 14 Twp. 22 S. R. 16 East West
Address 2:	190 Feet from ☐ North / 🗹 South Line of Section
City: Burlington State: Ks Zip: 66839 +	1,285 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311	□ne □nw Øse □sw
21290	County: Coffey
Pirk Potroloum	Lease Name: Rolf WSW Well #:
Malleite Coolegist, None	Field Name: Neosho Falls-LeRoy
Purchaser: Coffeyville Resources	Producing Formation: Kansas City Lime
Designate Type of Completion:	Elevation: Ground: 1049' est. Kelly Bushing:
	Total Depth: 644 Plug Back Total Depth: 644
✓ New Well Re-Entry Workover	Amount of Surface Pipe Set and Cemented at: 41 Feet
☐ Oil ☑ wsw ☐ swb ☐ slow	· ·
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 414
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 60 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW	Dorrace and the second
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
, Dual Completion Permit #:	Lease Name: License #:
☐ SWD Permit #:	Quarter Sec TwpS. R
Permit #:	County: Permit #:
GSW Permit #:	County: Permit #
06/03/2011 06/04/2011 06/6/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or confide two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentill report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and re	egu- PECENTE
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledg	e. NOV 1 4 201
Yallyn / Yhit	☐ Wireline Log Received
Signature:	Geologist Report Received KCC WICHITA
	PUIC Distribution

Side Two

Operator Name: Birk	Petroleum		Lease Name	e: Rolf		_ Well #: W	<u>SW</u>	
Sec. 14 Twp.22 S. R. 16			County: Coffey			,		
me tool open and clos	ed, flowing and shu if gas to surface te	d base of formations per t-in pressures, whether s st, along with final chart well site report.	shut-in pressure	reached static leve	l, hydrostatic pres	sures, bottom l	hole temp	erature, fluid
Orill Stem Tests Taken	neets)	☐ Yes ☑ No		Log Formati	on (Top), Depth a	nd Datum	✓:	Sample
Cores Taken		☐ Yes	Name Kansas City Lime			Top 414		Datum 335
List-All E. Logs Run:					and the second s	e ije . Maringinga genera deje		چى يېلىغىدىن سىنى <u>لى سىمىي</u>
		CASING	RECORD [New ✓ Used				· · · · · · · · · · · · · · · · · · ·
Purpose of String	Size Hole Drilled	Report all strings set- Size Casing Set (In O.D.)	-conductor, surface Weight Lbs. / Ft.	s, intermediate, productions Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface Casing	12 1/4"	8 3/4"		41'	Portland	16	Calciu	m
Long String	6 3/4"	4 1/2"		414'	Portland	60		
		ADDITIONA	L CEMENTING /	SQUEEZE RECOR)			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone Depth Top Bottom Type of Cement Type of Cement		# Sacks Used	d	Type and	Percent Additives	j.		
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			gs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
None Open hole completion 414-644'				Acidize				414-644
							RECE	VFD
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes N		1 VOV	
Date of First, Resumed P 09/01/2011	roduction, SWD or EN	HR. Producing Met	thod:	Gas Lift	Other (Explain)	KC	C WI	CHITA
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbls.	Gas-Oil Ratio		Gravity
DISPOSITIO	Used on Lease	l		Quality Comp. C	ommingled	PRODUCTI	ON INTER	WAL:

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



SOLD TO:

HERON TO STATE

ELECTION COOPERATIVE : VENTURE

H-2-11-COUPERATIVE VENTURES HWY 58-TO LEROY NIONAFYSTE TO TUDGE ME SHIP OF THE BURNES OF THE PROPERTY OF THE OTHER

- 「「 「				(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	Control and the state of the st	A 1 July Life of the Control of the	The state of the s
A STATIME NOTA	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	Table for the second	PLANT/TRANSACTION #
				% CAL	op N	% AIR	
11:19:00a	IELL (%)	6.00 yd	6.00 yd	0.00	31	0.00	COFCO
DATE * S.	AND	LOAD#	YARDS DEL. **	BATCH#	· WATER,TRIM	SLUMP	TICKET NUMBER
	o Date	4	42.00. V	id .			
06-06-11	oday	1	E. 1010	<u>d16923</u>	J6/yd70.0	ALUMEINES.	29288
with the second of the	ALLEY VINES AND A	Francisco de la companya de la comp	PROPERTY DAM	ACE DELEACE	Excessive Water	r is Detrimental to Concr	ete Performance -

WARNING

Contains Protand Cement: Wear Rubber Boots and Gloves: PROLONGED CONTACT MAY CAUSE BURNS: Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin Contact With Ski

CONCRETE IS & PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality, No Claim Allowed Unless Made at Time Material is Delivered.

Excess Delay Time Charged @ \$50/HR.

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE).

(TO BE SIGNED IF DELIVERY TO BE-MADE INSIDE CURB, UNE).
Dear Customer-The driver of this truck in presenting this, RELEASE to:
you for your signature to the opinion-that this size and weight of his
truck may possibly cause damage to the Plantises and/or adjacent
property if it places the material in this load where you desire it it is
our west to help you in every way that we can, but in order to do this
"the driver is requisating that you signath's RELEASE reflering him and
this supplier from any responsibility, from any damage that, may occur
to the premises and/or adjacent property. Duildings, sidewalks,
driveways, ours, etc. by the delivery of this material and that viol
also agree to help him remove mud from the wheels of his whole so,
that he will not littler the public steer. Futifier, as additional consideration, the understigned agrees to indemntify and hold harmless the driver
this truck and this supplier for any and all damage to this fremiers
and/or adjacent property which may be claimed by enyone to have
asten out of delivery of this order.

H₂0 Added By Request/Authorized By

and address in the			29,00
	to the state of th		素量
6.00	WELL	WELL (10 SACKS PER UNIT) 6.00 76.00 A56.V	10
2.50	IRUCKING	TRUCKING CHARGE 2:50 50.00 125.7	10
		보다 사람이 하다는 사람이라고 사람이라고 아내는 사람들이 되었다. 사람들은 사람들은 사람들은 사람들이 불어 살았다.	7. 7

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
			1, JOB NOT READY 5, TRUCK BROKE DOWN 2, SLOW POUR OR PUMP 7, ACCIDENT 3, TRUCK AHEAD ON JOB 8, CITATION	Ţ	ibTotal 4 581.00 ax % 6.300 36.60
LEFT PLANT (1)	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER 4.	_ TIME DUE	tal s 617.60° der s 617.60°
11:01	11.55				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		, DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL

RECEIVED NOV 1 4 2011 KCC WICHITA