KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-23018-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	SW_NW_NE_NE_Sec23 Twp22 S. R16
	4,785 Feet from North / South Line of Section
Address 2: City: Burlington State: Ks Zip: 66839 +	1,155 Feet from Feet from Seattle of Section
•	reet nom V Last) West Line of Section
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Pnone: ()	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License # 31280	County: Coffey
Name: Birk Petroleum	Lease Name: East Gilbert Well #: 8
Wellsite Geologist: None	Field Name: Neosho Falls-LeRoy
Purchaser: Coffeyville Resources	
Designate Type of Completion:	Elevation: Ground: 1043 est. Kelly Bushing:
✓ New Well	Total Depth: 1011 Plug Back Total Depth: 1011
☑ oil □ wsw □ swd □ slow	Amount of Surface Pipe Set and Cemented at: 41' Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 994'
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	loct dopti to.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #:	Chloride content:ppm Fluid volume:bbls Dewatering method used: Location of fluid disposal if hauled offsite:
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R East West
GSW Permit #:	County: Permit #:
09/22/2011 09/23/2011 09/23/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or or side two of this form will be held confidential for a period of 12 months if rec	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidensell report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and	
lations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge.	RECEIVED
and the statements install are complete and confect to the best of my knowledge	Confidential Release Date:
Signature: TILAN (MAT)	☐ Wireline Log Received NOV 1 4 2011
Signature:	Geologist Report Received UIC Distribution CONTRACTOR OF TANDERS OF THE PROPERTY OF THE PROPER
	Uic Distribution KCC WICHITA

Title: Agent

Side Two

क्ष ३ व ०

Operator Name: Birk	Retroleum			Lease	Name: _	East Gilbe	ert	Well #: <u>8</u>		
Sec. 23 Twp.22	s. r. <u>16</u>	✓ East	☐ West	Coun	ty: Coffe	ЭУ		·····		
NSTRUCTIONS: Shime tool open and clorecovery, and flow rate ine Logs surveyed. A	esed, flowing and shes if gas to surface	ut-in pressi test, along v	ures, whether with final char	shut-in pre	ssure rea	ched static I	evel, hydrostatic	pressures, bottom	hole tem	perature, flu
Drill Stem Tests Taken (Attach Additional S		<u></u>	es ☑No			og Forn	nation (Top), Dep	th and Datum	7	Sample
Samples Sent to Geol	logical Survey	<u></u>	Yes No			e el Sand		Top 998		Datum +45
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy	d Electronically	Yi	es 🔽 No		Oquiii	or Carlo		330		
List All E. Logs Run:				ggen et Aug		e saget e e e en		. د د درسیستیستی پو	. <u> </u>	~~~
		Repo	CASIN	G RECORD						
Purpose of String	Size Hole Drilled		te Casing t (In O.D.)		eight s. / Ft.	Setting Depth				and Percent Additives
Surface Casing	9 7/8"	7"		17#		41'	Portland	15	Calciu	ım
Long String	6 1/8"	2 7/8"		6.5#		994'	Portland	120		
			ADDITION	AL CEMENT	ring / sql	JEEZE REC	ORD	<u> </u>	<u>. j </u>	
Purpose: Perforate	Depth Top Bottom	Туре	of Cement	T	cks Used . Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone										
Shots Per Foot			RD - Bridge Pli Each Interval P			Acid		ement Squeeze Reco	ord	Depth
None	Open Hole Com	pletion 99	4-1011'			Frac w/4	12 sx		 	994-101
	:		-	25	-		· · · · · · · · · · · · · · · · · · ·			***
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:		No		
Date of First, Resumed 10/20/2011	Production, SWD or E	NHR.	Producing M	ethod:	oing	Gas Lift	Other (Explain)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	· · · · · ·	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er	Bbis.	Gas-Oil Ratio		Gravity
DISPOSITION Sold	ON OF GAS:	. 0	Open Hole	METHOD (Dually	y Comp.	Commingled	PRODUCT		RVAL: RECEIV
(If vented, Sui	bmit ACO-18.)		Other (Specify)		(Submit	AUU-0)	(Submit ACO-4)		<u> </u>	INV 1 4

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over dessable road, under truck's own power. Due to delivery at owner's or infermedially's direction, seller assumes, no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for hoding trucks longer. This concrete contains correct water contents for strength test when water is added at customer's request.

NOTICE TO OWNER

SHIP TO:

912.00

125.00

3	ひにひ	10:												
31	100	Îmr	Sec. Sec.	-		a garage		-	Sales	construction of the	-	un trade g	****	
		BOE		EL CHE	1.74	117	ii: k	711	berc	- 7		4 .		. 5.
							A 176.	1 4 4 4 4	l Ulainia h	2. 7. A	- 17.		1	يو گهرو ا
) (10	B.	FOU	RIF	<u>,5</u>		12.		17			in .	4	
	13.1.1	1.5	5° 20'	8. J.				1 - 10	100 m	Wo.		化管点		

B19/21 NSE B COOP. VENTURES/BIRK OIL SE N TO FEST THE LEROY NOUT OF TOWN TO 7TH F 3/4/MI 8 SD T 7/4 GAST GILBERT WELL# 8/1 4/4 GE POY, KS 66857

EBURLINGTON KS Anna 2 27 32 66839.45

DESCRIPTION ***

TRUCKING CHARGE

WELL (10 SACKS PER UNIT)

*	W BEAR S			16.56.5		*** X X X X X X X X X X X X X X X X X X	Afficial Material
TIME	FORMULA	LOAD SIZE	YARDS ORDERED 🦫	C. Thinks	DRIVER/TRUCK	A SECTION AND A	PLANT/TRANSACTION #
12:40:01p	WELL.	12.00 yd	12.00 yd	0.00	34	0.00	
, DATE	TO THE REST OF	LOAD#	YARDS DEL.	BATCH# 💰 🛂	WATER TRIM	SLUMP	TICKET NUMBER
09-23-11	oday	1	12.00 yd	18351	8/yd -70.0	4.00 in	30257

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. "Avoid Contact With Eyes and Prolonged Contact With Skin, in Case of
Coffict With Skin or Eyes, Flush, Tribroughly With Water, if Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Cotor Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR. CODE **

TRUCKING

WELL

QUANTITY

12.00

2,50

PROPERTY DAMAGE RELEASE.
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE). Dear Customer-The driver of this truck in presenting, this RELEASE to you for your signature is of the opinion/that the size and weight of his truck may possibly cause damage to the premises and/or adjacent properly if I places the material lift this load where you desire it. It is our wish to help you in every way/that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, budlings, addewalfs, chriveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mid from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indiamnly and hold harmless the driver of this truck and this supplier for ary and all damage to the premises and/or adjacent properly withon may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

12.00.

76.00

50.00

GRAND TOTAL

LOAD RECEIVED B EXTENDED PRICE UNIT PRICE

RETURNED TO PLANT	LEFT JÓB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SibTatal \$ 1037.00
LEFT PLANT	ARRIVED JOB	START UNLOADING	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AREAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER		Tax % 6.300 65.33
1257	1:33	oran oras and	S. ADDED WATER	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2

RECEIVED NOV 1 4 2011 **KCC WICHITA**