CFIGINAL KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-23043-00-00					
Name: Birk Petroleum	Spot Description:					
Address 1: 874 12th Rd SW	NE_SE_NE_NE_Sec. 23 Twp. 22 S. R. 16 East West					
Address 2:	4,455 Feet from ☐ North / ☑ South Line of Section					
City: Burlington State: Ks Zip: 66839 +						
Contact Person: Brian L Birk						
Phone: (620) 364-1311	□NE □NW ☑SE □SW					
CONTRACTOR: License # 31280	County: Coffey					
Birk Petroleum	Lease Name: East Gilbert Well #: 12					
Wellsite Geologist: None	Field Name: Neosho Falls					
Purchaser: Coffeyville Resources	Producing Formation: Squirrel					
Designate Type of Completion:	Elevation: Ground: 1034 est Kelly Bushing:					
	Total Depth: 995 Plug Back Total Depth: 995					
	Amount of Surface Pipe Set and Cemented at: 41 Feet					
☑ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No					
OG GSW Temp. Abd.	If yes, show depth set:Feet					
CM (Coal Bed Methane)						
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 977					
If Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 120 sx cmt.					
Operator:						
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Original Comp. Date: Original Total Depth:						
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls					
Conv. to GSW	Dewatering method used:					
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:					
Commingled Permit #:	Operator Name:					
Dual Completion Permit #:	Lease Name: License #:					
SWD Permit #:						
Permit#:	QuarterSecTwpS. R East West					
GSW Permit #:	County: Permit #:RECEIVED					
10/01/2011 10/03/2011 10/03/2011	NOV 1.5 2011					
Spud Date or Date Reached TD Completion Date or Recompletion Date	160 (3 20)					
of side two of this form will be held confidential for a period of 12 months if req	ponversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information pluested in writing and submitted with the form (see rule 82-3-107 for confidensell report shall be attached with this form. ALL CEMENTING TICKETS MUST					
AFFIDAVIT	KCC Office Use ONLY					
I am the affiant and I hereby certify that all requirements of the statutes, rules and	regu-					
lations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge.	i with					
and the statements nervin are complete and correct to the best of my knowledge	Confidential Release Date:					
TOTING () LINT	Wireline Log Received					
Signature: YWW W C J GV 4 S	Geologist Report Received					
Title: Agent Date: 11/11/2011	UIC Distribution					

Side Two

3 *


Operator Name: Birk							<u>,,</u>	Well #:12	!		
Sec. 23 Twp.22	s. R. <u>16</u>	✓ East		County	Coffe	9y					
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rates line Logs surveyed. At	sed, flowing and shu s if gas to surface te	t-in pressu st, along v	ıres, whether si vith final chart(s	hut-in press	sure rea	ched static leve	l, hydrostatic pr	essures, bottom	hole temp	erature, fluid	
(Attach Additional Sheets)		es ☑No		_L	Log Formation (Top), Dep		and Datum	✓ Sample			
		☐ Ye	es 🗹 No		Nam	el Sand		Тор 984	Datum +50		
		☐ Ye		oquiii							
List All E. Logs Run:	in the second of the second of	P _e g weeks P		RECORD		ew 🗸 Used					
				T		ermediate, produc		1	T =-:	101	
Purpose of String	Size Hole Drilled		e Casing t (in O.D.)	Weig Lbs. /		Setting Depth	Type of Cement	# Sacks Used		Type and Percent Additives	
Surface casing	9 7/8"	7"		17#		41'	Portland	Portland 14 Calciur		ım	
Long String	6 1/8"	2 7/8"		6.5#		977'	Portland	120			
						15575 05000			1		
Purpose:	Depth Top Bottom	h Type of Cement			ING / SQUEEZE RECORD Type and Percent Additives						
Protect Casing Plug Back TD Plug Off Zone							-12		. 8		
Shots Per Foot			RD - Bridge Plug Each Interval Per				racture, Shot, Cem Amount and Kind o	nent Squeeze Reco f Material Used)	rd	Depth	
None Open Hole Completion 977-995'					Frac w/42 sx					977-995	
	uda ang pagagan ang ang ang ang ang ang ang ang a	<u>,, , , , , , , , , , , , , , , , , , ,</u>							DEC:	IVED	
										5 2011	
TUBING RECORD:	Size:	Set At:		Packer A	ıt:	Liner Run:	Yes	No K		/ICHITA	
Date of First, Resumed F	Production, SWD or EN	IHR.	Producing Meth	nod:	ng [Gas Lift	Other (Explain)				
Estimated Production Per 24 Hours	Oil 2	Bbls.	Gas	Mcf	Wat	ter	Bbls.	Gas-Oil Ratio		Gravity	
			<u> </u>								
DISPOSITIO	Used on Lease			METHOD OF	_	y Comp. 🔲 C	ommingled ubmit ACO-4)	PRODUCT	ION INTER	RVAL:	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

TOTAL ROUND TRIP

TOTAL AT JOB

UNLOADING TIME



DELAY TIME

SHIP TO:

SOLD TO: Bewoi Park All Control of the Contro B & BECOOPERATIVE VENTURES B' 8 B COOP VENTURES DELEK OIL * ŚŚ Ŵ TO F ST-IN LEROYIN OUT, OF TOWNSTO TTH-E 374 MISSO 4, 900 S. FOURTH ST. EAST-GILBERT WELL# 12 BURLINGTON KS IE-ROY, NO CERT TO THE DRIVER/TRUCK PLANT/TRANSACTION # % CAL DD % AIR .00 02:33:24p .2.00 vd 0.100 <u>0. 00</u> LOAD# WATER TRIM 🌫 TICKET NUMBER YARDS DEL. BATCH# 24.00 yd o Date 24700元43 1570d 1-70, 10 4, 100 3 h Excessive Water is Detrimental to Concrete Performance PROPERTY DAMAGE BELEASE WARNING (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this trick in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises end/or adjacenproperly if places the material in this load where you desire it, it is
our wish to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE retieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent properly, buildings, sidewalks,
ordiveways, burks, etc., by the dailway of this material, and that you
also agree to help him remove mud-from the wheels of his whice so
that he will not ther the public street. Further, as additional consideration, the undersigned-agrees to indemnity and hold harmless the driver,
of this truck and his supplier for any and all damage to the premises
and/or-adjacent; property, which may be claimed by anyone to have
arisin out of delivery of this; order. (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) H₂0 Added By Request/Authorized By IRRITATING TO THE SKIN AND EYES
ritland Cement, Wear, Rubber, Boots, and Gloves, PROLONGED, CONTACT, MAY IMHII A I ING. I U-THE SKIN AND EYES
Contains Porland Cemerit, Wear Rubber Boots and Gloves PROLONGED CONTACT MAY
CAUSE, BURNS, Avoid Contact With Syes and Prolonged Contact With Skin, In Case of
Contact With Skin of Eyes, flush Thoroughly With Water, It Initiation Persists, Get Medical
Without REEP CHILDREN AWAY. WEIGHMASTER 4 CONCRETE IS & PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasons sums owed. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR. QUANTITY CODE EXTENDED PRICE WELL (10 SACKS PER UNIT) 76.00 12.00 WELL 912.00 24.00 TRUCK ING TRUCKING CHARGE 5.00 50,00+ 125.00 RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED SubTotal 4 ' 1037.00 SLOW POUR OR PUMP 7. ACCIDENT 65. 33 Tax % 6.300 TRUCK AHEAD ON JOB' 8 CITATION 1102.23 --- TIME DUE == Total + LEFT PLANT ARRIVED JOB START UNLOADING 2204.66 der 1 20 **ADDITIONAL CHARGE 1**

> RECEIVED NOV 1 5 2011 KCC WICHITA

ADDITIONAL CHARGE 2

GRAND TOTAL