ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15031-23041-00-00				
Name: Birk Petroleum	Spot Description:				
Address 1: 874 12th RD SW	NE_SW_NE_NE_Sec23 Twp22 S. R16 Fast West				
Address 2:	4,455 Feet from North / South Line of Section				
City: Burlington State: Ks Zip: 66839 +	825 Feet from 🗹 East / 🗌 West Line of Section				
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:				
Phone: (620) 364-1311	□NE □NW ☑SE □SW				
CONTRACTOR: License #_31280	County: Coffey				
Name: Birk Petroleum	Lease Name: East Gilbert Well #: 10				
Wellsite Geologist: None	Field Name: Neosho Falls-Leroy				
Purchaser: Coffeyville Resources	Producing Formation: Squirrel				
Designate Type of Completion:	Elevation: Ground: 1036 Est. Kelly Bushing:				
New Well Re-Entry Workover	Total Depth: 1000 Plug Back Total Depth: 1000				
	Amount of Surface Pipe Set and Cemented at: 40 Feet				
☑️ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ SIGW ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No				
OG GSW Temp. Abd.	If yes, show depth set:Feet				
CM (Coal Bed Methane)					
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 985 feet depth to: Surface w/ 120 sx cmt.				
If Workover/Re-entry: Old Well Info as follows:	feet depth to:w/120 sx cmt.				
Operator:					
Well Name:	Drilling Fluid Management Plan				
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)				
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls				
Conv. to GSW	Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name				
Dual Completion Permit #:	Operator Name:				
SWD Permit #:	Lease Name: License #:				
ENHR	QuarterSecTwpS. REastWest County:Permit #:Permit #:				
GSW Permit #:	1				
09/29/2011 09/30/2011 09/30/2011	NOV 1 5 2011				
Spud Date or Date Reached TD Completion Date or Recompletion Date	KCO				
of side two of this form will be held confidential for a period of 12 months if req	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidensell report shall be attached with this form. ALL CEMENTING TICKETS MUST				
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and relations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge.	with Letter of Confidentiality Received				
Signature: The Signature S	Wireline Log Received				
	Geologist Report Received				
Title: Agent Date: 10/13/11	ALT				

Side Two

Operator Name: Birk Petroleum				me: East Gill	bert	_Well #:10	<u> </u>	
Sec. <u>23</u> Twp. <u>22</u> S. R. <u>16</u> Fast West			County:	Coffey				
time tool open and clo	sed, flowing and shues if gas to surface to	nd base of formations per ut-in pressures, whether s est, along with final chart(I well site report.	hut-in pressur	e reached station	level, hydrostatic pres	sures, bottom l	hole temperature, fluid	
Drill Stem Tests Taken (Attach Additional S		Yes No		Log Fo	rmation (Top), Depth ar	nd Datum	✓ Sample	
Samples Sent to Geological Survey		Yes 🗸 No		Name Squirrel Sand		Top 991	Datum +45	
Cores Taken		☐ Yes 🗹 No		•				
Electric Log Run		☐ Yes 🗸 No						
Electric Log Submitted Electronically (If no, Submit Copy)		Yes No						
List All E. Logs Run:				·*··	4	ود د خدچت	يتمارين المحتبي ويتعران	
-								
		CASING Report all strings set-	RECORD [conductor, surface	NewUsice, intermediate, p				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.			# Sacks Used	Type and Percent Additives	
Surface Casing	9 7/8	7"	17#	40'	Portland	16	Calcium	
Long String	6" ·	2 7/8	6.5#	985'	Portland	120		
		ADDITIONAL	. CEMENTING	/ SQUEEZE RE	CORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement # Sa		acks Used Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone	-							
Shots Per Foot		ION RECORD - Bridge Plug Footage of Each Interval Per		A	cid, Fracture, Shot, Cemen (Amount and Kind of M		Depth	
None	Open hole compl	letion 985-1000			and and and			
				:		RE	ECEIVED	
		· · · · · · · · · · · · · · · · · · ·				NOV	/ 1 5 2011	
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Rui	n: Yes No	KCC	V 1 5 2011 WICHITA	
Date of First, Resumed Pending	Production, SWD or Ef	NHR. Producing Met	hod:	Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity	
						00001100	ION INTERVAL	
	ON OF GAS: Used on Lease		METHOD OF CO	OMPLETION: Dually Comp.	Commingled	PRODUCTI	ION INTERVAL:	
Vented Sold	_	Other (Specify)		Submit ACO-5)	(Submit ACO-4)			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over-passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes, no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5-minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct vater-contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

STERIOR LESS WHEN WARD IS AUGUSTA.

NOTICE TO COWNER

Failure of this contract or result in the filing of a mechanic's lien on the propriation is the subject of this contract.

SHIP TO:

	SOLD TO:						 2	
Š	13001							
1	B CO	DOPE	ratii	IE V	ENTU	RES	4	46.7
Ċ	100 S. I	CUR	TH. BT		VOWA ?			
. '		(arrive		1				

d a "b" coop. VENTURES/BIRK OIL HE 50 W-TD F ST'IN LEXDY N. OUT-DE TOWN TOP 77H E 374CMI 5 SO COL EAST-GILBERT WELLS IN

LE ROY, KE SEB57

TEUREINGTONEKS LOAD SIZE DRIVER/TRUCK CAL DP % AIR Ø1:24:17p 12.00 yd 12.00 yd 0.00 O. OO LOAD# 🖫 YARDS:DEL. BATCH# WATER TRIM SET OF SLUMP o Date 10 120.00 yd 09-30-11 oday 12.00 yd 1 18673 G/yd 4.00 in -70.0

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY:
CAUSE BURNS. Avoid Contact. With Eyes and Prolonged Contact With Skin, In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Médical Attention, KEEP, CHILDREN AWAY.

CONCRETE IS a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality, No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CLIPS LINE)
Dear Customer: The driver of this truck in presenting, this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises, and/or adjacent
properly it is please the material in this food where you desire it. It is
our wish to help you in every way that we care, but in order to do this,
underly in requesting that you sign this RELEASE relieting him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent properly, buildings, sidewalks,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle sothat he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnity- and note harmless the driver
into the premises the difference of the premises
endlor adjacent properly which may be claimed by anyone to have
arise out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER 🦠 🍇

QUANTITY 12.00 WELL (10 SACKS PER UNIT) 76.00 12.00 912.00 2.50 TRUCKING TRUCKING CHARGE 2,50 50.00 125,00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	SubTotal (1037.00) Tax x 6.300 (65.33)
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE01 al \$1102.33
134	213			Unier \$ 1102.33 ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAYTIME ADDITIONAL CHARGE 2
				GRAND TOTAL

RECEIVED NOV 1 5 2011 KCC WICHITA