



SIDE ONE

S

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION OR RECOMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

API NO. 15-... 071-20, 364-00-00
County... Greeley
C.W./2... NW... Sec 2... Twp. 19... Rge 40... East
West

Operator: License # 6085
Name... Smith, L. T. F. C.
Address... Box 399
City/State/Zip... Topeka, Kas. 67879

4620 Ft North from Southeast Corner of Section
4950 Ft West from Southeast Corner of Section
(Note: Locate well in section plat below)

Purchaser... Shut-in
K-12

Lease Name... Dos Kacil... Well #... 1

Operator Contact Person Joe E. Smith
Phone... 316-376-4254

Field Name... ~~Byerly~~ BRADSHAW GAS AREA

Producing Formation... W.U. Field

Elevation: Ground... 3579... KB... 3588
Section Plat

Contractor: License # 5382
Name... Chay, W. Drilling

Wellsite Geologist... Ron Osterbuhren
Phone... 316-276-8145

Designate Type of Completion
 New Well Re-Entry Workover
 Oil SWD Temp Abd
 Gas Inj Delayed Comp.
 Dry Other (Core, Water Supply etc.)
If ONWO: old well info as follows:
Operator
Well Name
Comp. Date Old Total Depth

RWD
10-1-85

WATER SUPPLY INFORMATION
Disposition of Produced Water: Disposal
Docket # SD 118137... Repressuring

WELL HISTORY
Drilling Method: Mud Rotary Air Rotary Cable

Questions on this portion of the ACO-1 call:
Water Resources Board (913) 296-3717

may 11, 1985
Spud Date
2940'
Total Depth
PBTD

may 20, 1985
Date Reached TD
2940'
Completion Date
ON Completion NA
K-12

Amount of Surface Pipe Set and Cemented at 601 feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set... feet
If alternate 2 completion, cement circulated
from 2940... feet depth to surface w/ 400 SX cmt
Cement Company Name... Hall, Barton
Invoice #... 152714

Source of Water:
Division of Water Resources Permit #
Groundwater... Ft North from Southeast Corner
(Well) ... Ft West from Southeast Corner of
Sec Twp Rge East West
Surface Water... Ft North from Southeast Corner
(Stream, pond etc)... Ft West from Southeast Corner
Sec Twp Rge East West
Other (explain) Topeka City water hydrant
(purchased from city, R.W.D. #)

INSTRUCTIONS: This form shall be completed in duplicate and filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 90 days after completion or recompletion of any well. Rule 82-3-130 and 82-3-107 apply.
Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form. See rule 82-3-107 for confidentiality in excess of 12 months.
One copy of all wireline logs and drillers time log shall be attached with this form. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature... [Signature]
Title... Vice President Date Sept 30, 1985

Subscribed and sworn to before me this 30th day of Sept 1985...
Notary Public... Wayne D. Stephen
Date Commission Expires... 3-7-1989

K.C.C. OFFICE USE ONLY
F Letter of Confidentiality Attached
C Wireline Log Received
C Drillers Timelog Received
Distribution
 KCC SWD/Rep NGPA
 KGS Plug Other
(Specify)

WAYNE D. STEPHEN
State of Kansas
My Appt. Exp. Mar. 7, 1989

Operator Name Smith, Cathb J Ne Lease Name Dus. Kocel Well # 1

Sec. Twp. Rge. East West County Greeley

WELL LOG

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
Samples Sent to Geological Survey Yes No
Cores Taken Yes No

Formation Description
 Log Sample

Name Top Bottom

Stone Corral 2518
Lower Winfield 2860

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs/Ft.	Setting Depth	Type of Cement	#Sacks Used	Type and Percent Additives
Long string		4 1/2	10.5	29.41	Portland	400	15.0 lbs. 5050 Por

PERFORATION RECORD

Acid, Fracture, Shot, Cement Squeeze Record

Shots Per Foot	Specify Footage of Each Interval Perforated	(Amount and Kind of Material Used)	Depth
3 shots	2874 - 2884	Acid - 500 gal	
2 shots	2902 - 2912	15,000 gal Water Fracture	

TUBING RECORD Size Set At Packer at Liner Run Yes No

Date of First Production Producing Method Flowing Pumping Gas Lift Other (explain) Not flowing - non commercial

Estimated Production Per 24 Hours	Oil Bbls	Gas MCF	Water Bbls	Gas-Oil Ratio	Gravity

METHOD OF COMPLETION

Production Interval

Disposition of gas: Vented Sold Used on Lease Open Hole Other (Specify) Perforation Other (Specify)

Dually Completed Commingled

RECEIVED STATE CORPORATION COMMISSION

OCT 1 1985

Wichita, Kansas

CONSERVATION DIVISION Wichita, Kansas

DRILLER'S LOG

15-071-20364-00-00

Smith Cattle, Inc.
Daskocil #1
C W/2 NW NW
Section 02-T19S-R40W
Greeley County, Kansas

Commenced: 5-11-85
Completed: 5-15-85

Surface Casing: 601' of 8-5/8"
Cmtd w/175sx Lite, 100sx Class
C, 2% Gel, 3% cc, 1/4# Floseal.

FORMATION

DEPTH

Surface Hole	0 - 615
Shale, Lime	615 - 1492
Anhydrite	1492 - 1535
Clay, Shale	1535 - 2000
Clay, Shale, Salt	2000 - 2238
Shale, Lime	2238 - 2492
Anhydrite	2492 - 2511
Shale	2511 - 2750
Lime, Shale	2750 - 2940 RTD

I do hereby certify that the foregoing statements are true and correct to the best of my knowledge and belief.


CHEYENNE DRILLING, INC.

A. J. Jacques

A. J. JACQUES

STATE OF KANSAS: 661

Subscribed and-sworn to before me this 21st day of May, 19 85.



Sharyn K. Coates

Sharyn K. Coates, Notary Public

RECEIVED
STATE CORPORATION COMMISSION

OCT 1 1985

CONSERVATION DIVISION
Wichita, Kansas