

TYPE

CORRECTION
NOTICE OF INTENTION TO DRILL

CORRECTION

C-1
MI-1391

TO BE FILED WITH THE STATE CORPORATION COMMISSION
PRIOR TO COMMENCEMENT OF WELL

API Number 15-071-20,183 - 0000
(For office use only)

1. Operator Bartling Oil Company
Suite 730
Address 711 Polk; Houston, Texas 77002

Starting Date When rig available

County Greeley

2. Contractor unknown
Address _____

Sec 34 Twp 19 S Rge 40 ^{XX}W

~~*~~ Spot Location 1320' ESI of Section
330' FEL

3. Type of Equipment: Rotary Cable Tool _____

Nearest Lease Line 330 ft.

4. Well to be Drilled for: Oil _____ Gas

Lease Name Wineinger

Disposal _____ Input _____ Other _____

5. Depth of Deepest Fresh Water within 1 mile 175 ft.

6. Depth of Municipal Water Well within 3 miles None ft.

7. Depth to Protect all Fresh Water 200 ft.

8. Amount of Surface Casing to be set 250 ft.

9. Alternate No. 1 _____ No. 2

Est. Total Depth 2910' ft.


REMARKS: Cement to be circulated from OPERATOR STATES THAT HE WILL COMPLY WITH K. S. A. 55-128

~~*~~ TD to surface behind production casing.

Change of loc. only - was C SE SE SE.

Signature of Operator _____

[Handwritten Signature]
[Handwritten Initials]



**State Corporation Commission of Kansas
Conservation Division
245 North Water
Wichita, Kansas 67202**

**CONSERVATION DIVISION
Wichita, Kansas**

NOV 15 1979

**RECEIVED
STATE CORPORATION COMMISSION**

87-51-11

(IF PREFERRED, MAIL IN ENVELOPE)

TYPE

NOTICE OF INTENTION TO DRILL

C-1
MI-1931

TO BE FILED WITH THE STATE CORPORATION COMMISSION
PRIOR TO COMMENCEMENT OF WELL

API Number 15-071-20,183-
(For office use only) *800*

1. Operator Bartling Oil Company
Suite 730
Address 711 Polk; Houston, Texas 77002

Starting Date 11-12-79
When rig available

County Greeley

2. Contractor Unknown

Sec 34 Twp 19 S Rge 40 ^X_W

Spot Location C SE SE SE

Address _____

3. Type of Equipment: Rotary Cable Tool _____

Nearest Lease Line 330' ft.

4. Well to be Drilled for: Oil _____ Gas

Lease Name Wineinger

Disposal _____ Input _____ Other _____

5. Depth of Deepest Fresh Water within 1 mile 175 ft.

6. Depth of Municipal Water Well within 3 miles None ft.

7. Depth to Protect all Fresh Water 550 ~~200~~ ft.

Well No. 1

8. Amount of Surface Casing to be set 250 ft.

Est. Total Depth 2910 ft.


9. Alternate No. 1 _____ No. 2

REMARKS: Cement to be circulated
from TD to surface behind production
casing.

OPERATOR STATES THAT HE WILL COMPLY WITH K. S. A. 55-128

Signature of Operator

R. M. [Signature]
DK



**State Corporation Commission of Kansas
Conservation Division
245 North Water
Wichita, Kansas 67202**

**RECEIVED
STATE CORPORATION COMMISSION
NOV 07 1979
11-07-79
CONSERVATION DIVISION
Wichita, Kansas**

(IF PREFERRED, MAIL IN ENVELOPE)