KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1066146

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 3895	API No. 15 - 15-107-24515-00-00
Name:Bobcat Oilfield Services, Inc.	Spot Description:
Address 1: 30805 COLD WATER RD	NW_NW_SE_SW Sec. 5 Twp. 20 S. R. 23 [/] East West
Address 2:	
City: LOUISBURG State: KS Zip: 66053 + 8108	3815 Feet from ☑ East / ☐ West Line of Section
Contact Person: Bob Eberhart	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 285-0873	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License # 4339	County: Linn
Name: Jackson, Dale E & Sue Ellen dba Dale E. Jackson Production Co.	Lease Name: South Baker Well #: J-5
Wellsite Geologist: N/A	Field Name: LaCygne-Cadmus
Purchaser: High Sierra Crude Oil	Producing Formation: Peru
Designate Type of Completion:	Elevation: Ground: 906 Kelly Bushing: 0
✓ New Well ☐ Re-Entry ☐ Workover	Total Depth: 320 Plug Back Total Depth:
✓ Oii WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: 20 Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: 315
If Workover/Re-entry: Old Well Info as follows:	feet depth to: 0 w/ 50 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	remin #.
Spud Date or Date Reached TD Completion Date or	
Recompletion Date Bale Reached 1B Completion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date;				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I I II Approved by: Dearna Claritacy Date: 11/29/2011				

Side Two



Operator Name: Bob	Lease Name	South Baker	<u>.</u>	Well #:J-	5		
Sec. 5 Twp.20	s. r. <u>23</u>	✓ East	County: Lin	าท			
INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.							
Drill Stem Tests Taken (Attach Additional S	Theets)	☐ Yes ☑ No	•	Log Formatio	n (Top), Depth and	d Datum	Sample
Samples Sent to Geok		ame		Тор	Datum		
Cores Taken Electric Log Run	Taken			GL			
List All E. Logs Run:							
Gamma Ray/Neutro	n/CCL						
		CASING Report all strings set-	_	New ✓ Used intermediate, product	lon, etc.		
Purpose of String	Size Hole Orliled	Size Casing Set (In O.D.)	Weight Lbs. / Ft,	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface casing	8.75	6.25	8	20	Portland	5	, , , , , , , , , , , , , , , , , , ,
Production casing	5.625	2.875	6	315	Portland/Fly Ash	50	60/40 Poz Mix
					<u> </u>		
		ADDITIONAL	CEMENTING / S	QUEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Po	ercent Additive	8
Protect Casing Plug Back TD Plug Off Zone	-						
Shots Per Foot						ord Depth	
3 278-288				Acid 500 gal	7.5% HCL		
	,						
							
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed F	Production, SWD or EN	HR. Producing Meth		☐ Gas Lift ☐ C	Other (Explain)		
Estimated Production Per 24 Hours	Oll	Bbis. Gas	Mcf \			as-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:	N	METHOD OF COM	PLETION:		PRODUCTI	ON INTERVAL:
Vented Sold	Used on Lease	Open Hote			nmingled mit ACO-4)	100 Table 100	

Lease:	SOUTH BAKER				
Owner:	BOBCAT OIL	FIELD, SERVICES, INC.			
OPR#:	3895	Y X X			
Contractor:	DALE JACKS	ON PRODUCTION CO.			
OPR#:	4339	र प्रसिद्धी हैं			
Surface:	Cemented:	Hole Size:			
20FT, 6IN	5 SACKS	8 3/4			
Longstring	Cemented:	Hole Size:			
315 2 7/8	50	55/8			

Dale Jackson Production Co.

Box 266, Mound City, Ks 66056

Cell # 620-363-2683

Office # 913-795-2991

;Well #: J-5
Location: NW-NW-SE, 5:5,
T:20,5.R.:23, E
County: LINN
FSL: \$455 / 109
FEL: 3795 3815
API#: 15-107-24515-00-00
Started: 8-31-11
Completed: 9-1-11

Well	Log
------	-----

SN: 264 Packer: TD: 320
Plugged: Bottom Plug:

		<u> </u>					
TKN	BTM Depth	Formation	TKN	BTM Depth	Formation		
1	1	TOP SOIL	SURF	VCE: 8-31-1	11		
9	10	UME	SETTIME: 3:30PM				
5	15	SHALE	CALLE	CALLED: 1:10PM			
2	17	BLACK SHALE					
3	20	SHALE	LONGSTRING: 315' 2 7/8 8RD PIPE, TD: 320 SET TIME: 2:30PM, 9-1-11				
19	39	UME	CALLED: 1:45PM - JOHN				
2	41	SHALE	- Service Serv				
2	43	BLACK SHALE	1				
3	46	UME					
5	51	SHALE (LIMEY)					
5	56	UME					
1	57	BLACK SHALE			***************************************		
10	67	SHALE (LIMEY)					
140	207	SHALE					
1	208	BLACK SHALE			·		
12	720	SHALE					
6	225	UME					
19	245	SHALE					
1	246	UME					
•	250	SHALE					
6	256	LIME					
8	264	SHALE (LIMEY)					
2	266	SANDY SHALE (OIL SNAD STRKS)					
4	270	OIL SAND (VERY SHALEY) (POOR BLEED)					
3	273	OIL SAND (SHALEY) (FAIR BLEED)					
5	278	SANDY SHALE					
5	283	OIL SAND (SOME SHALE) (GOOD BLEED)					
0.5	283.5	LIME					
4.5	288	OIL SAND (SOME SHALE) (GOOD) (GOOD BLEED)					
15	303	SHALE					
2	305	COAL					
5	31D	SHALE	$\neg \neg$				
TD	320	LIME					
•							
					**** <u> </u>		



Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Lease :	S. BAKER
Owner:	BOBCAT OILFIELD SERVICES INC.
OPR#:	3895
Contractor:	DALE JACKSON PRODUCTION CO.
OPR#:	4339

Core	Run	<u>#1</u>

Location: NW-NW-SE, S:5, T:20,S.R.:23, E County: LINN FSL: 1255 \\O	
County: LINN FSL: 1155 \\OQ	-
FSL: 1155 1109	
FSL: 1155 1109	
FEL: 3795 3815	
API#: 15-107-24515-00-00	
Started: 8-31-11	
Completed: 9-1-11	-

FT	Depth	Clock	Time	Formation/Remarks	Depth
0	266		 		<u> </u>
1	267		1		
2	268		2		
3	269		2		
4	270		2	OIL SAND (VERY SHALEY) (POOR BLEED)	270
5	271		2		
6	272		2.5		
7	273		2.5	OIL SAND (SHALEY) (FAIR BLEED)	273
8	274		3		
-	1,7				
9 ,	245		3		1
10	276		4		1
10	276		•		
11	277		3.5		
12	278		2	SANDY (SHALEY)	
12	2/6		2		278
13	279	_	2.5		ŀ
14	280		2.5		
15	281		1		,
					1
16	282		2.5		
17	283		3	OIL SAND (SOME SHALE) (GOOD BLEED)	283
<u> </u>		-	*	UME	
18	284		2		
19	285		2	OIL SAND (SOME SHALE) (GOOD BLEED)	
-			-	·	
20	286		2		
	I				

Avery Lumber
P.O. BOX 66
MOUND CITY, KS 66058
{913} 795-2210 FAX {913} 795-2194

SPECIAL ORDER TICKET

Page: 1		ShippingTicket: 10033814
Special : instructions : : Sale rep 9: MAVERY MIKE	Acct rep cod	Time: 09:31:14 Ship Cate: 08/23/11 involos Cate: 08/23/11 Due Date: 09/05/11
Sold To: BOBCAT OILFIELD SRVC,INC C/O BOB EBERHART 30805 COLDWATER RD LOUISBURG, KS 88053	Ship To: BOBC (913) 837-2823	AT OILFIELD SRVC,INC
Customer #: 3570021	(913) 837-2823 Customer PO:	Order Butter DDV

ath.		Order By:TERRY	Customer PO:	Customer#: 3570021				
, ,	poplingos							
EXTENSIO	PRICE	Alt Price/Uom	DESCRIPTION	ITEM#	U/M	니	8HIP	ORDER
2321.	8.2900	8.2900 BAG	PORTLAND CEMENT	CPPC		니	280.00	280.00
1224.	5.1000	5.1000 mg	POST SET FLY ASH 75#	СРРМ			240.00	240.00
238.	17.0000	17.0000 EA	QUIKRETE PALLETS	CPQP	EA ·		14.00	14.00
			50xxx 60xxx 55.51					
		Rey	PHONE ORDER BY TE DELIVERY				i	`
			DEET DELIVERY		•			
		57	9/3 · 837 4					
\$3783.2	Sales total		SPECIAL ORIVER	FILLED BY		•	· · · · · ·	
238.	Soles tax	Taxable 3783.20 Non-taxable 0.00 Tax#	CEIVED CONCEINED TICKET	SHIP VIA				
\$4021.5	TOTAL							

2 - Customer Copy