

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1069572

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 3728			API No. 15 - 15-003-25177-00-00							
Name: Kent, Roger dba R			Spot Description:							
Address 1: 22082 NE Neosho	Rd		NW NW NE Sec. 18 Twp. 21 S. R. 21 FEST West							
Address 2:			4972 Feet from North / South Line of Section							
City: GARNETT S	State: KS	Zip: 66032 + 1918	2475 Feet from Feet from East / West Line of Section							
Contact Person: Roger Kent			Footages Calculated from Nearest Outside Section Corner:							
Phone: (785) 448-6995			□NE □NW ☑SE □SW							
CONTRACTOR: License # 372	18	,	County: Anderson							
Name: Kent, Roger dba R J			Lease Name: KENT Well #: 25							
Wellsite Geologist: n/a			Field Name: Bush City Shoestring							
Purchaser: n/a	<del> </del>		Producing Formation: Squirrel	_						
Designate Type of Completion:		···	Elevation: Ground: 1013 Kelly Bushing: 1013							
√ New Well	-Entry	Workover	Total Depth: 684 Plug Back Total Depth: 678							
[7] O□ □ wsw	SWD	 □ slow	20							
☐ Gas ☐ D&A	☐ ENHR	☐ sigw	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No	961						
□ og	☐ GSW	Temp. Abd.	there also do the column							
CM (Coal Bed Methane)	<del></del>			eet						
☐ Cathodic ☐ Other (Cor	e, Expl., etc.):		If Alternate II completion, cement circulated from:	_						
If Workover/Re-entry: Old Well In			feet depth to: 678 w/ 72 sx 0	emt.						
Operator:				—						
Well Name:			Drilling Fluid Management Plan							
Original Comp. Date:	Original 1	Total Denth:	(Data must be collected from the Reserve Pit)							
☐ Deepening ☐ Re-perf		o ENHR Conv. to SWD	Chloride content: 0 ppm Fluid volume: 0 t	bls						
C = settorming	Conv. 1	<del></del>	Dewatering method used: Evaporated							
Plug Back:		ug Back Total Depth	Location of fluid disposal if hauled offsite:							
Commingled			·							
Dual Completion			Operator Name:	_						
SWD	Permit #:		Lease Name: License #:							
ENHR	Permit #:		Quarter Sec TwpS. R	est						
☐ GSW	Permit #:		County: Permit #:							
09/16/2011 09/19/2	2011	09/19/2011								
Spud Date or Date Rea Recompletion Date	ached TD	Completion Date or Recompletion Date								

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY						
Letter of Confidentiality Received						
Date:						
Confidential Release Date:						
☐ Wiretine Log Received						
Geologist Report Received						
UIC Distribution						
ALT I I II Approved by: Deans Garrison Date: 12/06/2011						

Side Two

1069572

Operator Name: Ke	nt, Roger dba R	J Enterp	rises	Lease	ease Name: KENT Well #: 25						
Sec. 18 Twp.21	Twp.21S. R.21					erson					
INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.											
Orill Stem Tests Take (Attach Additional	,	ØL	.og Formatio	n (Top), Depth ε	and Datum Sample						
Samples Sent to Geo	logical Survey		res 🗸 No		Nan dk sai	_	Тор	Datum			
Cores Taken Ye Electric Log Run Ye Electric Log Submitted Electronically (If no, Submit Copy)			res 🔽 No		shale	iu		648 684			
List All E. Logs Run:											
Drillers Log											
		Ren		RECORD	V No	w Used ermediate, producti					
Purpose of String	Size Hole Drilled	St	ze Casing at (In O.D.)	Wel	ght	Setting Depth	Type of Cement	# Sacks Used	Type and Percent		
surface				10		20	Portland	72	Additives		
production	5.625 2.875		10		678		72	<u> </u>			
					-						
	<del></del>	r	ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			110		
Purpose:  —— Perforate	Depth Top Bottom	Турс	of Cement	# Sacks	Used	Type and Percent Additives					
Protect Casing Plug Back TD	-										
Plug Off Zone	-										
Shots Per Foot	PERFORATI Specify	ON RECOR	RD - Bridge Plug Each Interval Peri	s Set/Type		Acid, Frac	ture, Shot, Cemer	nt Squeeze Record			
20	Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Depth 619.0 - 629.0								Бери		
20 634.0 - 644.0											
	<del></del> · ,										
								<u> </u>			
	·····										
TUBING RECORD: Size: Set At: Packer At; Liner Run:											
Date of First, Resumed Production, SWD or ENHR.  Producing Method:  Flowing Pumping Gas Lift Other (Explain)											
Estimated Production Per 24 Hours  Oil Bbls. Gas Mcf Water Bbls. Gas-Oll Ratio Grav								Gravity			
DISPOSITIO	ON OF GAS:	<del></del>	M	ETHOD OF	COMPLE	TION:		PRODUCTIO	N INTERVAL.		
Vented Sold	Used on Lease		_	, ,	Dually	Comp. Com	mingled				
(If vented, Sub	mit ACO-18.}		Other (Specify)		(Submit A	(Subm	it ACO-4) —				

	Pages Speed Secretaries Secretaries	i i i Mixie		UE VALUE HOMECE 410 N Marie 1910 H. K. SOOR 7406 FAX (788) 449-7188	i I	Provide T	10/010 10/05/00 10/000 10/00/11 10/00/11		<b>.</b>	Page: Special Indicate:	1	(758) 448-7	VALUE HOMECE 110 N Macia 108 VAN (788) 448-7188	invoice The	Die CRAST	CE PAR 1
		MOREN IN MANUSTI MORENT	MAT MEGGHO RD , KB BOME	\$49 Yes (700) 440-6000 - (700) 640-6000 Challest Pip.	<u>,</u>						ice in	MICONO NO 7, 100 ONGO	21-5 7th (C (1985 448-4866 )) (788) 448-4866	My male Ove PRINCENTY ROT POST HOUSING USES	to leis - CB/ISP/ Ben - CB/ISP/	
980.00: +19.00 640.00	860.00 -19,80 840.20	P. P.	TTENS GPFA GPFG GPFG	DESCRIPTION  PLY ASH MIX 80 LSS PER SAG SCHULLET Gradier heat hades 18171678 PCHTLAND OBSISSIT-848		8,0000 and 14,0000 and 14,0000 as 8,4800 and	14.0000 B.4800	8415.40 466.00 484.00	00000 48000 480	SEP.	DAG PL	CPAP I	DESCRIPTION  DESCRIPTION  LY ASH MIX SC LISE PER BAG ICHAROH PALLET INSIGN STANDS 1017/878  ORTLAND CEMENT-BLS	AS Pleating 4.000 p 14.000 p 8.4000 p	4 6.8000 14.8000	80(18/18/0 94/8/4 98/8 4884.8
		!   											; ; !			
•							`.     									
. :							!									
	:		ļ	CHEST CARREST BA			inter total	\$77 <b>25.</b> 00				Notes of	SALES OF SALES OF SALES	1	Refer tubel	Awar do
·			×	MENINGON COUNTY FOR COMPLETE AND REJECTS CONSTITUTE	Taxable Many famous Taxab	7729.00	ulno tax	000.56 000.51,00					CONTRACTOR SOCIOUS SERVICES SER	Tausio 7625.00 No-institu G.D.	,	47865.00 418.15
•				ili <b>ili ili ili ili ili ili ili</b> 1 - Marchant Copy									in i			BR4518

## R.J. Enterprise 22082 NE Neosho RD Garnett, KS 66032

	<b>Kent #25</b>		Start 9-16-2011
4	soil	4	Finish 9-19-2011
15	clay	19	
33	lime	52	
75	shale	127	,
8	lime	135	
6	shale	141	
40	lime	181	
7	shale	188	set 20' 7"
28	lime	216	ran 677.7' 2 7/8
4	shale	220	cemented to surface 72 sxs
18	lime	238	
169	shale	407	
14	lime	421	
59	shal <del>e</del>	480	
31	lime	511	•
25	shale	536	
11	lime	547	
16	shale	563	•
6	lime	569	
9	shale	578	
7	lime	585	
13	shale	598	
8	sandy shale	606	Odor
8	sandy shale	614	Good show
13	Bkn sand	627	Good show
4	sandy shale	631	Good show
13	Bkn sand	644	Good show
4	Dk sand	648	Show
36	Shale	684	T.D.