



KANSAS CORPORATION COMMISSION 1069826
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34170
Name: Sirius Energy Corp.
Address 1: 526 COUNTRY PL, SOUTH
Address 2: _____
City: ABILENE State: TX Zip: 79606 + 7032
Contact Person: Randy Teter
Phone: (785) 4488571
CONTRACTOR: License # 32079
Name: Leis, John E.
Wellsite Geologist: n/a
Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____

<u>09/10/2011</u>	<u>09/10/2011</u>	<u>09/12/2011</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-003-25185-00-00
Spot Description: _____
SW NW SE SW Sec. 13 Twp. 21 S. R. 20 East West
828 Feet from North / South Line of Section
3839 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Anderson
Lease Name: West Van Winkle Well #: D-20
Field Name: _____
Producing Formation: Squirrel sand
Elevation: Ground: 1062 Kelly Bushing: 0
Total Depth: 721 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: 21 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 21
feet depth to: 0 w/ 6 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 120 bbls
Dewatering method used: Evaporated
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Deanna Garrison Date: 12/09/2011



1069826

Operator Name: Sirius Energy Corp. Lease Name: West Van Winkle Well #: D-20
 Sec. 13 Twp. 21 S. R. 20 East West County: Anderson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample Name: Squirrel sand Top: 654 Datum: gl
Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <i>(If no, Submit Copy)</i> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
List All E. Logs Run: Gamma Ray / Neutron / CCL	

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9.875	7	20	21	Portland	6	
Production	5.625	2.875	6.5	721	OWC	66	Kol seal 40%

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	-			
	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-3)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
-------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------

GARNETT TRUE VALUE HOMECENTER

410 N Maple
Garnett, KS 66032
(785) 448-7108 FAX (785) 448-7135

Merchant Copy

INVOICE

THIS COPY MUST REMAIN AT
MERCHANT AT ALL TIMES!

Page: 1		Invoice: 10176098	
Special :		Time:	09:13:54
Instructions :		Ship Date:	09/08/11
		Invoice Date:	09/08/11
Sale rep #: WAYNE WAYNE STANLEY		Due Date:	10/08/11
	Acct rep code:		
Sold To: SIRIUS ENERGY CORP		Ship To: SIRIUS ENERGY CORP	
525 COUNTRYPLACE SOUTH		(325) 685-8152	
ABILENE, TX 79608-7032		(325) 685-8152	
Customer #: 0001860	Customer PO:	Order By:	

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
8.00	6.00	P	BAG	CPPC	PORTLAND CEMENT-94#	9.9900 ea	9.9900	59.94

FILLED BY SHIP VIA RECEIVED COMPLETE AND IN GOOD CONDITION <i>x Randy Z. Loter</i>	CHECKED BY	DATE SHIPPED	DRIVER	Sales total	\$59.94
	Customer Pick up			Taxable	59.94
				Non-taxable	0.00
				Sales tax	4.98
				TOTAL	\$64.92

1 - Merchant Copy



802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, LLC.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, structures, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER
Failure of the contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SI007
SIRIUS ENERGY CORP.
526 COUNTRY PLACE SOUTH

ABILENE TX
79606-7032

SI420
LEASE: WEST VAN WINRLE
169 N TO 1400 RD E 5.5 MI @ TER
S 1 MI TO 1300 RD TO DOUBLE
WHITE GATE 80 IN WEST GATE
LANDOWNER: CHARLIE FOLTZ

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	YAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
07:24:49a	WELL II	8.00 yd	16.00 yd	3.00	35	0.00	ANDCO
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
09-09-11	Today	8.00 yd	18309	6/yd -70.0	4.00 in	30097	

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.
CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.
The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
Not Responsible for Reactive Aggregate or Color Quality. No Claims Allowed Unless Made at Time Material is Delivered.
A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
Excess Delay Time Charged @ \$100/hr.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the curbside in the load where you desire it. It is our wish to help you in any way that we can, but in order to do this we must be releasing you from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to hold him harmless from the whims of his vehicle so that he will not suffer the public's wrath. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and his supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
SIGNED
X _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
GAL X _____
WEIGHMASTER
NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
LOAD RECEIVED BY:
X *Randy Jeter*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL II	WELL (10 SACKS PER UNIT)	8.00	76.00
				508.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
10:13	9:50	11:11	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		SubTotal \$ 508.00
LEFT PLANT	ARRIVED JOB	START UNLOADING			Tax % 7.800 47.42
48:00	8:00	8:45			Total \$ 655.42
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			Order \$ 655.42
					ADDITIONAL CHARGE 1 _____
					ADDITIONAL CHARGE 2 _____
					GRAND TOTAL ▶ _____