

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1065982

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 - 15-107-24487-00-00
Name: Bobcat Oilfield Services, Inc.	Spot Description:
Address 1: 30805 COLD WATER RD	SE_NE_NW_SW Sec. 5 Twp. 20 S. R. 23 🗹 East West
Address 2:	2127 Feet from ☐ North / ✓ South Line of Section 4129 Feet from ✓ East / ☐ West Line of Section
• • • • • • • • • • • • • • • • • • • •	
Contact Person: Bob Eberhart 913 , 285-0873	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□ NE □NW ØSE □SW
CONTRACTOR: License #_4339	County: Linn
Name:Jackson, Dale E & Sue Ellen dba Dale E. Jackson Production Co.	Lease Name: North Baker Well #: D-4
Wellsite Geologist: N/A	Field Name: LaCygne-Cadmus
Purchaser: High Sierra Crude Oil	Producing Formation: Peru
Designate Type of Completion:	Elevation: Ground: 896 Kelly Bushing: 0
✓ New Well	Total Depth: 330 Plug Back Total Depth:
✓ oii	Amount of Surface Pipe Set and Cemented at: 20 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 224
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 50 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	reet depth to: sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	,
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec. Twp. S. R. East West
GSW Permit #:	County: Permit #:
9/23/2011 9/26/2011 11/23/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I III Approved by: Domina Gentler Date: 11/29/2011

Side Two



Operator Name: Bob	cat Oilfield Servi	ces, Inc.	Lease Nar	me: <u> </u>	North Baker		Well #:D-4	1	
Sec. 5 Twp. 20			County: _						
time tool open and clo	sed, flowing and shues if gas to surface to	nd base of formations pen tt-in pressures, whether s est, along with final chart(s well site report.	hut-in pressur	e reac	ched static level,	hydrostatic pressi	ures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S		☐ Yes ✓ No		 ✓Lo	og Formation	n (Top), Depth and	l Datum		Sample
Samples Sent to Geol	ogical Survey	☐ Yes 🗸 No		Name Top Peru 265			(Gi	Datum 1	
Cores Taken		Yes No		Peru			.00		_
Electric Log Run Electric Log Submitted (If no, Submit Copy	•	✓ Yes No ✓ Yes No							
List All E. Logs Run:									
Gamma Ray/Neutro	on/CCL		ļ 1		•				
		CASING	RECORD	☐ Ne	w Vsed				
	Size Hole	Report all strings set-	conductor, surfa Weight		ermediate, production	on, etc. Type of	# Sacks	Time	and Percent
Purpose of String	Drilled	Set (In O.D.)	Lbs. / Ft		Depth	Cement	Used		and Percent
Surface casing	8.75	6.25	8		20	Portland	5		
Production casing	5.625	2.875	6		224	Portland/Fly Ash	50	60/40 Poz Mix	
		ADDITIONAL	CEMENTING	/ SQL	JEEZE RECORD				
Purpose: —— Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD	•								
Plug Off Zone	•								
	DEDEODAT	ION RECORD - Bridge Plug	n Cot/Tupo	-	Acid From	cture, Shot, Cement	Sausaza Basar		
Shots Per Foot		Footage of Each Interval Per				nount and Kind of Mai			Depth
3	270-280				Acid 500 gal	7.5% HCL			
3	284-292								
TUBING RECORD:	Size:	Set At:	Packer At:		Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN	Producing Metl	hod:		Gas Lift 0	other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wat	er Bt	bls. G	as-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		METHOD OF CO	OMPLE	ETION:		PRODUCTION	ON INTER	VAL:
Vented Sold	_	l 🗆 a c	Perf.	Dually	Comp. Con	nmingled			1001
	bmit ACO-18.)	Other (Speciful	(5	Submit A	ACO-5) (Subr	nit ACO-4)			

Lease:	NORTH BAK	ER
Owner:	BOBCAT OIL	HELD SERVICES, INC.
OPR#:	3895	1 1
Contractor:	DALE JACKSO	ON PRODUCTION CO.
OPR#:	4339	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
Surface:	Cemented:	Hole Size:
20FT, 6IN	5 SACKS	8 3/4
Longstring	Cemented:	Hole Size:
224	50	5 5/8

Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Well#: D-4	'SW
Location: SE,NE,N	W,S:5,T:20,S.R.:23,E
County: LINN	
FSL: 2145 217	ר
FEL: 4125 (1)	29
API#: 15-107-244	87-00-00
Started: 9-23-11	
Completed: 9-26-	11

Well I	.og
--------	-----

SN: 262 Packer: TD: 330

Plugged: Bottom Plug:

TKN	BTM	T =	1				
IKN	Depth	Formation	TKN	BTM Depth	Formation		
1	1	TOP SOIL		E: 9-23-11	`		
16	17	UME		SET TIME: 3:30PM			
4	21	SHALE	CALLED: 12:45PM- JUDY				
5	26	BLACK SHALE	TONGST	DING: 274	2 7/2 820 DIDE TO- 220		
21	47	UME	LONGSTRING: 324 2 7/8, 8RD PIPE, TD: 330 SET TIME: 2:30PM, 9-26-11				
2	49	SHALE		1:15PM-			
2	51	BLACK SHALE					
3	54	LIME]				
4	58	SHALE					
5	63	LIME					
1	64	BLACK SHALE					
10	74	SHALE (LIMEY)					
136	210	SHALE	[
1	211	BLACK SHALE					
14	225	SHALE					
8	233	UME					
17	250	SHALE					
11	261	LIME (STRONG ODOR)					
3	264	SHALE (LIMEY)					
2	266	OIL SAND (SHALEY) (SOME GAS) (POOR BLEED)					
4	270	OIL SAND (SOME SHALE) (FAIR BLEED)					
8.5	278.5	OIL SAND (SOME SHALE) (GOOD BLEED)	1				
2	280.5	OIL SAND (SHALEY) (GOOD BLEED)					
3.5	284	SAND SHALE (SOME OIL SAND STRKS) (POOR BLEED)					
1	285	OIL SAND (SHALEY) (GOOD BLEED)					
1	286	SANDY SHALE (SOMEOIL SAND STRKS) (POOR BLEED)					
2	288	OIL SAND SOME SHALE (GOOD BLEED)					
3	291	SANDY SHALE (OIL SAND STRKS)					
17	308	SHALE					
2	310	COAL	l				
5	315	SHALE					
10	325	UME					
Р	330	SHALE					



Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Lease :	NORTH. BAKER
Owner:	BOBCAT OILFIELD SERVICES INC.
OPR#:	3895
Contractor:	DALE JACKSON PRODUCTION CO.
OPR#:	4339

Core Run <u>#1</u>

Well #: D-4
Location: . S.W
SE,NE,NW,S:5,T:20,S.R.:23,E
County: LINN
FSL: 2145 ス/スフ
FEL: 4125 4129
API#: 15-107-24487-00-00
Started: 9-23-11
Completed: 9-26-11

	Completes: 9-20-11				Depth	
FT	Depth	Clock	Time	Formation/Remarks		
0	266					
1	267		1			
	<u> </u>					
2	268		1			
3	269		1			
4	270		2	OIL SAND (GAS) (SOME SHALE) (FAIR BLEED)	270	
5	271		2		j j	
6	272		2			
7	273		1.5			
<u>,</u>	2/3		1.3			
8	274		2			
9	275		2.5			
10	276		3			
11	277		2.5			
12	278		2.5		1	
				OIL SAND (SOME SHALE) (GOOD BLEED)	278.5	
13	279		2		1	
14	280		2.5	OIL SAND (SHALEY) (GOOD BLEED)	280.5	
15	281		2	OIL SAND (STARLET) (COOD BLEED)	2003	
43						
16	282		3.5		1	
17	283		3.5			
10	204		3	CANDY CHAILE (COME OIL) (CAND CTOVE) (DOOD DIEFD)	204	
18	284		3	SANDY SHALE (SOME OIL) (SAND STRKS) (POOR BLEED)	284	
19	285		2.5	OIL SAND (SOME SHALE) (GOOD BLEED)	285	
20	286		3			
				SANDY SHALE (SOME OIL SAND STRIS) (POOR BLEED)		
			<u> </u>	The state of the second states and the second		
	1				<u> </u>	

\$4113.12

TOTAL

Avery Lumber
P.O. BOX 66
MOUND CITY, KS 66056
{913} 795-2210 FAX {913} 795-2194

Customer Copy INVOICE PLEASE REFER TO INVOICE NUMBER ON ALL CORRESPONDENCE

Invoice: 10034610 Page: 1 Special 13:21:11 09/19/11 Bhio Data: instructions Invoice Date: 09/22/11 Sale rep #: MAVERY MIKE 10/05/11 Due Date: Appt rap code: Sold To: BOBCAT OILFIELD SRVC, INC SMP To: BOBCAT OILFIELD SRVC,INC C/O BOB EBERHART (913) 637-2823 30805 COLDWATER RD LOUISBURG, KS 66053 (913) 637-2823 Customer #: 3570021

Quetomer PO: Order By: TERRY ORDER EXTENSION SHIP L UM ITEM# DESCRIPTION PRICE Alt Price/Uom PORTLAND CEMENT 8.2900 2811.35 315.00 315.00 L BAG CPPC B.2900 sag 200.00 200.00 BAG СРРМ POST SET FLY ASH 75# 5,1000 BAG 5.1000 1020.00 14.00 14.00 L EΑ CPQP QUIKRETE PALLETS 17.0000 EA 17.0000 238.00 DIRECT DELIVERY, PHONE ORDER BY TERRY 913 .837 . 4/59 North Couler CHECKED BY DATE SHIPPED FILLED BY \$3869.35 Balos total SHIP VIA LINN COUNTY REDEVED COMPLETE AND IN GOOD CONDITION 3869.35 Texable 0.00 Sales tax Non-taxable 243.77 Tax #

2 - Customer Copy