

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1065981

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	3895		API No. 15 - 15-107-24486-00-00
	ield Services, Inc.	_	Spot Description:
Address 1: 30805 COL	D WATER RD		SW_NE_NW_SW_Sec. 5 Twp. 20 S. R. 23 F East West
Address 2:			2131 Feet from North / South Line of Section
City: LOUISBURG	State: KS Zip	66053 + 8108 _	4449 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Bob E	berhart		Footages Calculated from Nearest Outside Section Corner:
	5.0072		□ NE □ NW ☑ SE □ SW
CONTRACTOR: License			County: Linn
		. Jackson Production Co.	Lease Name: North Baker Well #: D-3
Wellsite Geologist: N/A			Field Name: LaCygne-Cadmus
Purchaser: High Sierra	Crude Oil		Producing Formation: Peru
Designate Type of Comp	letion:		Elevation: Ground: 918 Kelly Bushing: 0
New Well	Re-Entry	Workover	Total Depth: 330 Plug Back Total Depth:
[ZÎ Oil ☐ W		☐ slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
Gas D		☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
	© GSW	Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Met	_		_ · · · · · · · · · · · · · · · · · · ·
	•		If Alternate II completion, cement circulated from: 324 feet depth to: 0
If Workover/Re-entry: OI	d Well Info as follows:		feet depth to: w/ sx cmt
_			
			Orilling Fluid Management Plan
		tal Depth:	(Data must be collected from the Reserve Pit)
	. <u> </u>	ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
	Conv. to		Dewatering method used:
Pluo Back:	Plug		Location of fluid disposal if hauled offsite:
Commingled		,	
☐ Dual Completion	Permit #:		Operator Name:
SWD	Permit #:		Lease Name: License #:
ENHR	Permit #:	<u></u>	Quarter Sec. Twp. S. R. East West
☐ GSW	Permit #:		County: Permit #:
9/26/2011	9/27/2011	11/23/2011	
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
✓ Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Dearing Gerison Date: 11/29/2011

Side Two



Operator Name: Bobcat Oilfield Services, Inc. Lease Name: North Baker Well #: D-3								
Sec. 5 Twp. 20	s. R. <u>23</u>	✓ East ☐ West	County: Linn		<u></u>			
time tool open and clo	osed, flowing and shu es if gas to surface te	d base of formations pen t-in pressures, whether s st, along with final chart(s well site report.	hut-in pressure rea	ched static level,	hydrostatic pressi	ures, bottom f	nole temperature	e, fluid
Drill Stem Tests Taker (Attach Additional	•	☐ Yes ✓ No	[V		n (Top), Depth and		Sample	
Samples Sent to Geo	logical Survey	Yes No	Nan Peru	· ·			Datum GL	
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)	•	✓ Yes No ✓ Yes No ✓ Yes No						
List All E. Logs Run:								
Gamma Ray/Neutro	on/CCL							
		CASING	RECORD N	lew U sed				
<u> </u>	Size Hole	Report all strings set-	conductor, surface, in Weight	termediate, producti Setting	on, etc. Type of	# Sacks	Type and Per	rcent
Purpose of String	Drilled	Set (In O.D.)	Lbs. / Ft.	Depth	Cement	Used	Additives	
Surface casing	8.75	6.25	8	20	Portland	5		
Production casing	5.625	2.875	6	324	Portland/Fly Ash	50	60/40 Poz M	lix
							<u>l</u>	
Purpose:	Depth		CEMENTING / SQ	UEEZE RECORD				
Perforate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives				
Protect Casing Plug Back TD	-							
Plug Off Zone						 =		
Shota Par Foot	PERFORATE	ON RECORD - Bridge Plug	ıs Set/Type	Acid, Fra	cture, Shot, Cement	Squeeze Recor	d	
Shots Per Foot Specify Footage of Each Interval Perforate			forated		nount and Kind of Mat	erial Used)	De	epth
3	288-297	<u> </u>		Acid 500 gal 7.5% HCL				
					<u> </u>			
TUBING RECORD: Size: Set At: Packer At: Liner Run: Yes No								
Date of First, Resumed	Date of First, Resumed Production, SWD or ENHR. Producing Method: Flowing Pumping Gas Lift Other (Explain)							
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf Wa	ter Bl	bls. G	as-Oil Ratio	Grav	/ity
Disposition	ON OF GAS:		METHOD OF COMPL	ETION:		PRODUCTION	ON INTERVAL:	
Vented Solo	_		Perf. Duall	y Comp. 🔲 Con	nmingled			
(If vented, Sui	omit ACO-18.)	Other (Specify)	(Submit	ACO-5) (Subi	nit ACO-4)			

Lease:	NORTH BAKER				
Owner:	BOBCAT OIL	FIELD SERVICES, INC.			
OPR#:	3895	1 1			
Contractor:	DALE JACKS	ом Раористри со			
OPR#:	4339	2200			
Surface: 20FT, 6IN	Cemented: 5 SACKS	Hole Size: 8 3/4			
Longstring 324 2 7/8	Cemented: 50	Hole Size: 5 5/8			

Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Well #: D-3
Location: "SW
SW,NE,NW,S:5,T:20,S.R.:23,E
County: LINN
FSU-2145 2131
FEL: 4455 4449
API#: 15-107-24486-00-00
Started: 9-26-11
Completed: 9-27-11

Well Log

SN: 275 Packer: TD: 330
Plugged: Bottom Plug:

TKN	BTM Formation		TKN	втм	Formation			
	Depth	107,1133311		Depth	- Contraction			
1	1	TOP SOIL	SURF	ACE:9-26-1	1			
25	26	UME	SET TIME: 4:00PM					
4	30	SHALE	CALLED: 1:15PM-BECKY					
2	32	BLACK SHALE	LONGSTRING: 324 2 7/8, 8RD PIPE, TD: 330					
22	54	UME						
3	57	SHALE	SET TIME: 2:30PM, 9-27-11 CALLED: 1:10PM- BECKY					
2	59	BLACK SHALE	A ecomes, siste in. Appli					
3	62	LIME		Γ				
4	66	SHALE						
7	73	LIME						
1	74	BLACK SHALE		l —				
10	84	SHLAE (LIMEY)						
111	195	SHALE						
1	196	BLACK SHALE						
28	224	SHALE						
1	225	BLACK SHALE		· · · · ·				
11	236	SHALE						
5	241	UME						
17	258	SHALE		i				
12	270	UME	-	 				
5	275	SHALE (LIMEY)		l				
15	290	SANDY SHALE (OIL SAND STRKS)						
3	293	OIL SAND (SOME SHALE) (GOOD BLEED)		i —				
8	301	SANDY SHALE (OIL SAND STRKS)		l				
15	316	SHALE						
2	318	COAL						
7	325	SHALE						
ŦD	330	UME						
_								
								
\vdash					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
_			_					
\vdash								
	-							
					l			



Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Lease : NORTH. BAKER		
Owner:	BOBCAT OILFIELD SERVICES INC.	
OPR#:	3895	
Contractor:	DALE JACKSON PRODUCTION CO.	
OPR#:	4339	

Core Run #1

Well #: D-3	
Location: "SW SW,NE,NW,S:5,T:20,S.R.:23,E	
County: LINN	
FSL: 2145 2131	
FEL: 4455- 4449	
API#: 15-107-24486-00-00	
Started: 9-26-11	
Completed: 9-27-11	

	T Depth Clock Time Formation/Remarks						
ㄷ	Depth	Clock	Time	Formation/Remarks			
0	278						
1	279		2				
2	280		1.5				
3	281		3.5				
4	282		3				
5	283		3.5				
6	284		3				
7	285		2.5	-			
8	286		1.5				
9	287		3.5				
10	288		4				
11	289		3				
12	290		3	SANDY SHALE (OIL SAND STRKS)	290		
13	291		2.5				
14	292	 	2.5				
15	293		1.5	OIL SAND (SOME SHALE) (GOOD BLEED)	293		
16	294		1.5				
17	295		1.5				
18	296		2.5	SANDY SHALE (OIL SAND STRKS)			
19	297		2				
20	298		1.5	·			
-20	236		1.3				
	<u></u>	L	<u> </u>	<u></u>	J		

\$4113.12

TOTAL

Avery Lumber
P.O. BOX 66
MOUND CITY, KS 66056
{913} 795-2210 FAX {913} 795-2194

Customer Copy INVOICE PLEASE REFER TO INVOICE NUMBER ON ALL CORRESPONDENCE

Page: 1		Invoice: 10034610
Special :		Time: 13:21:11
Instructions :		Ship Date: 09/19/11
:	•	involce Date: 09/22/11
Sale rep #: MAVERY MIKE	Acct rep oc	animetaa
SOID TO: BOBCAT OILFIELD SRVC,INC	Ship Tax BOBO	AT OILFIELD BRVC,INC
C/O BOB EBERHART	(913) 637-2823	
30805 COLDWATER RD		
LOUISBURG, KS 66053	(913) 637-2823	
C 3570001	S. March PO.	CHARTEDBY

p0p/mg01 EXTENSION ORDER PRICE SHIP IL UM DESCRIPTION ITEM# Alt Price/Uom 2611.35 315.00 L PORTLAND CEMENT 8.2900 315.00 BAG CPPC 8.2900 BAG 200.00 L 14.00 L 200.00 BAG СРРМ POST SET FLY AGH 75# 5,1000 BAG 5.1000 1020.00 CPQP QUIKRETE PALLETS 17.0000 EA 17.0000 238.00 14.00 EA DIRECT DELIVERY, PHONE ORDER BY TERRY CHECKED BY DATE SHIPPED FILLED BY \$3869.35 Sales total SHIP VIA LINN COUNTY RECEIVED COMPLETE AND IN GOOD CONDITION 3869.35 Texable 0.00 Sales tax Non-texable 243.77 ax #

2 - Customer Copy