

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1063691

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 - 15-107-24424-00-00
Name: Bobcat Oilfield Services, Inc.	Spot Description:
Address 1: 30805 COLD WATER RD	NE_SW_SE_SW_Sec. 5 Twp. 20 S. R. 23 ▼ East West
Address 2:	479 Feet from North / South Line of Section
City: LOUISBURG State: KS Zip: 66053 + 8108	3478 Feet from ☑ East / ☐ West Line of Section
Contact Person: Bob Eberhart	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 285-0873	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License # 4339	County: Linn
Name: Jackson, Dale E & Sue Ellen dba Dale E. Jackson Production Co.	Lease Name: South Baker Well #: N-6
Wellsite Geologist: N/A	Field Name: LaCygne-Cadmus
Purchaser: High Sierra Crude Oil	Producing Formation: Peru
Designate Type of Completion:	Elevation: Ground: 879 Kelly Bushing: 0
✓ New Well	Total Depth: 300 Plug Back Total Depth:
✓ Oil ☐ WSW ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd.	Amount of Surface Pipe Set and Cemented at: 20 Feet Multiple Stage Cementing Collar Used? Yes No
CM (Coal Bed Methane)	If yes, show depth set:Feet
Cathodic Other (Core, Expl., etc.):	" Alternate ii completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to: 0 w/ 50 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Operator Name:
SWD	Lease Name: License #:
ENHR	Quarter Sec. Twp. S. R. East West
GSW Permit #:	County: Permit #:
8/9/2011 8/10/2011 11/23/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date: Confidential Release Date:
☑ Wireline Log Received
Geologist Report Received
UIC Distribution ALT ☐ I ☑ III ☐ III Approved by: Described Date: 11/29/2011

Side Two



Operator Name: <u>BO</u>	bcat Oilfield Serv	rices, inc.		Lease N	√ame: _	South Baker		Well #:N-	6	
Sec. 5 Twp. 20)s. R. <u>23</u>	✓ East [West	County:	Linn		····			
time tool open and cl recovery, and flow ra	how important tops a osed, flowing and sh tes if gas to surface t Attach final geologica	ut-in pressur est, along wi	es, whether s th final chart(hut-in press	sure rea	ched static level,	hydrostatic press	ures, bottom	hole tempe	erature, fluid
Drill Stem Tests Take (Attach Additional		Yes	s ☑ No	•	V Ł	og Formatio	n (Top), Depth and	d Datum	s	ample
Samples Sent to Geo	ological Survey	Yes	s		Nam Peru	е	,	Top 234	GL GL	atum
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)			No No No		1 614		•	204		
List All E. Logs Run:										
Gamma Ray/Neutro	on/CCL									
· · ·			CASING	RECORD	│ □ Ne	rw 🗸 Used	b			 -
•	Size Hole	1		1		ermediate, producti	 	I		
Purpose of String	Drilled		Casing In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		nd Percent ditives
Surface casing	8.75	6.25	· · · · · · · · · · · · · · · · · · ·	8		20	Portland	5	±.	
Production casing	5.625	2.875		6		295	Portland/Fly Ash	50	60/40 P	oz Mix
			ADDITIONAL	. CEMENTIN	IG / SQL	EEZE RECORD		<u></u>	<u> </u>	
Purpose: Perforate	Depth Top Bottom	Туре о	# Sacks	Used	Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone	-						~ P-8'-6-4			· · · · · · · · · · · · · · · · · · ·
Shots Per Foot			- Bridge Plug			Acid, Frac	cture, Shot, Cement	Squeeze Recor	d	Depth
3	238-248					Acid 500 gal	· · · · · · · · · · · · · · · · · · ·			
3	250-260		·							
		····-								<u>-</u>
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:				
							Yes No			
Date of First, Resumed	Production, SWD or El	IHR. F	Producing Meth	iod: Pumping	. 🗀	Gas Lift 🔲 O	ther (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls,	Gas	Mcf	Wate	er Bt	ols. G	as-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:			ETHOD OF	COMPLE	TION:		PRODUCTION	ON INTERV	AL:
Vented Sold	Used on Lease		en Hole		Dually (Submit A		nmingled nit ACO-4)			

Lease:	S BAKER					
Owner:	BOBCAT OIL	LFIELD SERVICES, INC.				
OPR#:	3895	1 8 1				
Contractor:	DALE JACKS	ON PRODUCTION CO.				
OPR#:	4339	4-14-14				
Surface: 20FT, 6IN	Cemented: 5 SACKS	Hole Size: 8 3/4				
Longstring 295 2 7/8	Cemented: 50	Hole Size: 5 5/8				

Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Well #: N-6 .SW
Location: NE,SW,SE, S:5, T:20, S.R.:23,
E
County:LINN
FSL: 495 479
FEL: 3465 3478
API#: 15-107-24424-00-00
Started: 8-9-11
Completed: 8-10-11

Well Log

SN: 233 Packer: TD: 300
Plugged: Bottom Plug:

TKN	BTM	Formation	TKN	втм	Formation			
	Depth			Depth	<u> </u>			
2	2	TOP SOIL		CE:8-9-11				
9	11	LIME		ME: 3:00P				
5	16	SHALE	CALLE): 11:50 A	AM- LARRY			
2	18	BLACK SHALE	LONGS	TRING: 2	95 2 79 8PN PIRE TIL 200			
7	25	UME	LONGSTRING: 295 2 78, 8RD PIPE, TD- 300 . SET TIME: 1:30PM, 8-10-11					
2	27	SHALE	CALLED: 12:00PM- TYLER					
6	33	LIME						
1	34	BLACK SHALE	一 ·					
6	40	SHALE (LIMEY)	7					
141	181	SHALE	1					
1	182	BLACK SHALE	1 1					
10	192	SHALE	1 1					
7	199	LIME						
19	218	SHALE						
2	220	LIME						
6	226	SHALE				-		
5	231	LIME	1 1					
1	232	SHALE (LIMEY)	1 1					
1	233	LIGHT SANDY SHALE	1 1					
1.5	234.5	OIL SAND (VERY SHALEY) (POOR BLEED) (WATER)	1 1					
1.5	236	OIL SAND (SOME SHALE) (POOR BLEED) (SOME WATER)		· _				
3	238	OIL SAND (SOME SHALE) (FAIR BLEED) (LITTLE WATER)		-				
15	254	OIL SAND (SOME SHALE) (GOOD BLEED)	1					
1	255	SHALE (SOME OIL SAND STRKS) (POOR BLEED)						
2	257	OIL SAND (SOME SHALE) (GOOD BLEED)	1					
1	258	SHALE						
2	260	OIL SAND (SHALEY) (GOOD BLEED)	1 1					
3	263	SHALE (OIL SAND STRKS)						
17	280	SHALE	1	-				
2	282	COAL	1 1					
7	289	SHALE	1					
9	298	LIME (SHALEY)	1 1					
TO	300	SHALE	 					
			 					
			 					
			 -					
$\overline{}$			+ +					
			+ +					
	_	 	 					
			1					
			1					
			للل					



Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Lease :	S. BAKER
Owner:	BOBCAT OILFIELD SERVICES INC.
OPR#:	3895
Contractor:	DALE JACKSON PRODUCTION CO.
OPR#:	4339

Core	Run	#1
CUIE	nun	##

Well #: N-6
Location: NE,SW,SE, S:5, T:20,
S.R.:23, E
County:LINN
FSL: 495 479
FEL: 3465 3479
API#: 15-107-24424-00-00
Started: 8-9-11
Completed: 8-10-11

CT.	Dooth	Clast	Ti	Completed: 8-10-11		
FΤ	Depth	Clock	Time	Formation/Remarks	Depth	
0	239					
1	240	ļ <u>.</u>	ļ <u>.</u>			
-	240		1			
2	241		0.5			
3	242		1			
4	243		1			
					ì	
5	244		1			
6	245		1.5			
					l	
7	246		1		1	
8	247	-			ľ	
	247		1			
9	248		1			
10	249		1.5			
11	250		1			
	-					
12	251		1			
13	252		1.5			
			1		1	
14	253		1			
15	254		1	OIL SAND (SOME SHALE) (GOOD BLEED)	254	
16	255		2	SHALE (SOME OIL SAND STRKS)	255	
					1	
17	256		2			
18	257		1.5	OIL SAND (SOME SHALE) (GOOD BLEED)	257	
					 	
19	258		2	SHALE	258	
20	259		, 	'		
20	ച		2			
				OIL SAND (SHALEY) (GOOD BLEED)		
					<u></u> .	

Avery Lumber
P.O. BOX 56
MOUND CITY, KS 68058
{913} 795-2210 FAX {913} 795-2194

Customer Copy INVOICE PLEASE REFER TO INVOICE NUMBER ON ALL CORRESPONDENCE

Page: 1 Invoice: 10033034 Special 15:12:48 Instructions 07/26/11 Ship Date: trivoice Date: 07/28/11 Sate rep #: SCOLEMAN STEVE · Due Date: 09/05/11 Sold To: BOBCAT OILFIELD SAVC.INC SNo To: BOBCAT OILFIELD SRVC,INC C/O BOB EBERHART (913) 837-2823 30805 COLDWATER RD LOUISBURG, KS 66053 (913) 837-2823 Customer #: 3570021 Customer PO: Order By:

poping01 ORDER 6HIP L U/M ITEM# DESCRIPTION Alt Price/Uom PRICE EXTENSION 315.00 L 200.00 L 315.00 BAG CPPC PORTLAND CEMENT 8.2900 BAG 2611.35 8.2900 200.00 BAG CPPM POST SET FLY ASH 75# 5.1000 aug 1020.00 5.1000 14.00 14.00 L EΑ CPQP QUIKRETE PALLETS 17.0000 EA 17.0000 238.00 Faulth Parker **新疆**语是 CHECKED BY DATE SHIPPED \$3869.35 Sales total SHIP VIA LINN COUNTY - RECEIVED COMPLETE AND IN GOOD CONDITION 3869.35 Taxable 0.00 Salos tex Non-taxable 243.77 Tax # TOTAL \$4113.12

2 - Customer Copy