CONFIDENTIAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 October 2008 Form Must Be Typed

11/23/11

KCC WICHITA

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #_33397	API No. 15 - 011-23606-00-00
Name: Running Foxes Petroleum, Inc.	Spot Description:
Address 1: _7060-B S. Tucson Way	SE_SE_SE_NE_Sec. 14 Twp. 27 S. R. 21 Fast West
Address 2:	2440 Feet from A North / South Line of Section
City: Centennial State: CO zip: 80112 +	
Contact Person: Kent Keppel	Footages Calculated from Nearest Outside Section Corner:
700 000 0540	☑ NE □ NW □ SE □ SW
Phone: (720) 889-0510 CONTRACTOR: License # 33734 1:07 3 % 2009	County: Bourbon
Name: Hat Drilling (CCC)	Lease Name: Inman Well #: 8-14D
Wellsite Geologist: Joe Taglieri	Field Name: Wildcat
Purchaser:	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 1050' Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 828' Plug Back Total Depth: 778'
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 22' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Ory Other (Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from:
	feet depth to:w/sx cmt.
If Workover/Re-entry: Old Well Info as follows: Operator:	DA 1/1/160-10-00
Well Name:	Drilling Fluid Management Plan FAVID 10-09 (Data must be collected from the Reserve Pil)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume: bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used:
Plug Back:Plug Back Total Depth	
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion Docket No.:	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
8/5/2009 8/6/2009 P & A 8/26/2009	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workover or confiside two of this form will be held confidential for a period of 12 months if recomplete.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate are complete and correct to the best of my knowledge.	the oil and gas industry have been fully complied with and the statements herein
Signature: Fint Finel	
	KCC Office Use ONLY
Title: Landingn Date: 11-25-200	Letter of Confidentiality Received
Subscribed and sworn to before me this 25th day of Novemb	If Denied, Yes Date:
- 4	Wireline Log Received
Notary Public: To tune Un Jung 95:	Wireline Log Received Geologist Report Received RECEIVED
5/27/11	ulc Distribution
Date Commission Expires: 3/22/11	NOV 3 0 200

Operator Name: Run	ning Foxes Pe	troleum,	inc.	Lease N	Name:	ınman		Well #: _8-1	40
Sec. 14 Twp. 27					Bou				
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rate surveyed. Attach final	sed, flowing and shu s if gas to surface te	t-in pressu st, along w	res, whether sl	hut-in press	sure read	ched static level,	hydrostatic	pressures, bottom	hole temperature, fluid
Drill Stem Tests Taken (Attach Additional St	heets)	☐ Ye	s 📝 No		7 .	og Formation	ı (Top), Dep	th and Datum	☐ Sample
Samples Sent to Geolo	ogical Survey	☐ Ye	s 🗹 No		Nam	e		Тор	Datum
Cores Taken		☐ Ye ☑ Ye	Yes 🔽 No		Excello			387'	663'
List All E. Logs Run:	0	1.10	1 30 10 V SU	-11-6-4	Вап	esville			
Dual Induction, Compensated\Nec			ftr 3n2 009	Mississippian				778'	272'
	· ·			RECORD] ✓ Ne	ew Used			
	<u> </u>		t all strings set-c		_	ermediate, production	on, etc.		
Purpose of String	Size Hote Drilled		Casing (In O.D.)	Weig Lbs./		Setting Depth	Type of Cemen		Type and Percent Additives
Surface	12.25"	8.625"		24 lbs		22'	Quickse	t 12	Quickset
Production	6.75"	4.5"		10.5 lbs	3	828'	Quickse	t 84	Kol-Seal 4%
			ADDITIONAL	CEMENTI		ICEZE DECODO			<u> </u>
Purpose: Depth Top Bottom		Туре	ADDITIONAL CEMENTING Type of Cement #Sacks						
Protect Casing Plug Back TD Plug Off Zone									
	1								
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Tyl Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
									RECEIVED
									RECEIVED
								N	OV 3 0 2009
								KC	C WICHITA
TUBING RECORD:	Size:	Set At:		Packer At	:	Liner Run:	Yes [Na	
Date of First, Resumed F	Production, SWD or En	nr.	Producing Meth	_	Flowing	g Pumpin	g 🗌 G	as Lift 🔲 Oth	ner (Explain)
Estimated Production Per 24 Hours	Oil	Bbis.	Gas	Mcf	Wate	er Bb	ils.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:	1		ETHOD OF	COMPLE	TION.		PPONICTI	ON INTERVAL:
Vented Sold	Used on Lease		_	Perf.	_	_	mingled		OM HAT ERVANE:
(If vented, Subr	_		ther (Specify)			·	3.22		

,	and the second		1 01 2
Ft.	Formation	Thickness	Remarks
2	Tapso.	2	
	(10.1	2	
117	1 /2	38	
76	Line	133	
1 /5	<u> </u>	107	
303	LM.		
206	Sawy Shak	4	
212	SNO	6	
219	Sud-Sti		
2,52	SH	33	
260	Swy-54	8	
268	5+/	8 00	त्र द्वालद्वा <u>त्र</u> ात्त्र.
277	Lin	4	W. V. S. V. V.
274	6091	2	
777	SH	3	
20	LM	3 5	
35 P	CH.	42	
377	LM	19	
13.1	<11	Ú	
381	1377	+7	
302	Cocl	<u> </u>	
390	<u> </u>	77	
417	SH	م کر ا	44.7
422	Sandy Shale		
478	SH	56_	
479	Coc	1	
503	13H	24	
Sou!	Cocl	<u> </u>	
530	SH	26	
531	Coal		
(17		16	
2/10	377	1	Sec page 2
599	12H	* 51	3
7 1	Soudy Stale	17	
612		12	
Legy	SH!		
427	Coal	1 2 0	RECEIVED
427	X VI SME	8	······································
636	- SM	4	NOV 3-0 2009
645	Jacoby Star		
692	SH	737	KCC WICHITA
Gas	Lime		1.2

693		•	20+2			
Ft.	Formation	Thickness	Remarks			
	Shele	26				
720	Coal	1				
- 77	54	52				
-554	(891	7				
31	SH	7				
788	Charly-LM	7				
828	1 M	40	Miss			
2.0						
			435			
			, ,,			
	Commune					
·	мол <u>з з</u>	K002				
	27/13/					
4377		•				
		<u> </u>				

,	٠					
	VA 4510					
			RECEIVED			
			NOV 3 0 2009			
			KCC WICHITA			
	<u> </u>					
ļ	and the state of t					
			10-10 . 8-5-09			
		<u> </u>	Date: 8-509 Operator: Running Foxes Contractor: HAT Drilling			
	half-qui		perator kunning Toxes			
			Control Brichan			
			County: Bourbon 3			
	A		Janes Inman			
			lease: Inman Well#: 8-11D Sec 14 TWP 27 Range 21			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		See 14 TWP 27 Range 21			
			Set 20 of 8%			
			Set 20 of 8%			
L	<u> </u>					

KWS, LLC 19245 Ford Road Chanute, KS 66720

Invoice

Bill To

Running Foxes Petroleum Inc.

Attn: Shawa Gumfory

410 N. State

Iola, KS 66749

Committee Wer

NOV & 3 ZUUY

Date Invoice # 8/26/2009 912-1223

Inman 8-14D Bourbon County

	XCC		
Quantity	Description	Rate	Amount
3	Pulling Unit Move to location. Run 1" inside surface to 828'. Pumped 4 gel and a 50' cement plug. Pulled 1" up to 500'. Put another 50' cement plug. Pulled 1" up to 250'. Filled to surface with 84 sacks of cement. Pulled 1" out. 12 sacks at 828', 12 sacks at 500', 84 sacks at 250'	80.00	240.00]
1	Pump Truck	600.00	600.00
3	Vacuum Truck	70.00	210.007
	Gel	8.70	34.800
108	Cement	9.00	972.00
2	Dozer Move to location. Fill in drill pits.	70.00	140.00
2	Backhoe Move to location. Dig out surface pipe. Cut off. Level area.	60.00	120.00
2	Vacuum Truck Remove water from drill pits. Haul to disposal. 1 load.	70.00	140.00
	The state of the s	6.30%	154.78
		RECEI	VED
	,	NOV 3	
	·	KCC WI	CHITA

Total \$2,611.58