## For KCC Use: /-/4-2012. Effective Date: 4 District # 4 SGA? Yes X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compilance with the Kansas Surface Owner Notification Act. MUST be submitted with this form

County-TRECO Contract Person: JEFF KORON Phone: 78.5828.1727  CONTRACTOR: Leanese 33350 Name: SOUTHWIND DRILLING  Well Dalled For: Well Class: Type Equipment. Sorial Enh Rec Contract Classed Field? Target Formaton(s): ARBUCKLE Sorial Enh Rec Contract Classed Field? Target Formaton(s): ARBUCKLE Sorial Enh Rec Contract Classed Field? Target Formaton(s): ARBUCKLE Nearest Lease or unit boundary line (in foolgag): 330  Ground Surface Elevation: 2282 EST Water well within one-quarter mile: Depth to bottom of tresh water. 150 Depth to	Spot Description:	
OPERATOR: License#  Well Control of Conductor Page (if any):  Well Drilled For:  Well Class:  Operator:  Well and Composed of Control of	year S2 _ S2 _ Sec_ 17 _ Two 12 S D 21 Γ	
Name		
Address 2: PO BOX 981 Address 2: State: K9 State: K9 Zip. 67601 + Condition of Cond		
Address 2:  Corriach Person: JEFF KORON  Phone: _ 756 528 JEFF KORON  Name: _ SOUTHWIND DRILLING  Well Drilled For:		e of Section
Control Preson. JEFF KORON Phone: 785 528 1727  CONTRACTOR: Licenses 33350  Name: SOUTHWIND DRILLING  Well Drilled For: Well Class: Type Equipment. Gold Enh Rec Onter Onte	IS OPERTION. MIREGULAR?	
Contact Person: JEFF KORON  Name: SOUTHWIND DRILLING  Well Drilled For: Well Class  Well Drilled For: Well Class  Well Class  Finh Rec   Shrage   Pool Ext.   Shrage   Shrage   Pool Ext.   Shrage   Shrage	67601 + (Note: Locate well on the Section Plat on reverse side)	
Lease Name   Selection   Sel	County:	
Field Name:		28
Name: SOUTHWIND DRILLING  Well Class    Solition   Storage   Stora	Field Name: KELPET	<del></del>
Well Drilled For:   Well Class   Type Equipment.   Superscript   Super		Yes XNo
Selsmic   Storage   Pool Ext.   Muld Rotary   Projected Total Depth: ARBUCKLE   Rotardon Rotardon Rotardon   Muld Rotary   Projected Total Depth: ARBUCKLE   Rotardon Rotardon Rotardon   Muld Rotary   Projected Total Depth: ARBUCKLE   Rotardon Rotardon Rotardon Rotardon   Muld Rotary   Projected Total Depth: ARBUCKLE   Rotardon Rot	N====11 ===	
Seismic   storage   Pool Ext.   Air Rolary   Water well within one-quarter mile:   Public water supply well within one mile:   Depth to bottom of fresh water:   150   Depth to Bottom of Surface Pipe of Janned to be set:   200   Alf II   Length of Conductor Pipe (if arry):   Projected Total Depth:   4100   Formation at Total Depth:   ARBUCKLE   Water Source for Drilling Operations:   Water Source for D		<del>-</del>
Seasmic   # of Holes   Other	Mud Rotary	feet MSL
Seismic   # of Holes   Other	Mr Rolary	
Depth to bottom of usable water: 200 9000    FOWWO: old well information as follows:		Yes XNo
Surface Pipe by Alternate		
Length of Surface Pipe Planned to be set:		· · · · · · · · · · · · · · · · · · ·
Operator:  Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Water Source for Drailing Operations:   Water Sour		
Well Name: Original Completion Date: Original Total Depth: Original Completion Services  Water Source for Origing Operations:  Water Source for Original Total Depth: ARBUCKLE W	Length of Surface Pipe Planned to be set: 200+	
Original Completion Date: Original Total Depth: Formation at Total Depth: ARBUCKLE    Directional, Deviated or Horizontal wellbore?   Yes \ No   Yes, True vertical depth:	Length of Conductor Pipe (if any):	
Water Source for Drilling Operations:   Water Source for Drilling Operation of Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operation Sources:   Water Source for Drilling Operation Sources:   Water Source for Drilling Operation Sources:   Water Source for Drilling Operation Operation Operations:   Water Source for Drilling Operation Sources:   Water Source for Drilling Operation Sources:   Water Source for Drilling Operation Operation Operations:   Water Source for Drilling Operation Sources:   Water Source for Drilling Operation Operati		
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sput Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II compute the completed within 30 days of the sput date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme II hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  Approved by: Limb 1-9-2012 [Feet Title of Prior of Compliance with the Kansas Surface Owner I Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Caregae attribution plate according to field proration orders:  Notify appropriate district office at 8 hours prior to workover or resonance.  Submit plugging report (CP-4) after plugging is completed (within of the address below.)	otal Depth: Formation at Total Depth: ARBUCKLE	
If Yes, true vertical depth:    DVIR Permit #:   (Note: Apply for Permit with DWR	Water Source for Drilling Operations:	
Bottom Hole Location:    CCC DKT #:   DWR Permit #:   (Note: Apply for Permit with DWR   )	Yes X No X Nell Farm Pond Other:	
Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spu Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate ill comust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Por KCC Use ONLY  API # 15	DWR Permit #:	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spu Or pursuant to Appendix 18" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II computed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme II hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 19 - 2013  Conductor pipe required	(NOTE: ADDIV TO PERMIT WITH DIVER 1 D	
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plu.  5. The appropriate district office will be notified before well is either plugged or producin casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme II hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 195 - 22 75 00000  Feet per ALT. I District office of Compliance with the Kansas Surface Owner II Act (KSONA-1) with Intent to Drill;  File Ormpletion from ACC-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders:  Notify appropriate district office at 8 hours prior to workover or recommendation void if drilling not started within 12 months of approval date.  If well will not be drilled or permit has expired (See authorized explease check the box below and return to the address below.	Will Cores be taken?	es XNo
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plu.  5. The appropriate district office will be notified before well is either plugged or producin casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme II hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 195 - 22 75 00000  Feet per ALT. I District office of Compliance with the Kansas Surface Owner II Act (KSONA-1) with Intent to Drill;  File Ormpletion from ACC-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders:  Notify appropriate district office at 8 hours prior to workover or recommendation void if drilling not started within 12 months of approval date.  If well will not be drilled or permit has expired (See authorized explease check the box below and return to the address below.	If Von menand and a	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plu.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate it or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 22 75 000 feet per ALT.   Image: File Completion Form ACC-1 within 120 days of spud date;  File Completion Form ACC-1 within 120 days of spud date;  File Completion Form ACC-1 within 120 days of spud date;  File Completion Form ACC-1 within 120 days of spud date;  File Completion Form ACC-1 within 120 days of spud date;  File Completion Form ACC-1 within 120 days of spud date;  File completion Form ACC-1 within 120 days of spud date;  File completion Form ACC-1 within 120 days of spud date;  File completion Form ACC-1 within 120 days of spud date;  File completion Form ACC-1 within 120 days of spud d	NEC .	CEIVED
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spurice or present to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II computed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 1/25 - 22 75 0000  Approved by: 1/25 - 22 75 0000  Feet Price Curriculation of Compliance with the Kansas Surface Owner I Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or recompletion from ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or recompletion from according to field proration orders;  Notify appropriate district office 48 hours prior to workover or recompletion from according to field proration orders;  Notify appropriate district of		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plu</i> .  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II computed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any ceme I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15	opletion and eventual plugging of this well will comply with K.S.A. 55 et. seq.	0 5 201
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus through all unconsolidated materials plus and the storic office on plus length and placement is necessary prior to plus through all unconsolidated materials plus and the storic office on plus length and placement is necessary prior to plus through all unconsolidated materials plus and the storic office on plus length and placement is necessary prior to plus through all unconsolidated materials plus and the storic office on plus length and placement is necessary prior to plus through all unconsolidated materials plus and the storic office on plus length and placement is necessary prior to plus through all through a		
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spu Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme II hereby certify that the statements made herein are true and to the best of my knowledge and belief.  For KCC Use ONLY  API # 15 - / 95 - 22 75 00000  For KCC Use ONLY  API # 15 - / 95 - 22 75 00000  Feet Date:  In the well is dry hole, an agreement between the operator and the district office within 120 days of spud date;  File Certification of Compliance with the Kansas Surface Owner In Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  Not	oudding of well; KCC \	WICHIT
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spuratory or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II computed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 1/25 - 22 750000  Conductor pipe required feet feet feet feet per ALT. Title: Origination of Compliance with the Kansas Surface Owner I Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or research authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent:  Agent:  Agent:  Agent:	Shan be posted on each drilling rig,	ן נו וטייי
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sput Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II compute the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15	ified below shall be set by circulating cement to the top; in all cases surface pipe shall be set	
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sput Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II computed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 22 750000  Conductor pipe required feet  Minimum surface pipe required feet per ALT. File Completion of Compliance with the Kansas Surface Owner II Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-essubmit plugging report (CP-4) after plugging is completed (within Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expine please check the box below and return to the address below.		
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spural Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II computed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme II hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 195 - 22 75 0000  API # 15 - 195 - 22 75 0000  Feet per ALT. I I I I I I I I I I I I I I I I I I I	the operator and the district office on plug length and placement is necessary <b>prior to plugging</b> before well is either plugged or production casing is cemented in:	g;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II commust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any ceme I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 195 - 22 7500000  API # 15 - 195 - 22 75000000  Conductor pipe required	on pipe shall be cemented from below any usable water to surface within 120 DAYS of sould date	e
I hereby certify that the statements made herein are true and to the best of my knowledge and belief.  Date: 1/4/2012 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 1/95 - 22 75 0000  Conductor pipe required 1000 feet per ALT. 1101  Minimum surface pipe required 200 feet per ALT. 1101  This authorization expires: 19-2013  This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent: 1/4/2012 Signature of Operator or Agent: 1/4/2012  Remember to: - File Certification of Compliance with the Kansas Surface Owner to Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-6 Submit plugging report (CP-4) after plugging is completed (within Obtain written approval before disposing or injecting salt water If well will not be drilled or permit has expired (See: authorized expired expired check the box below and return to the address below.	s surface casing order #133,891-C, which applies to the KCC District 3 area, alternate # cementi	tina
For KCC Use ONLY  API # 15	date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.	
For KCC Use ONLY  API # 15	true and to the best of my knowledge and belief.	
For KCC Use ONLY  API # 15	( ) 11 11/01/01/02/01	
For KCC Use ONLY  API # 15	or or Agent:	
For KCC Use ONLY  API # 15	Remember to:	
API # 15	$\mathcal{U}$	ation
Conductor pipe required		
Minimum surface pipe required	- File Drill Pit Application (form CDP 1) with Intent to Drill	
Minimum surface pipe required	- File Completion Form ACO-1 within 120 days of spud date:	_
Approved by: CVR 17-2013  This authorization expires: 19-2013  (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent:  - Notify appropriate district office 48 hours prior to workover or re-e-submit plugging report (CP-4) after plugging is completed (within Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expired expire	Gartaga At T   1:1 x 1/6:	N
This authorization expires: 19-2013  (This authorization void if drilling not started within 12 months of approval date.)  Spud date: Agent:  - Submit plugging report (CP-4) after plugging is completed (within 0 obtain written approval before disposing or injecting salt water.  - If well will not be drilled or permit has expired (See: authorized expired ex	Notify appropriate district office 48 hours prior to workover or re-entry;	I
(This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water.  - If well will not be drilled or permit has expired (See: authorized expired expire	<ul> <li>Submit plugging report (CP-4) after plugging is completed (within 60 day)</li> </ul>	ys);
Spud date: Agent: please check the box below and return to the address below.	oths of approval date.)  - Obtain written approval before disposing or injecting salt water.	
Spool date Agent	If well will not be drilled or permit has expired (See: authorized expiration of the second sec	date) 📇
	please check the box below and return to the address below.	ليا
Well will not be drilled or Permit Expired Date:	Well will not be drilled or Permit Expired Date:	$ \square$
Mail to: KCC - Conservation Division, Signature of Operator or Agent:	Signature of Operator or Agent	_ \ <u>\</u>
130 S. Market - Room 2078, Wichita, Kansas 67202	·	<

For KCC Use ONLY
API # 15 - 195-22-750-000

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _ Lease: Well Numb Field:	Lease:							Location of Well: County:			
Number of QTR/QTR/							– Is	Section:	Regular or Irregular		
Q II V Q II V	arrour.	v or <b>u</b> orca	ge	<del></del> -					Irregular, locate well from nearest corner boundary. er used: NE NW SE SW		
					d electrical	lines, as	required .		dary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). ired.		
			:	:			:		LEGEND		
									O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location		
			: :						EXAMPLE		
						••••					
									0=1 1980'FSL		

NOTE: In all cases locate the spot of the proposed drilling locaton.

### JAN 05 2012

**KCC WICHITA** 

SEWARD CO. 3390' FEL

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT 15-195-22750-000 This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent);

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 7731	Wolf Lauries
Name: KORON INVESTMENTS, INC	Well Location: S2_S2_S2_Sec. 17_ Twp. 12_S. R. 21EastX West
Address 1: PO BOX 981	SecTwpS. REastVwest
Address 2:	Lease Name: KELLER "P" Well #: 5-28
City: HAYS State: KS Zip: 67601 +	If filling a Form T 1 for multiple walls on a large system to 1
Contact Person: JEFF KORON	the lease below:
Phone: ( 785 ) 628.1727 Fax: ()	<del></del>
Email Address:	
Surface Owner Information:	
Name: GLEN A. KELLER	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1: 1007 MONROE	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads,	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Counter the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered.  Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will CP-1 that I am filling in connection with this form; 2) if the form; and 3) my operator name, address, phone number, fall I have not provided this information to the surface owner(s) KCC will be required to send this information to the surface	athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  The locations shown on the plated on the Form C-1 plat, or a separate plat may be submitted.  The locations are supplied to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form to be located: 2) a copy of the Form C-1, Form CB-1, the plates of the surface be located: 3) a copy of the Form C-1, Form CB-1, the plates of the surface be located: 4) as Form C-1 or Form CB-1, the plates of the surface of the surface being filed is a Form C-1 or Form CB-1, the plates of the surface

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: KORON INVESTMEN	NTS, INC	License Number: 7731				
Operator Address: PO BOX 981		HAYS KS 67601				
Contact Person: JEFF KORON		Phone Number: 785.628.1727				
Lease Name & Well No.: KELLER "P"	5-2	Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	× Proposed	Existing	Sec. 17 Twp. 12 R. 21 East X West			
Settling Pit X Drilling Pit	If Existing, date co	nstructed:	Feet from North / X South Line of Section			
	Pit capacity: 4,500	,.	2,640 Feet from 🔀 East / West Line of Section			
	1,000	(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes 🔀	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  XYes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  NATIVE CLAY-MUD			
Pit dimensions (all but working pits):	D Length (fee	et) 80	Width (feet) N/A: Steel Pits			
Depth fro	m ground level to dee	epest point:	6 (feet) No Pit			
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining and special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water 40 feet.			
203	54	Source of inform	mation:  well owner electric log X KDWR			
feet Depth of water well  Emergency, Settling and Burn Pits ONLY:	feet		over and Haul-Off Pits ONLY:			
Producing Formation:			el utilized in drilling/workover:			
Number of producing wells on lease:			king pits to be utilized:			
Barrels of fluid produced daily:		Abandonment j	procedure: ALLOW TO DRY & BACKFILL			
Does the slope from the tank battery allow all sp flow into the pit?	oilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  RECEIVED						
1/4/2012 Date		JU U	JAN 0 5 2012  Mulliumilu  Inature of Applicant or Agent  MCC WICHITA			
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS						
Date Received: 1-5-12 Permit Numb	t Date: 1-5-12 Lease Inspection: Yes 1. No					