For KCC Use: District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

All blank

Must be approved by KCC five (5) days prior to commencing well

Must be approved by KCC five (5) days prior to commencing well

All blank

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: January 15,2011 month day year	Spot Description:
	C NW SE Sec. 10 Twp. 35 S. R. 5 DE W
OPERATOR: License# 31253	1,950 leet from N / X 3 Line of Section
Name: Primexx Operating Corporation	1,980 feet from E / W Line of Section
Address 1: Two Energy Square	Is SECTION: Regular Irregular?
Address 2: 4849 Greenville Ave., Ste. 1600	(Note: Locate well on the Section Plat on reverse side)
City: Dallas State: TX Zip: 75206 +	County: Harper
Contact Person: Andrea Molinar	Lease Name: Willams Williams Well# 10-1
Phone: 214-369-5909	Field Name: Wildcat
CONTRACTOR: Licensett 33132	Is this a Prorated / Spaced Field?
CONTROL Electrical	Target Formation(s): Mississippi
Name: Dan Derting Drilling	Managet Formation(s). 1980
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1980
XIOil Enh Rec Infield XMud Rotary	Cloude our acc Liveaux.
Gas Storage Pool Ext. Air Rotary	
Disposal XMildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water: 180'
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
Operator:	Length of Conductor Pipe (if any): N/A
Well Name:	Projected Total Depth: 5300'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Wilcox
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔀
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	, LOCIVED
	IDAVIT OC 2011
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq. OCT 0 6 2011
It is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office prior to spudding of well;	KCC WICHITA
2. A copy of the approved notice of intent to drill shall be posted on each	CHAIRING TIG,
3. The minimum amount of surface pipe as specified below shall be set b	y circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	
through all disconsolidated materials plus a material of 20 feet into the	underlying formation.
4. If the well is dry hole, an agreement between the operator and the distr	ict office on plug length and placement is necessary prior to plugging;
 If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugger 	ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in;
 If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 	ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of many contents. 	ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief.
 If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m 	ict office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. B3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief.
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of many contents. 	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Title: Regulatory Analyst
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent:	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to:
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 077 - 21801-00-00	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 077 - 21801-00-00 Conductor pipe required feet.	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 0777 - 21801-00-00 feet. Minimum surface pipe required 200 feet per ALT.	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; Ifrom below any usable water to surface within 120 DAYS of spud date. 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 077 - 21801-000 Conductor pipe required feet Minimum surface pipe required feet per ALT. III III Approved by: 18-2012	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 077 - 21801-00-00 Conductor pipe required	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 07 7 - 2 1 801 - 000 feet Minimum surface pipe required feet Approved by: 18 - 2012	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 07 7 - 2 / 80 / -00 - 00 feet per ALT. Will III Approved by: 40 - 18 - 20 / 2 feet per ALT. Will III This authorization expires: 1-18 - 20 / 3 (This authorization void if drilling not started within 12 months of approval date.)	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 077 - 21801-00-00 Conductor pipe required	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Regulatory Analyst Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 07 7 - 2 / 80 / -00 -00 feet per ALT. Will III Approved by: Wash- 18 - 2012 This authorization expires: 1-18 - 2013 (This authorization void if drilling not started within 12 months of approval date.)	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. I well will not be drilled or Permit has expired (See: authorized expiration date) please check the box below and return to the address below.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of m. Date: 10/01/2011 Signature of Operator or Agent: For KCC Use ONLY API #15 - 077 - 2/801-000 Conductor pipe required	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. y knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

For KCC Use ONLY API # 15 - 077-21801-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Primexx Operating Corporation Lease: Willaims Well Number: 10-1 Field: Wildcat				Location of Well: County: Harper 1,980 feet from [N / X] S Line of Section 1,980 feet from [X] E / [W] Line of Section Sec. 10 Twp. 35 S. R. 5 E X W					of Section			
Number of A	Acres attri			- <u>C</u>	- NW - SE	ls	Section:	Regul	lar orlmeç	gular m nearest corn		dary.
ı					footage to the ne d electrical lines, You may atta	PLAT arest lease o	y the Kans	dary line. S as Surfac	Show the predic	ted locations of		
									L	EGEND		
									Pi	lell Location ank Battery Location speline Location lectric Line Locate lease Road Locate	n cation	
;		:	:	• • •		:	:	ſ	EXAMPLE	F	RECE	VED
		<u>:</u> :	:	<u>. </u>	<u>:</u>	:	:		EXAMPLE	0	CT 0	2011
	******		 					1980' FEL		KC	C WI	CHITA
			: :				: :		Ŷ	7		1980' FSL
				: : 			:					

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton. PBO FSL

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

31253	Wall Location				
OPERATOR: License # 31253 Primexx Operating Corporation	Well Location: CNW_SE Sec. 10 Twp. 35 S. R. 5 Eas West				
Name: Primexx Operating Corporation Address 1: Two Energy Square	County: Harper				
Address 1: 4849 Greenville Ave., Ste. 1600	County: Harper Lease Name: Willaims Williams Well #: 10-1				
Address 2: 4849 Greenville Ave., Ste. 1600 City: Dallas State: TX Zip: 75206 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Contact Person:					
Contact Person: Andrea Molinar Phone: (214) 369-5909 Fax: (214) 369-5537 Email Address: andrea.molinar@primexx.com					
	RECEIVED				
Surface Owner Information: Name: Charles D. Williams Jr., Estate c/o David William & Eileen Ochoa	When filing a Form T-1 involving multiple surface dynars, attach an additional sheet listing all of the information to the left for each surface gyrper. Surface owner information can be found in the reports of the register of deeds for the county, and in the real estate property tax to relate the county treasurer.				
Address 1: PO Box 108	owner information can be found in the reports of the register of deeds for the				
Address 2:	county, and in the real estate property tax heards of the county treasurer.				
A VC 67003					
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Catho	dic Protection Borehole Intent), you must supply the surface owners and				
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Catho the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this				
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Catho the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this				
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Catho the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the wher(s). To mitigate the additional cost of the KCC performing this				
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Catho the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gifee, payable to the KCC, which is enclosed with this form.				
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Catho the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: Certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be ICP-1 that I am filling in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface owner(s). I acknowledge that I am being charged a \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP I hereby certify that the statements made herein are true and correct to	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gifee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 will be returned.				

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Primexx Operating C	Corporation	License Number: 31253						
Operator Address: Two Energy Sc	_l uare	4849 G	reenville Ave., Ste. 1600 Dallas TX 75206					
Contact Person: Andrea Molinar			Phone Number: 214-369-5909					
Lease Name & Well No.: Willaims Williams 10-1			Pit Location (QQQQ):					
Type of Pit: Pit is:								
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 10 Twp. 35 R. 5 East X West					
Settling Pit X Drilling Pit	If Existing, date co	nstructed:	1,980 Feet from X North / South Line of Section					
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 12,000	(bbls)	1,980 Feet from East / West Line of Section Harper County					
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)					
Is the bottom below ground level? XYes No	Artificial Liner?	lo .	How is the pit lined if a plastic liner is not used? NATIVE CLAY					
Pit dimensions (all but working pits): 130 Length (feet) 130 Width (feet) N/A: Depth from ground level to deepest point: 4 (feet) No Pi								
			Proceeding any special monitoring. RECEIVED OCT 1 2011 KCC WICHITA mation:					
Distance to nearest water well within one-mile		Depth to shallo Source of infor						
4200 feet Depth of water well _	feet	measured	well owner electric log KDWR					
Emergency, Settling and Burn Pits ONLY: Drillin			Drilling, Workover and Haul-Off Pits ONLY: water based mud.					
Producing Formation:		Type of material utilized in drilling/workover:						
Number of producing wells on lease:		Number of working pits to be utilized:						
Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Abandonment procedure: evaporation and backfilling Drill pits must be closed within 365 days of spud date. prect to the best of my knowledge and belief.						
I hereby certify that the above state	ements are true and cor	rect to the best of	my knowledge and belief.					
10/06/2011 Date		andi	the Molinas gnature of Applicant or Agent					
KCC OFFICE USE ONLY ☐ Liner ☐ Steel Pit ☑ RFAC ☑ RFAS								
Date Received: 10-11-11 Permit Nu	mber:	Perm	uit Date: 1-18-12 Lease Inspection: Yes No					

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

December 18, 2011

Primexx Operating Corporation Two Energy Square 4849 Greenville Ave Ste 1600 Dallas, TX 75206

Re: Drilling Pit Application

Willams Lease Well No. 10-1 SE/4 Sec. 10-35S-05W Harper County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 1 week after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File