


15-171-00070-00-00

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

Scott County. Sec 18 Twp. 19 Rge. 31 (E) X (W)
Location as "NE/CNW/SW" or footage from line C/SW SW
Lease Owner Leo J. Dreiling Oil Company
Lease Name Yeager Well No. 1
Office Address Victoria, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) D. & A.
Date well completed 4-29-63 19
Application for plugging filed 4-29-63 19
Application for plugging approved 4-29-63 19
Plugging commenced 4-29-63 19
Plugging completed 4-29-63 19
Reason for abandonment of well or producing formation -0-

NORTH



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production -0- 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well W. L. Nickols
Producing formation -0- Depth to top -0- Bottom -0- Total Depth of Well 4700' Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Surface Pipe				8 5/8"	238'	-0-

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Rotary mud was used to fill hole to a depth of 540' were 1st plug was set using 20 sacks cement, 2nd plug was set at 210' using 20 sacks cement, 3rd plug was set at 35' using 10 sacks cement and filled hole to surface.

RECEIVED
STATE CORPORATION COMMISSION

MAY 7 1963

CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor L. J. Dreiling & Sons, Inc.
Address Victoria, Kansas

STATE OF Kansas, COUNTY OF Ellis, ss.
I, Leo F. Dreiling a partner (employee of owner, or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Leo F. Dreiling
Leo F. Dreiling


(Address)

SUBSCRIBED AND SWORN TO before me this 4th day of May, 19 63

Robert Zimmerman

Notary Public.

My commission expires August 21, 1965



15-171-00070-00-00

L. J. DREILING and SONS, Inc.
VICTORIA, KANSAS

WELL LOG

Company Leo J. Dreiling Oil Company
Victoria, Kansas

Sec. 18 Twp. 19 Rng. 31

Farm Yeager No. 1

Location C/SW SW

Total Depth 4700'

County Scott County, Kansas

Comm. 4-16-63 Comp. 4-29-63

Elevation: D. F. 2972'

Contractor L. J. Dreiling & Sons, Inc.
Victoria, Kansas

G. R.

Casing Record

Cement Record

Production:

238' - - - - 8 5/8"

135 sacks cement

D. & A.

RECEIVED
STATE CORPORATION COMMISSION

MAY 7 1963

Figures Indicate Bottom of Formations

0 - 50	Surface Clay
50 - 238	Rock & Shale
238 - 417	Shale & Shells
417 - 1113	Shale & Shells
1113 - 1325	Sand
1325 - 1721	Shale
1721 - 1760	Anhydrite
1760 - 1870	Shale & Shells
1870 - 2305	Shale & Shells
2305 - 2745	Shale & Lime
2745 - 2900	Shale & Shells
2900 - 3085	Shale & Lime
3085 - 3176	Shale & Lime
3176 - 3415	Lime
3415 - 3515	Shale & Lime
3515 - 3562	Lime
3562 - 3670	Lime & Shale
3670 - 3920	Lime
3920 - 4030	Lime
4030 - 4210	Lime
4210 - 4334	Lime
4334 - 4474	Lime
4474 - 4589	Lime
4589 - 4700	Lime
4700	TD

CONSERVATION DIVISION
Wichita, Kansas


STATE OF KANSAS)
) ss.
COUNTY OF ELLIS)

I, Leo F. Dreiling, of the L. J. Dreiling & Sons, Inc.,
upon oath states that the above and foregoing is a true and correct
copy from the Daily Drilling Report from your Yeager No. 1.

Leo F. Dreiling

Subscribed and sworn to before me this 4th day of May, 1963.

Ronald Zimmerman



My Commission Expires: August 14, 1965