

STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas


15-171-00030-00-00

WELL PLUGGING RECORD

Scott County, Sec. 14 Twp 19 S Rge. (E) 32 (W)

Location as "NE/CNW 1/4 SW 1/4" or footage from lines SE SE SE
Lease Owner Herndon Drilling Company
Lease Name Kirk Well No. 1
Office Address Drawer 489, Tulsa, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Dry hole
Date well completed 8-13-51 19
Application for plugging filed 8-13-51 19
Application for plugging approved 8-13-51 19
Plugging commenced 8-14-51 19
Plugging completed 8-14-51 19
Reason for abandonment of well or producing formation Dry

NORTH



Locate well correctly on above Section Flat

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Chas. Stough, Great Bend, Kansas
Producing formation Depth to top Bottom Total Depth of Well 4740 Feet
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from bottom plug feet to Top plug @ 35 feet for each plug set.

Pipe was set @ 282' - Cemented with 175 sacks. Mud was gunned up in pits and hole filled to 280'. Plug was set at 280' - 15 sacks of cement was mixed and poured through drill pipe. Hole was filled to 35' from bottom of cellar and plug set. Mixed 10 sacks of cement and poured through drill pipe. Job completed @ 1:30 P.M. 8-14-51



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Herndon Drilling Company
Address Drawer 489, Tulsa, Oklahoma

STATE OF Oklahoma, COUNTY OF Tulsa, ss.
Jack Herndon (employee of owner) or (owner or operator) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) *[Handwritten Signature]*


(Address) _____

SUBSCRIBED AND SWORN to before me this 20th day of August, 1951

Sept. 19, 1952

[Handwritten Signature]
Notary Public.

28-3278-s 4-50-10M



PLUGGING
FILE SEC 14 T 19 R 32W
BOOK PAGE 104 LINE 9

WELL LOG ON KIRK #1

Spudding date: 7-19-51

Date casing set: D & A

Date rotary completed: 8-13-51

Date cable completed:

Location:


SE SE SE Sec. 14-19S-32W
Scott County, Kansas

FROM	TO	FORMATION	REMARKS
0	610	Shale	Ran 14 jts. (295.32') at 282'
610	1040	Shale and shells	w/175 Ex. cement
1040	1360	Shale and sand	
1360	1575	Shale and shells	
1575	1825	Shale and sand	
1825	2085	Shale and shells	
2085	2240	Shale, shells & red bed	
2240	2675	Shale and lime	
2675	2680	Lime	
2680	2770	Anhydrite	
2770	3630	Lime	
3630	3680	Lime and shale	
3680	4380	Lime	
4380	4425	Lime and shale	
4425	4485	Lime	
4485	4505	Lime and chert	
4505	4545	Lime	
4545	4575	Lime and shale	
4575	4595	Lime and chert	
4595	4625	Lime	
4625	4655	Lime and shale	
4655	4708	Lime	
4708	4740	Lime and chert	
		TOTAL DEPTH	Plugged hole w/plug set at 280' w/15 Ex. cement. Set top plug 35' below base of cellar. Put 10 Ex. on top of plug.

RECORDED
INDEXED
AUG 24 1951
SCOTT COUNTY, KANSAS

Subscribed and sworn to before me this 22nd
day of August, 1951

I certify the above and foregoing to be a true and exact
copy of the original driller's log on the Kirk #1


Notary Public
My commission expires Aug. 28, 1955

HERNDON DRILLING COMPANY

By: B. P. Rogers
Title: Secretary-Treasurer

PLUGGING
FILE SEC 14-T-19-R-324
BOOK PAGE 104 LINE 9