Kansas Corporation Commission Oil & Gas Conservation Division

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

001-30237-00-00 OPERATOR: License #_ Kerr Lease Kerr Oil LLC. Spot Description: Name: sW_Se_NW_NW Sec. 8 Twp. 24 S. R. 19 Fast West 1651 2000 St. Address 1: Feet from 🗹 North / 🗌 South Line of Section Address 2: Zip: 66749 City: lola State: Ks Contact Person: Matt Kerr Footages Calculated from Nearest Outside Section Corner: V NE NW SE SW CONTRACTOR: License # 33977 EK Energy Lease Name: Wellsite Geologist: EK Energy Field Name: __Tucker Purchaser: Pacer Marketing Producing Formation: Tucker Elevation: Ground: 1000' ____ Kelly Bushing: __ Designate Type of Completion: Total Depth: 960' __ Plug Back Total Depth: Re-Entry Workover ✓ New Well Amount of Surface Pipe Set and Cemented at: 21'3" V Oil ☐ wsw ☐ SWD SIOW Multiple Stage Cementing Collar Used? ☐ Yes ✓ No SIGW □ D&A ☐ ENHR ☐ Gas □ og ☐ GSW Temp. Abd. If yes, show depth set: ____ C'If'Alternaté II(completion,⊧cement circulated from: _ Nowe 96 o CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows: Operator: __ **Drilling Fluid Management Plan** Well Name: ___ (Data must be collected from the Reserve Pit) Original Comp. Date: 10/10/11 _ Original Total Depth: 960' ___ ppm Fluid volume: _____ bbls Chloride content: _ Conv. to ENHR Conv. to SWD Deepening Re-perf. Dewatering method used: __ Conv. to GSW Location of fluid disposal if hauled offsite: __ Plug Back Total Depth Plug Back: Commingled Permit #: Operator Name: _____ Dual Completion Permit #: _ ____ License #:___ SWD. Permit #: Quarter Sec. Twp. S. R. ☐ ENHR Permit #: _____ Permit #: _____ Completion Date or Spud Date or Recompletion Date

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

	· · · · · · · · · · · · · · · · · · ·
ations promulgated to regulate the oil a	II requirements of the statutes, rules and regund gas industry have been fully complied witle and correct to the best of my knowledge.
Signature: MA	
Title: Openstr	Date: 16-17-11
•	

A EEIDAVIT

KCC Office Use ON	LY 🛴 🗸
Letter of Confidentiality Received	
□ Confidential Release Date: □ Wireline Log Received □ Geologist Report Received □ UIC Distribution ALT □ ▼ □	RECEIVED OCT 1 9 2011
	CC WICHITA

Operator Name: Kerr Oil LLC.					Name:	Kerr	Well #:			
Sec. 8 Twp. 24 S. R. 19					: Aller					
INSTRUCTIONS: Show time tool open and clost recovery, and flow rates line Logs surveyed. Att	ed, flowing and shu if gas to surface to	ut-in pressur est, along w	res, whether s ith final chart(hut-in pres	sure rea	ched static level	, hydrostatic pres	sures, bottom h	ole tempe	rature, fluid
Drill Stem Tests Taken (Attach Additional St	neets)	☐ Ye	s 📝 No			og Formatio	on (Top), Depth a	nd Datum		ample
Samples Sent to Geological Survey		☐ Ye	s 🗸 No		Nam	e		Тор	Da	atum
Cores Taken Electric Log Run		Ye:	s 🗸 No	•						
Electric Log Submitted (If no, Submit Copy)	Electronically	Ye	s~~VNo~~							
List All E. Logs Run:										
			CASING	RECORD	✓ N	ew Used				
	Size Hole	1	t all strings set-		urface, int	ermediate, produc	tion, etc.	# Sacks	Type ar	nd Percent
Purpose of String	Drilled		(In O.D.)		/ Ft	Depth	Cement	Used	Ad	ditives
casing	5 5/8	2 7/8"				29601	Monarch	105		<u> </u>
surface	9 7/8	7"				-20'1"	Monarch	5		
		1	ADDITIONAL	L CEMENT	ING / SQ	JEEZE RECORD)			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sack	s Used		Type and	Percent Additives		
Shots Per Foot			D - Bridge Pluç ach Interval Pel			(/	acture, Shot, Ceme Amount and Kind of N	faterial Used)		Depth
	Frac open hole c	ropped 6 I	oalls			spotted sulf	furic acid (50 ga	l) Fracture wit	h Water	-960'
									1	CEIVED
									NOV	0,9 20
	•								KCC	WICHI
TUBING RECORD: 2	Size: 7/8	Set At: 950'		Packer	At:	Liner Run:	Yes V	0		
Date of First, Resumed F	Production, SWD or E	NHR.	Producing Met	thod: Pumpi	ing [Gas Lift	Other (Explain)	M		
Estimated Production Per 24 Hours	Oil 1	Bbis.	Gas	Mcf	Wa	ter 1	Bbls.	Gas-Oil Ratio	. 2	Gravity
DISPOSITIO	N OF GAS:			METHOD O	F COMPL	ETION:		PRODUCTI	ON INTERV	AL:
✓ Vented Sold	Used on Lease	, _)pen Hole [Perf.	Dual	y Comp. 🔲 Co	ommingled		RECE	IVED
(If vented, Sub			Other (Specify)		(Submit	(Su	emit ACO-4)	67202	0CT 1	9 2011

ial Rd. 802 N. Inc. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

SAGE .

QUANTITY:

· 图 800



Conicrete to be delivered, to the nearest accessible point over passable road, under truck's own-power. Duerto delivery at owner's or intermediary's direction, seller assumes, no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for hoding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is, added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to

Failure of this contractor to pay those persons supplying material or services to complete bits contract can result in the filing of a mechanic's lien on the property which the subject of this contract.

1	ME FORMULA	LOAD SIZE	YARDS ORDERED	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DRIVER/TRUCK		PLANT/TRANSACTION #
.E:53		18. 50. 75. 5		4. 4.			x ay
, · · · · · · · · · · · · · · · · · · ·	ATE TO THE STATE OF THE STATE O	LOAD#	YARDS DEL S	. BATCH#∷ .	WATER TRIM	SLUMP	TICKET NUMBER
10-3	-11 aday				18/44, -78,0		70/4

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement: Wear Ribbier Boots and Gloves. PROLDINGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact, With Skin or Eyes, Elush Thoroughly With Water, Il Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY Of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' tees, incurred in collecting

All acclusts no paid within 30 days of delivery will beg interest at the rate of 24% per annum.

Not Risponsible for Reactive Aggregate or Color Quality. No Claim Allowed Unites. Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

FROPERTY DAMAGE RELEASE

TOBE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE).

Dear Customer The driver of this truck in presenting this RELEASE to you for your signature is of the giption that the size and weight of his truck may possibly cause; damage to this premises and/or adjacent properly if it places the materially his local where you desire it. It is the converse of the tion, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises

Excessive Water is Detrimental to Concrete Performance: H₂0 Added By Request/Authorized By

WEIGHMASTER'

CODE ** MELL TIN BACKS FER IN TRUCKING CHANGE: · 100

DESCRIPTION

7	-	.4	.,			*			
					4 3			Sec 854. 176	18 A.
	:			***	214		. 7	2,313	(A118)
٠	٠	٠.		7 7	100.5			A. 7.47.	
								The state of the	
				T. 17	MIC.	4.39		1 1 1 1 1 1	149

Ī	RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	- DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED 👵	untetas a la companya de la companya
			1,140	11: JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		27 7 7.550 £7.80 Stalet 986.50
	LEFT PLANT	- ARRIVED JOB	START UNLOADING	4: CONTRACTOR BROKE DOWN 9OTHER 5: ADDED WATER	FTIME DUE	965.00
	A Company of the Comp	1.30	1100			ADDITIONAL CHARGE 1
·[TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	and the second second	DELÂY TIME	ADDITIONAL CHARGE 2
				Maria Ma		GRAND TOTAL

KCC OIL/GAS REGULATORY OFFICES

Inspection Date	12/08/2011	District:	3	Inci	ident Nu	mber:		4495
		lew Situation]	☐ Lease In	spection			
	⊋ R	lesponse to Re	quest	☐ Complai	nt			
	□F	ollow-up		☑ Field Re	port			
Operator License	No: 33970	API:	15-001	-30237-00-0	₀₀ Q3	SE Q	2: NW	Q1: NW
Operator Name:	Kerr Oil LLC		SEC	B TWP	24 R	GE 19	RGED	
Address: 1651 2	000 St.					FSL:		4125
City: Iola			12.		157	FEL:	. 47	4455
7.77	Zip Code: 66749 620-365-0550		ise: Ke	err	County	ell No.: Δι	17	
Phone contact: Reason for Inves	•				County	, /16		
Steve Korf, Distric		ceived a reque	st from V	Vichita to se	ee if well	#17 had	been	
completed Alt II.	two supervisor, re-	oorroa a roquo		Tiorina io o				
Problem:								
ACO-1's show no	Alt II completion d	one.						
								·
D	- d .							
Persons contacte							•	
Matt Kerr, owner o	n Kerr Oil LLC							
Findings:								
I visited with Mr. K	err on 11/16/2011 hat well #17 had be	about well #17	that was	drilled on t ed Alt II styl	he Kerr I e. I ask	ease in A ed Mr. Ke	Allen cou err if he	inty. could
send me cement t	ickets for this well.	He told me he	e would i	fax a copy o	of the cer	nent tick	et to the	District
around the casing	o this well location location. The cen	nent had fallen.	back bu	t this well h	ad been	cemente	d up the	Ė
backside. Com	tacted Kerr	Oil LL	2 アイ	cy wi	11 6	ring	cem	ent to
Surface	*			,				
:								
Actions / Recom		Follow-up Re			-	e Date:		
Send a copy of thi	is report to Mr. Ste	ve Korf and as	k he sub	mit it to Wid	chita.			
						Dh = 2	T _1	
						Photo's	ı aken:	. 0
M DDDMS		☐ TA DBF	-	4.5		D	NA Picilia	.~
☑ RBDMS	☐ KGS			port Prepa	_	-	M. Dulin	R
☐ T1 DBF	✓ District Files	☐ Courthoù	se	P	osition:	PIRT	<u>U</u>	

802 N. Inc. ial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONOMIONS.

Concrite to be delivered to the neutral accessible point over passable rounder buckle one power. Do not deferred to where or infermediary's direction solider assumes no trisponsibility for damages on any manner to sideway medways, directings, beca, shrubbery, etc., which are of customer risk. The maximum distinct time for undeading trucks is 5 minutes par yeard change will be made list notifying trucks longer. This concrete constitute corrections contained out the formation of the made and the statement of the strength or mix indicated. We do not assume responsibility is strength to when water is added all customers's request.

NOTICE TO UNKNEW.

Figure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mochanic's ten on the property which is the whole of the contract.

					在野村,这个	The second of
TIME FORMULA	LOAD SIZE	YARDS ORDERED	A (2) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- DRIVER/TRUCK	grade Admign	PLANT/TRANSACTION #
DATE	LOAD#	YARDS DEL	BATCH#	WATER TRIM	SLUME	TICKET NUMBER
10-10-13-2 2069	1	718.50° 10'	18605	·诗诗4、影形图	e en in	194124
WARNING TO THE S	ON AND EYES	TO RESIGNED E PRINTING	MAGE RELEASE	Excessive Water H ₂ 0 Ad	is Detrimental to Concr ded By Request/Author	ete Performance zed By
Contains Portand Coment Wolf Ruther Goots and Contact With Eyes and Prok	nonort Contact With Skin in Case of	you for your adjustments of the or	ection that the stay and weight of his per to the precision and/or edipoent of this load where you deput it is is.			(2,3)
Contact With Skin or Eyes, Bush Thoroughly With W Attention KEEP CHILDRES AWAY	Valer, II Imitation Persists, Gla Medical	my been to help store in proper way	that we can but in order to do this	WEIGHMASTER		4 3 7 4 5 4 5 4 5 4 5 4 5 4 5 6 6 6 6 6 6 6 6
CONCRETE Is a PERISHABLE COMMODITY and BECOMES LEAVING INS PLANT, ANY CHANGES OR CANCELLATION TELEPHONED IN UNE OFFICE BEFORE LOADING STARTS.	N 61 ORIGINAL INSTRUCTIONS VILLET be	this simplies from any responsible to the premises and/or fulface physicals, cutte, etc., by the de- atio agree to help this scinose to	age the AHEASE playing him and the man depth of the many damage that may occur one, property, buildings, advantal, and that you and the you are the your or the white you.			
The undersigned promises to pay all casts, instaling reason any sums await.	national stranger less incomes in collection	ther he will not liter the public st ton, the undersigned agrees to in	od from the wheels of his voltate so set. Further, as additional completes- deposity and hald harmines the delicer-	HOTICE AND SUPPLIER WE	ON INDICATES THAT I HAVE H	EAD THE HEALTH WARRING
All scorcusts not paid within 30 days of debuty will be a interest Not Responsible for Reactive Appropria or Color Cardity,	faltherste of 24% personant. No Com Aloued Unless Made at Time	Esta out d'entrey of the top	any and all-damage to the premises my be claimed by anyone to have	VHEN CELIVERING KISIDE CL	IRB UIE	
Maratial is Defressal A \$25 Service Charge and Loss of the Cash Oscount on		\$10,600				
Extrase Gulay Time Charged @ \$50,4 FR		137 <u>137</u>	Tala, 200 ja talan satu. Talahasi at Bunyasahir	A		,
CODE	DESCRIPTION		radio establicati.		UNIT PRICE.	EXTENDED PRICE
WEALTH WEALTH	C THUCKING	ALMS PER LIP MARRIES	PERRIT		75.00	100, 23
		2	reser			
			11 7 11	1		
		·	£.11			
		Productive of the	建 。在人类。这个			
RETURNED TO PLANT ' LEFT JOB'	FINISH UNCOADING	DELAY EXPLANATION	CYUNDER TEST TAKEN	TIME ALLOWED	Santa Santa Santa	NGA GO
	NI NI	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK EROKE DOWN 7. AOSEDHT 8. CITATION		7,550	67.60 55.50
LEFT PLANT ARRIVED JOB	START UNLOADING	5. ADDED WATER	ma .	TIME DUE		Serial and series
131 135					ADDITIONAL CHARGE	Tariff Carry
TOTAL ROUND TRIP TOTAL AT JOE	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE	2
- 1			*			-