

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1070018

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	34483		API No. 15 - 15-121-28922-00-00
Name: L&P Enterpri	ses, LLC		Spot Description:
Address 1: 29975 INDIAN		-	NE_SE_SW_NW Sec. 5 Twp. 17 S. R. 22 ▼ East West
Address 2:			
City: PAOLA	State: KS Zip:	66071 +	1256 Feet from East / 🗹 West Line of Section
Contact Person: KEVIN V			Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 238-0			□ne Ønw □se □sw
CONTRACTOR: License #	8509		County: Miami
Name: Evans Energy D			Lease Name: Well #:
Wellsite Geologist: NONE			Field Name:
Purchaser:			Producing Formation: SQUIRREL
Designate Type of Completi			Elevation: Ground: 1085 Kelly Bushing: 1085
		Workover	Total Depth: 720 Plug Back Total Depth:
☑ oii ☐ wsv	_	□ slow	Amount of Surface Pipe Set and Cemented at: 21 Feet
☐ Gas ☐ D&A	ENHR	☐ SIGW	Multiple Stage Cementing Collar Used? Yes V No
□ oe	☐ GSW	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methar	ie)		If Alternate II completion, cement circulated from: 720
Cathodic Othe	r (Core, Expl., etc.):		feet depth to: 0 w/ 109 sx cmt
If Workover/Re-entry: Old \	Vell Info as follows:		
Operator:	<u>.</u>		Drilling Fluid Management Plan
Well Name:			(Data must be collected from the Reserve Pit)
Original Comp. Date:	Original Tot	al Depth:	Chloride content: 0 ppm Fluid volume: 50 bbls
Deepening F	Re-perf. 🔲 Conv. to E	NHR Conv. to SWD	Dewatering method used: Evaporated
	Conv. to C		
Plug Back:	Plug	Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:		Operator Name:
Dual Completion			Lease Name: License #:
SWD			Quarter Sec TwpS. R
ENHR			County: Permit #:
☐ GSW	Permit #:		County Permit #
	/20/2011	9/20/2011	
Spud Date or Date Recompletion Date	ate Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
✓ Wireline Log Received
Geologist Report Received
☐ UIC Distribution ALT ☐ I ☑ III ☐ III Approved by: Dearwa Garriace Date: 12/13/2011

Side Two



Operator Name: L&	<u>P Enterprises, L</u>	LC		Lease	Name: _	Donner		_ Well #:D1	0	
Sec. 5 Twp. 17	s. r. <u>22</u>	✓ East] West	Count	_{ly:} <u>Miam</u>	ni _.				
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rate: line Logs surveyed. At	sed, flowing and shu s if gas to surface te	it-in pressures est, along with	s, whether sl final chart(s	hut-in pre	ssure read	ched static level.	hydrostatic pres	sures, bottom h	nole temp	perature, fluid
Drill Stem Tests Taken (Attach Additional Sheets)		Yes	☐ Yes ✓ No			og Formatio	ก (Top), Depth a	Top), Depth and Datum		Sample
Samples Sent to Geological Survey		Yes	Yes 🗸 No		Nam		Тор 650			Datum 59.5
Cores Taken Electric Log Run Electric Log Submitted Electronically (If no, Submit Copy)		☐ Yes ✓ Yes ✓ Yes	Yes No Yes No			SQUIRREL			•	
List All E. Logs Run:										
GAMMA RAY/NEUT	RON									
		Report a		RECORD	_	_	ion etc			
Purpose of String	Size Hole Drilled	Report all strings set-or Size Casing Set (In O.D.)		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used		and Percent
SURFACE	9.875	7	· · · · · · · · · · · · · · · · · · ·		٠	21	PORTLAND	6		
PRODUCTION	5.625	2.875		6.5		689	50/50 POZ	109		
		,	ADDITIONAL	CEMENT	TING / SQL	JEEZE RECORD)			
Purpose: —— Perforate	Depth Top Bottom	Type of Cement		# Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD	-									
Plug Off Zone										
Shots Per Foot		ION RECORD						ture, Shot, Cement Squeeze Record		
Specify Footage of Each Interval Po				lorated		(A	mount and Kind of M	aterial Used)		Depth
		\$ 2 0. 3 (11)						•		
					· · - · · · · · · · ·					
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes No)		
Date of First, Resumed I	Production, SWD or Et	NHR. P	roducing Meth	nod:	alng 🔲	Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbis.	Gas	Mcf		er E	Bbis.	Gas-Oil Ratio Grav		Gravity
DISPOSITIO	ON OF GAS:			METHOD (OF COMPLI	ETION:		PRODUCTI	ON INTER	RVAL:
Vented Sold	Used on Lease	Оре	-	Perf.		Comp. Co	mmingled omit ACO-4)			
(If vented, Sub-	mit ACO-18.)		as (Canaiful		(Summir	1300	mile AUU-4)			



REMIT TO

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346

MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

INVOICE

Invoice #

Invoice Date: 09/23/2011 Terms: 0/0/30.n/30

Page

L & P ENTERPRISES, LLC 29975 INDIANAPOLIS ROAD PAOLA KS 66071 (913) 238-0404

DONNER D-10 32823 NW 5 17 22 MI 09/20/2011 KS

Part Number Description Oty Unit Price Total 1124 50/50 POZ CEMENT MIX 109.00 10.4500 1139.05 1118B PREMIUM GEL / BENTONITE 283.00 .2000 56.:60 4402 2 1/2" RUBBER PLUG 1.00 28.0000 28.00 Hours Unit Price Total Description 369 80 BBL VACUUM TRUCK (CEMENT) 2.00 90.00 180.00 CEMENT PUMP 1.00 495 975.00 975.00 495 EQUIPMENT MILEAGE (ONE WAY) 20.00 4.00 80.00 .00 495 CASING FOOTAGE 689.00 .00 1.00 330.00 558 MIN. BULK DELIVERY 330.00

1223.65 Freight: .00 Tax: Parts: 92.38 AR .00 Misc: .00 Total: Labor: 2881.03 .00 Supplies: .00 Change:

Signed

Date



LOCATION BY + away
FOREMAN Alan Mader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

620-431-9210 or	800-467-8676			CEME	ENT			
DATE	CUSTOMER#	WELL	NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
9-20-11	4828	Donner	· D	-10	NW 3	17	22	Mi
CUSTOMER AMAILING ADDRES	= 10.00	1001			TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRES	s rer pi	1003			516	Alan M	54 feds	Mest
29975					495	90	Ch	JVIE DT
	7 WO:0	STATE 12	ZIP CODE		-369	Harald B	WIB	
Papla.		145	66071	-577 3	05B	C. M	600	ESSISSION
	- String		5 7/8	HOLE DE	227	CASING SIZE & I	WEIGHT 2	1/8
CASING DEPTH_	689	DRILL PIPE	0	TUBING	7010	_ 0/3/1/0 5/22 0 1	OTHER	4
SLURRY WEIGHT	001	SLURRY VOL_		WATER 9	al/sk	CEMENT LEFT In		3
DISPLACEMENT	W	DISPLACEMENT	PSI 800	MIX PSI_	A PAGE TO SEE THE SECOND SECON	RATE 5 6		TENEDA II
ALTERNATION OF THE PROPERTY OF	eld co	ew Me			ablished	rate.	Mixed o	A Dein De
100, # SE		A1 /	hole	fo11		v 109	K 5019	
Plus d	70 50	Circ	ulate		ement.	Flugh		oup.
Primpo	d solu	a do	0.45.19	CTD			800 PS	
1502	Floor	Closed		lues.	wet.	7,010	0000	
00,		Citadea	- ou				HE HE HALL	
EVONA	Enor	94, Ke				· 自己 图 图 10 00		
	T. TEX	JY J DE				- 0.		
		P. Cont.				Flea	n Mo	elei/
	Towns and the					0		
ACCOUNT	QUANITY	or UNITS	DESCRIPTION of SERVICES or PRODUCT				UNIT PRICE	TOTAL
5401	1		PUMP CHARGE				THE STATE OF	975,00
5406	A	2	MILEAGE					80.00
5402	680		(051	ne of	potago			-
5407	24.5	1	ton	0	:100		No. of Contract of	330,0
5502C		2	8000	211				180.00
22000			0-0-	112			ASSESSE	
STATE OF STATE OF	PATE NE							
1124	1706	9.51	50/5	000	7			1139.05
11/8/13	28	9 s.K					The same	56.40
4402	, 20	1	31/2	plus				28.00
1102		-	0, 10	1195				20:00
Treatment of								372-72-5
							Name of the	F. W. F. T. S.
And a second second second						-		10000000
The state of the state of								
						105		
						11/35		
					01	4435		
					20	4435		
		,			20	H135	CHICATAV	9320
Savin 3737	57/				20	×435	SALES TAX ESTIMATED	9238

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.