

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1071112

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #_	30345		API No. 15 - 15-207-27984-00-00
Name: Piqua Petro			Spot Description:
Address 1: 1331 XYLA	N RD		NE_SE_NE_SW Sec16 Twp25 S. R17 ▼ East West
Address 2:			Feet from North / 🗹 South Line of Section
City: PIQUA	State: KS Zip:	66761 + 1667	2690 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Greg I			Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 433	3-0099		□NE □NW Øse □sw
CONTRACTOR: License	#_32079		County: Woodson
Name: Leis, John E.			Lease Name: Well #: 12-11
Wellsite Geologist: None	<u> </u>		Field Name:
Purchaser: Maclaskey			Producing Formation: Squirre!
Designate Type of Compl	etion:	_	Elevation: Ground: 1026 Kelly Bushing: 0
New Well	Re-Entry	Workover	Total Depth: 882 Plug Back Total Depth: 878
☑ Oil	sw 🔲 swd	slow	Amount of Surface Pipe Set and Cemented at: 21 Feet Multiple Stage Cementing Collar Used? Yes No
og	☐ GSW	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Meth	nane)		If Alternate II completion, cement circulated from: 21
Cathodic Ot	her (Core, Expl., etc.):		feet depth to: 0 w/ 8 sx cmt.
If Workover/Re-entry: Ok	d Well Info as follows:		Total department of the second
Operator:			
Well Name:	<u> </u>	·	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original Tota	nl Depth:	
•	. <u> </u>	NHR Conv. to SWD	Chloride content: 0 ppm Fluid volume: 0 bbls
_ , ,	Conv. to G	ssw	Dewatering method used: Evaporated
Plug Back:	Plug	Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:		Operator Name:
Dual Completion	Permit #:		Lease Name: License #:
SWD	Permit #:		ł
☐ ENHR	Permit #:		Quarter Sec TwpS. R East West
☐ GSW	Permit #:		County: Permit #:
11/22/2011	11/23/2011	12/21/2011	
Spud Date or Recompletion Date		Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Ceanse Gertison Date: 01/03/2012

Side Two



Operator Name: Piq	ua Petro, Inc.		Lease N	lame: _	Collins Benne	π	Well #:12-	·11	
Sec. 16 Twp.25	s. R. <u>17</u>	✓ East ☐ West	County:	Wood	dson				
time tool open and clo	sed, flowing and shues if gas to surface to	nd base of formations pen- ut-in pressures, whether sl est, along with final chart(s I well site report.	hut-in press	sure read	ched static level,	hydrostatic pressu	ires, bottom h	ole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S		☐ Yes 🚺 No		L	og Formation	n (Top), Depth and	l Datum		Sample
Samples Sent to Geol	logical Survey	Yes No		Nam See at	e tachment		Тор	ι	Datum
Cores Taken Electric Log Run Electric Log Submittee (If no, Submit Copy	d Electronically	Yes No Yes No Yes No		See at	adullen				
List All E. Logs Run:									
		CASING	RECORD	V Ne	w Used				
		Report all strings set-		_	_	on, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	12	7	20		21	Regular	8	ļ	
Longstring	5.625	2.875	6.5		878	60/40 Pozmxi	120		
Purpose:	Depth		CEMENTIN # Sacks		JEEZE RECORD	Time and B	secont Additions		
Perforate Protect Casing	Top Bottom	Type of Cement	# Sacks	Useu		Type and Fe	ercent Additives		
Plug Back TD Plug Off Zone	-						· · · · · · · · · · · · · · · · · · ·		
Shots Per Foot		ION RECORD - Bridge Plug Footage of Each Interval Per				cture, Shot, Cement		d	Depth
2	825 to 833 w/ 17								
							· · · · · · ·		
									
TUBING RECORD:	Size:	Set At: 822	Packer At	t:	Liner Run:	Yes 🗸 No			
Date of First, Resumed 12/21/2011	Production, SWD or El	NHR. Producing Meti	hod: Pumpin	9 🗆	Gas Lift C	ther (Explain)			
Estimated Production Per 24 Hours	Oil	Bbis. Gas	Mcf	Wat	er Bi	bls. G	as-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:		METHOD OF	_	_		PRODUCTION	ON INTER	IVAL:
Vented Solo	d ✓ Used on Lease	Open Hole	Perf. (Dually (Submit.		nmingled mit ACO-4)			

Leis Oil Services, LLC

1410 150th Rd Yates Center, KS 66783

Invoice

Number: 1003


Greg Lair
Piqua Petro
1331 Xylan Rd
Piqua, KS 66761

Date: December 12, 2011 Ship-To:

Greg Lair Piqua Petro 1331 Xylan Rd Piqua, KS 66761

PO Number Terms **Project** .-. . **Collins Bennett** Date Description Hours Rate **Amount** 11-21-11 Digging Drill Pit 1.00 100.00 100.00 11-21-11 cement for surface 8.00 11.00 88.00 11-22-11 Drilling for Collins Bennett 882.00 6.00 5,292.00 14-11 11-22-11 Digging Drill Pit 1.00 100.00 100.00 11-22-11 cement for surface 8.00 11.00 88.00 11-23-11 Drilling for Collins Bennett 882.00 6.00 5,292.00 12-01-11 Digging Drill Pit 1.00 100.00 100.00 12-01-11 cement for surface 8.00 11.00 88.00 12-02-11 Drilling for Collins Bennott 882.00 6.00 13-11 5,292.00 Total \$16,440.00

0 - 30 days	31 - 60 days	61 - 90 days	> 90 days	Total
3	\$0.00	\$0.00	\$0.00	
The second secon	,	'		4 24,486.00





LOCATION EUR 23417
FOREMAN STEWENDER

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

			CEME	NT APT 15	-207-279	84	
DATE	CUSTOMER#	WELL NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY
11-23-11	4950	Collins-Bennett #	12-11	16	235	176	Woodson
MAILING ADDR	Petroleun xlan R	8		TRUCK# 485	Alan m Chris B	TRUCK#	DRIVER
Pigus JOB TYPELCO CASING DEPTI	H 878	KS CL761 HOLE SIZE SW DRILL PIPE	HOLE DEPT	TH 880'	CASING SIZE &	WEIGHTOTHER	
REMARKS: 5	of TY meetly	sei Rig up To 23	Tubing	empply 1000	Circulation	W/ STY	ls Frish
mix Cer	nent 6/4	#Kal-Seal pas/sk, mp & Lines . STUSE	47060	1 9 1% Ca	Cl2 A7/3.	7 /501.	ShuT
Final po	umping Pl	Turns To surface	una Ple	1000th	ShuT w	ellin 10	racte,
		Thonk	Yyou				

ACCOUNT	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	92500	975.00
		MILEAGE PARTI	-	-
1131	1205KS	6940 POZMY CEMENT	11.95	1434.00
1110A	480 H	Kd Seal 4 Parisk	,44	311.20
111813	410#	6-11 4%	.20	82.00
1/02	120 #	12 Cacle	170	84.00
11/38	700°	Gal Flush	.20	40.00
5407		Jannilenge Bulk Truck	mic	330.00
4402	Z	27 Top Rubber Play	28.00	56.00

	1		Subtatal	3212.20
avin 3737	1	7.3%	SALES TAX	139.23
AUTHORIZTION	MATA	946117	TOTAL DATE	3351.43

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



LEIS OIL SERVICES

111 East Mary • Yates Center, Kansas 66783 • (620) 625-3676



1#: 207-27984-00-00 ase: Collins Bennett ell #: 34-11 \2-\1			
ell#: 24-11 12-11			
de .			
de la companya della companya della companya de la companya della			
Spud Date: 11/22/11			
2600 Factor South			
2690 Feet From East inty: Woodson			

LOG

Thickness	Strata	From	To	Thickness			-
4	Soil and Clay	0	4	1	Strata	From	T
19	Lime	4	23	3	Lime	821	82
120	Shale	23	143		Shale	822	82
87	Lime	143	230	1	Lime	825	82
67	Shale	230	297	6	Oil Sand	826	83
2	Lime	297	299	50	Shale	832	88
8	Shale	299	307				
74	Lime	307	381				
4	Black Shale	381	385				
71	Lime	385	456				
141	Shale	456	597			140	
4	Lime	597	601				
19	Shale	601	620				
10	Lime	620	630				1130
3	Shale	630	633				
3	Lime	633	636		T.D. of Pipe		878
76	Shale	636	712		T.D.		882
4	Lime	712	716				
6	Shale	716	722				
12	Lime	722	734				
6	Shale	734	740				
4	Lime	740	744				
23	Shale	744	767				
17	Lime	767	784				
2	Black Shale	784	-	100 100 100			-
8	Shale	786	786				
4	Lime	794	794	100000			
3	Black Shale	798	798				
20	Shale	801	801				