ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-23051-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	NE_NE_NW_SE Sec. 23 Twp. 22 S. R. 16 Fast West
Address 2:	2,475 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	1,485 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:
620 364-1311	
Phone: (620) 364-1311 RECEIVED	□ NE □ NW ☑ SE □ SW
CONTRACTOR: License # 31280 Name: Birk Petroleum DEC 1 4 2011	County: Cofffey Lease Name: South Gilbert Well #: 4
Marrio,	Lease Name: Well #:
Wellsite Geologist: None Purchaser: Coffeyville Resources KCC WICHITA	Field Name: Neosho Falls-Leroy Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1028 Est. Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1005 Plug Back Total Depth: 1005
✓ Oil □ wsw □ swb □ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 989
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSecTwpS. R East West
ENHR Permit #:	
GSW Permit #:	County: Permit #:
10/14/2011 10/17/2011 10/17/2011	
Spud Date or Date Reached TD Completion Date or Recompletion Date Completion Date	
of side two of this form will be held confidential for a period of 12 months if req	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information puested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received
and the statements hereim are complete and correct to the best of my knowledge	ge. Date: Confidential Release Date:
Signature: TUIVA (156T)	☐ Wireline Log Received ☐ Geologist Report Received
	UIC Distribution
Title: Agnet Date: 12/2/2011	ALT I III Approved by: Do Date: 12 20 11

Side Two

Operator Name: Birk	Petroleum			_ Lease	Name: _	South Gilbert		_ Well #: <u>4</u> _		
Sec. 23 Twp. 22	s. r. <u>16</u>	✓ East		Count	y: Cofffe	ey		· · · · · · · · · · · · · · · · · · ·	 	
INSTRUCTIONS: Shortime tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shu s if gas to surface te	t-in pressu st, along w	res, whether si rith final chart(s	hut-in pre:	ssure read	thed static level,	hydrostatic pres	sures, bottom l	nole temp	erature, fluid
Drill Stern Tests Taken (Attach Additional St	neats)	Ye	s 🗸 No		L	•	n (Top), Depth a		_	Sample
Samples Sent to Geolo	gical Survey	☐ Ye	s 🗸 No		Name Squirrel Sand			•		Datum 32
Cores Taken Yes Electric Log Run Yes Electric Log Submitted Electronically (If no, Submit Copy)		s 🗹 No								
List All E. Logs Run:										
		Reno		RECORD	Ne	w Used	on etc			
Purpose of String	Size Hole Drilled	Siz	e Casing (In O.D.)	We	eight . / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent
Surface Casing	9 7/8"	7"	•	17#		40'	Portland	15	Calcium	
Long String	6 1/8*	2 7/8"		6.5#		989'	Portland	120		
			ADDITIONAL	CEMENT	ING / SQL	JEEZE RECORD				-
Purpose: Depth Type of Cement Top Bottom			of Cement	# Sack	# Sacks Used Type and Percent Additives					
Protect Casing Plug Back TD Plug Off Zone										
									·····	
Shots Per Foot PERFORATION RECORD - Bridge Plugs S Specify Footage of Each Interval Perforat				s Set/Type forated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			Depth	
										
							, ,	<u></u>		
								RE	CEIVE	h D
							 		142	<u> </u>
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	7v. 🗀 v			
Date of First, Resumed F	Production, SWD or EN	íHR,	Producing Met				Yes N	· KCC	WICH	IITA
11/23/2011	011	Dhia	Flowing	√ Pump			ther (Explain)	Can Oil Patio		Consider
Estimated Production Per 24 Hours	Oil 1	Bbls.	Gas	Mcf	Wat	eı 8	bls. 	Gas-Oil Ratio	•••	Gravity
DISPOSITIO	N OF GAS:			METHOD C	F COMPLI	ETION:		PRODUCTS	ON INTER	TVAL:
Vented Sold	Used on Lease		Open Hole	Perf.	Dually (Submit		nmingled mit ACO-4)			
(If vented, Subi	THE ACC-18.)	🗆 (Other (Specify) _				-			

802 N. Industrial Rd. : P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passeble road, under truck's own power. Due to delivery at owner's or intermediatry's tirrection, seller assumes no responsibility for damages in any manner to adevante, roadways, chirdways, buildings, trees, shrubbary, etc., which are at customer's risk. The maximum attotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

JHP 10:

BEODI

B & B COOPERATIVE VEHILINES 900 S. FOURTH.ST.

> PURLINGTON LIS 66839

BINDAR

E . B COOP, WITH UPES/BIRK DIE 58 H TO 1 HT IN LEROY N OUT OF TOWN TO STHE 374 MIN SD SOUTH GOLDONE UNDER A

LE BOY, HIS COREST

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	(3/)	DRIVER/TRUCK		PLANT/TRANSACTION #
12:26:48p	WELL	12.00 yd	9.00 yd	୯ ଅଧା ଡ.ଡଡ	30 34	% AIR 0.00	
DATE	- n - 1	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	\$LUMP	TICKET NUMBER
10-17-11	Today	1	12.00 yd	18872	6/yd -70.6	4.00 in	30479 \

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. ANDI Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irmitation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IN A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Cotor Quality. No Claim Allowed Unisess Made at Time Material is Debugged.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(10 BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE). Dear Customer-The driver of the buck in preserting this RELEASE to you for your signatures of the option that the sits and weight of his truck may possibly custe damage to the premises and/or ediporal property if a place the material in this load where you desire is it is our with 10 help you in every way that we can, but in coder to do this hortfalff is requesting that you sign this ReLEASE relating him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buddings, adversals, chrowways, custos, etc., by the delivery of this material, and that you also agree to help him remove must form the wheels of his relation to that he will not litter the public street. Further, as additional consideration, the undersigned agrees to adversally and hold harmless the other control of the public street. Further, as additional consideration, the undersigned agrees to adversally and hold harmless the other control of the public street. Further, as additional consideration, the undersigned agrees to adversally and hold harmless the other control of the public street. Further, as additional consideration, the undersigned agrees to adversal and the adjacent property which may be claimed by anyone to have assess out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

QUANTITY UNIT PRICE CODE DESCRIPTION EXTENDED PRICE 12.00 WELL WELL (10 SOCKS PER UNIT) 12.00 76.00 912.00 2.50 TRUCKING TRUCKING CHARGE 50.00 2.50 125.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	9ubTotal \$ 1037.00
			1. JOB NOT READY 8. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7 ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		Tax % G.300 65.33 Hotal % 1102.33
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	1102.33
12:50	1:27				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL

RECEIVED DEC 1 4 2011 KCC WICHITA