KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
OMPLETION FORM

September 1999 Form Must Be Typed

## **WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 33851	API No. 15 - 189-22774-00-00
Name: ONEO FIELD SERVICES	County: STEVENS
Address: 1407 E. OKLAHOMA	<u>sw</u> - <u>Nw</u> - <u>sw</u> - <u>Sec. 25</u> Twp. 32 S. R. 35 ☐ East [/] West
City/State/Zip: ULYSSES, KS 67880	1560 feet from S/ N (circle one) Line of Section
Purchaser:	32 feet from E / (circle one) Line of Section
Operator Contact Person: CARL GIBSON	Footages Calculated from Nearest Outside Section Corner:
Phone: (_580) _651-6884	(circle one) NE SE NW SW
Contractor: Name: MCLEAN'S CP INSTALLATION, INC	Lease Name: ONEOK Well #; 01
License: 32775	Field Name:
Wellsite Geologist:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: 2963 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 250 Plug Back Total Depth:
Oil SWDTemp. Abd.	Amount of Surface Pipe Set and Cemented at 20 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? []Yes [✓]No
Dry Other (Core, WSW, Expl. Cathodic etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to w/ sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls  Dewatering method used RECEIVED
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite: DEC 2 7 2011
Other (SWD or Enhr.?) Docket No.	Operator Name:
40/40/44	Control Name: License No.: KCC WICHITA
12/16/11 12/16/11 12/17/11  Spud Date or Recompletion Date  12/16/11 12/17/11  Completion Date or Recompletion Date	Quarter         Sec.         Twp.         S. R.         East [ ] West           County:         Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, worko Information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, over or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. If 12 months if requested in writing and submitted with the form (see rule 82-3-12) and geologist well report shall be attached with this form. ALL CEMENTING Is. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulation are complete and correct to the best of my knowledge.	ulate the oil and gas industry have been fully complied with and the statements
Signature: Score 7	KCC Office Use ONLY
Title: Operations Manager Date: 200 EC 201	Letter of Confidentiality Received
Subscribed and sworn to before me this 20_day of Vell	If Denied, Yes Date:
20_\	Wireline Log Received
1 mm May mach	Geologist Report Received
	GRANGER UIC Distribution
	SION EXPIRES 41+3-Dg 12   28   11

Operator Name: ONE	O FIELD SERVICE	S		Leas	e Name:_	DNEOK		. Well #: -01		·
Sec. 25 Twp. 32			t 🗹 West	Count	ty: STEVE	ENS				<del></del>
INSTRUCTIONS: Sho tested, time tool open temperature, fluid reco Electric Wireline Logs	and closed, flowing every, and flow rate	g and shut s if gas to	-in pressures, surface test, a	whether s llong with	shut-in pre	ssure reached	l static level, hydros	static pressure	es, bottom ho	ole
Drill Stem Tests Taken (Attach Additional S		☐ Y	es 📝 No			og Format	tion (Top), Depth ar	nd Datum	Samp	ple
Samples Sent to Geole	ogical Survey	□ Y	es 🗹 No		Nam	е		Тор	Datur	m
Cores Taken Electric Log Run (Submit Copy)		☐ Y	_							
List All E. Logs Run:										
SEE ATTACHI	ED _ No aba	a loc		RECORD	✓ Ne	w Used				
		r <del></del>	rt all strings set-c				ction, etc.		-	
Purpose of String	Size Hole Drilled		e Casing t (In O.D.)		eight i./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv	
SURFACE	17 1/2"	10 3/4"				20'	BENTONITE HOLEPLUG	27		
Purson	No. at the			1		JEEZE RECOR				-
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sack	s Used		Type and Pe	ercent Additives		
Shots Per Foot			RD - Bridge Plug Each Interval Per		e	Acid, Fr	acture, Shot, Cement Amount and Kind of Ma	Squeeze Recor terial Used)		Depth
				-18					RECEIV	/ED
	<u> </u>		-						DEC 27 CC WIC	2011
TUBING RECORD	Size	Set At		Packer	At	Liner Run	☐ Yes ☐ No		CC MIC	HITA
Date of First, Resumerd	Production, SWD or E	inhr.	Producing Met	hod	Flowin	g Pump		: Othe	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er	Bbls. G	as-Oil Ratio	Gi	ravity
Disposition of Gas	METHOD OF (	OMPLETIO	N			Production Inte	erval			
Vented Sold (If vented, Sub	Used on Lease mit ACO-18.)		Open Hole	Per	rf. 🔲 [	Dually Comp.	Commingled			



	12/16/11	Date:	$\neg \Gamma$		•			ed Data:	eep Well GroundBe
	121011	Za.c.							ccp wen organas
Installtion, Inc	IcLean's CP	ctor: N	ng Co	Drillin			-	OKE47-2011-KS	Job Number:
	NEOK							ONEOK	Company Name:
		tate: I	$\Box$					DEEP WELL	Subject:
	TEVENS	unty: S							Well Depth:
	IF	iller: I	Othe						Diameter:
									Casing:
		IGE:	T VO	IEST			TE 4400	CARBO 60	Type of Backfill:
<del>      </del>							11E 4X80	1 SET OF 10-GRAPH	Anode Type:
			+						Remarks:
<del></del>		-+	+						romana.
		$\dashv$	+						
Anode L		$\dashv$		ectrical	Fi			Lon	Drilling
AFTER BACK	<del></del>	<del></del>		FORE BACI			1	LOG	<u> </u>
Volt Anode		le#		Anode	Volt		Material:	Formation Type:	Depth:
Depth	-	2C #		Depth	VOIL		Material.	omadon type.	Осран.
			╁			UG	CASING/HOLE PI	SAND	0
	<u> </u>	- †	$\neg$				CASING/HOLE PI	SAND	5'
<del>                                     </del>			_	_			CASING/HOLE PI	SAND	10"
							CASING/HOLE PI	SANDSTONE	15'
							HOLE PLUG	SANDSTONE	20
							HOLE PLUG	SANDSTONE	25
		$ \mathbb{T}$					HOLE PLUG	SANDSTONE	30
			1				HOLE PLUG	SANDSTONE	35
			_ _				HOLE PLUG	CLAY	40
+							HOLE PLUG	CLAY	45
		-	-				HOLE PLUG	CLAY	50
			-				HOLE PLUG	CLAY CLAY	55 60
<del></del>			+			-	HOLE PLUG	CLAY	65
<del>                                     </del>			+				HOLE PLUG	CLAY	70
<del></del>		-	- -	<u> </u>			HOLE PLUG	CLAY	75
<del>                                     </del>			+				HOLE PLUG	SANDSTONE	80
			_				HOLE PLUG	SANDSTONE	85
			$\neg$				HOLE PLUG	SANDSTONE	90
							COKE	SANDSTONE	95
							COKE	SANDSTONE	100
				_			COKE	SANDSTONE	105
							COKE	SANDSTONE	110
			_ _				COKE	SANDSTONE	115
							COKE	SANDSTONE	120
							COKE	SANDSTONE	125
							COKE	SANDSTONE	130
<del></del>		$\dashv$	+				COKE	SANDSTONE CLAY	135 140
<del>                                     </del>				<del> </del>			COKE	CLAY	145
<del>                                     </del>			+				COKE	CLAY	150
<del>-          </del>	·	5 +					COKE	CLAY	155
<del>                                     </del>		$\dashv$	_	· · · · · ·			COKE	CLAY	160
<del></del>			十				COKE	CLAY	165
<del>                                      </del>			⇉				COKE	CLAY	170
							COKE	CLAY	175
							COKE	CLAY	180
			$\perp \!\!\! \perp$				COKE	CLAY	185
							COKE	CLAY	190
		-					COKE	CLAY	195
			+				COKE	CLAY CLAY	200 205
<del>-   -  -</del>			+	<del></del>			COKE	CLAY	205
		<del> -</del>	+				COKE	CLAY	215
<del></del>			+				COKE	CLAY	220
<del>                                     </del>			+				COKE	CLAY	225
<del></del>		$\dashv$		<u> </u>	<u> </u>		COKE	CLAY	230
<del></del>		-		<del></del>			COKE	CLAY	235
+ +			+				COKE	CLAY	240
<del>'      </del>	<del></del>	_	十				COKE	CLAY	245
RE(		<del>- 1</del>					COKE	CLAY	250