


STATE OF KANSAS  
STATE CORPORATION COMMISSION

15-171-00075-00-00 Form CP-4  
WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
211 No. Broadway  
Wichita, Kansas

SCOTT County, Sec. 14 Twp. 17S Rge. 31W (E) (W)

Location as "NE/CNW/SW" or footage from lines C NE SW  
Lease Owner HELMERICH & PAYNE, INC.  
Lease Name SHARP et al Well No. 1  
Office Address FIRST NATIONAL BANK BLDG., TULSA 3, OKLAHOMA  
Character of Well (completed as Oil, Gas or Dry Hole) DRY HOLE  
Date well completed MAY 30, 1963  
Application for plugging filed MAY 31, 1963  
Application for plugging approved MAY 31, 1963  
Plugging commenced JUNE 1, 1963  
Plugging completed JUNE 1, 1963  
Reason for abandonment of well or producing formation DRY HOLE



Locate well correctly on above  
Section Plat

If a producing well is abandoned, date of last production \_\_\_\_\_ 19\_\_\_\_  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? YES

Name of Conservation Agent who supervised plugging of this well ELDON PERRY, HAYS, KANSAS  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 4815 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
SAND, CLAY & SHALE	SURFACE CASING	-0-	248'	8-5/8"	248'	NONE

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

**PLUGGED:** Filled hole with heavy mud to 540;  
set 1st plug & 20 sacks cement thru  
drill pipe. Filled hole to 244';  
set 2nd plug & cemented thru drill  
pipe with 10 sacks cement.  
Job completed at 4:15 a.m. 6-1-63.

JUN 6 1963

CONSERVATION DIVISION  
WICHITA, KANSAS

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor SIERRA PETROLEUM CO., INC.  
Address 208 PETROLEUM BUILDING, WICHITA, KANSAS

STATE OF KANSAS, COUNTY OF RUSSELL, ss.  
C. T. HONAKER, DRIG. SUPT. (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. T. Honaker C. T. HONAKER, DRIG. SUPT.

BOX 232, RUSSELL, KANSAS

(Address)

SUBSCRIBED AND SWORN TO before me this 5TH day of JUNE, 1963

Teray Dietz  
Notary Public.

My commission expires 10-17-63




STATE OF KANSAS  
STATE CORPORATION COMMISSION

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bittling Building  
Wichita, Kansas

15-171-00075-00-00  
WELL PLUGGING RECORD

Scott County, Sec. 14 Twp. 17S Rge. 31 (E) (W) X

Location as "NE/CNWSW" or footage from lines C NE SW  
Lease Owner Helmerich & Payne, Inc.  
Lease Name Sharp etal Well No. 1  
Office Address Box 558, Garden City, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
Date well completed 1 June 1963 19  
Application for plugging filed 1 June 1963 19  
Application for plugging approved 1 June 1963 19  
Plugging commenced 1 June 1963 19  
Plugging completed 1 June 1963 19  
Reason for abandonment of well or producing formation Dry Hole



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production - 19  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well W. L. Nichols Moreland, Kansas  
Producing formation - Depth to top Bottom Total Depth of Well 4817 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
		4	248	3-5/8"	248	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

4817' to 540' Heavy Rotary Mud  
540' to 465' 1/2 sack hulls & 20 sacks pozmix cement  
465' to 244' Heavy Rotary Mud  
244' to 214' 1/2 sack hulls & 10 sacks Pozmix Cement  
214' to 0 LEFT OPEN (SEE STATE AUTHORIZATION)

PLUGGING COMPLETED @ 4:15 AM, 1 June 1963

RECEIVED  
STATE CORPORATION COMMISSION

JUN 3 1963

CONSERVATION DIVISION  
WICHITA, KANSAS

(If additional description is necessary, use BACK of this sheet)  
Name of Plugging Contractor Sierra Petro. Co. Inc.  
Address Petro. Bldg., Wichita, Kansas

STATE OF Kansas COUNTY OF Finney ss.  
T. E. Mort (employee of owner) or (OWNER'S REPRESENTATIVE) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) T. E. Mort

Box 558, Garden City, Kansas (Address)

SUBSCRIBED AND SWORN TO before me this 1 day of June, 1963

My commission expires July 1964

Robert N. Boyd

Notary Public.

cc: Shell Oil Company  
Champlin Oil & Refining Co.

15-171-00075-00-00

HELMERICH & PAYNE, INC. - Operator

SIERRA PETRO. CO., INC. - Contractor

SHARP #1 Etal  
C NE SW  
Sec. 14-17S-31W  
Scott County, Kansas

TOTAL DEPTH: 4815'  
ELEVATION : 2917' D.F.

Commenced Drilling: 5-15-63  
Completed Drilling: 5-30-63

Casing:

Cement:

8-5/8" Set at 248'

with 200 sx. Pozmix

FORMATION

DEPTH

Sandy Clay	40
Sand	190
Shale	725
Shale & Shells	1450
Sand	1605
Shale, Shells & Red Bed	1775
Anhydrite	1786
Red Bed & Shells	1850
Sand	2050
Red Bed, Shale & Shells	2135
Shale & Red Bed	2278
Anhydrite	2302
Shale & Red Bed	2632
Lime & Shale	3655
Lime	3714
Chalky Lime & Shale	3794
Lime & Shale	3908
Lime	4563
Lime & Sand	4589
Lime	4815

NOTARY PUBLIC  
JUN 6 1963  
NOTARY PUBLIC

STATE OF KANSAS )  
                          ) ss:  
COUNTY OF RUSSELL )

I hereby certify that the above information is true and correct to the best of my knowledge.

C.T. Honaker  
Drilling Superintendent

Subscribed and sworn to before me this 5th day of June, 1963.

LeRoy Dietz  
Notary Public

My commission expires: 10-17-63