STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division

15-203-2007-00-00 WELL PLUGGING RECORD

211 No. Broadway Wichita, Kansas	W	ICHITA		.,. 000	wh: use	(E)(
NORTH	Location as "	'NE/CNW%SW%"	or footage fro	om linesC/_S	W/4 of SW	/4			
		DAVLDO		•					
		MD							
						, Oklahoma 7			
	Character of Well (completed as Oil, Gas or Dry Hole) DRY HOLE								
	Date well completed July 16, 19 60								
12	Application for plugging filed July 16, 19 68								
	Application for plugging approved July 16, 19 68								
	Plugging commenced July 16, 19 6								
		Plugging completed JULY 16, 19 6 Reason for abandonment of well or producing formation DRY HOLE							
! ! !	Reason for at	pandonment of we	ll or producir	g tormation	DRY HOL	<u> </u>			
0	75 1		.1.2. (1	7 .1		<u></u>			
						19			
Locate well correctly on above		Yrs		anon Division o	rits agents be	fore plugging was			
Section Plat ne of Conservation Agent who sup				ELKER. VICT	ORIA KAN	SAS			
lucing formation.									
w depth and thickness of all water					Total Deput of	I WEII.			
		1000.							
OIL, CAS OR WATER RECOR	DS					CASING RECOR			
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED DUT			
				8-5/8"	3461	None			
						HONE			
									
									
									
									
			-						
Describe in detail the manner introducing it into the hole. If cenfect for each plug s	ment or other plugs set. HOLE		he character of F MUD. MENT PLUG	of same and depth					
stroducing it into the hole. If cer	ment or other plugs set. HOLE SET	were used, state to WAS FULL O 100 SACK CE	He character of MUD. MENT PLUC	of same and depth 3 AT 1025'. 3 AT 360'.		fe			
ntroducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth 3 AT 1025'. 3 AT 360'.	h placed, from	fe			
ntroducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth 3 AT 1025'. 3 AT 360'.	h placed, from	fe			
ntroducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth 3 AT 1025'. 3 AT 360'.	h placed, from	fe			
ntroducing it into the hole. If cen	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth 3 AT 1025'. 3 AT 360'. 3 FROM 35'	to SURFAC	fe			
ntroducing it into the hole. If cen	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth 3 AT 1025'. 3 AT 360'. 3 FROM 35'	to SURFAC	fe			
stroducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth 3 AT 1025'. 3 AT 360'. 3 FROM 35'	to SURFAC	fe			
stroducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth G AT 1025'. G AT 360'. G FROM 35'	TO SURFACE	E.			
stroducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth G AT 1025'. G AT 360'. G FROM 35'	TO SURFACE	E.			
troducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth G AT 1025'. G AT 360'. G FROM 35'	TO SURFACE STATE CORPORA AUG 1	EIVED			
troducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth G AT 1025'. G AT 360'. G FROM 35'	TO SURFACE STATE CORPORA AUG 1	EIVED			
troducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth G AT 1025'. G AT 360'. G FROM 35'	TO SURFACE STATE CORPORA AUG 1	EIVED			
troducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth G AT 1025'. G AT 360'. G FROM 35'	TO SURFACE	EIVED			
troducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth G AT 1025'. G AT 360'. G FROM 35'	TO SURFACE STATE CORPORA AUG 1	EIVED			
troducing it into the hole. If cer	ment or other plugs set. HOLE SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE	He character of MUD. MENT PLUC	of same and depth G AT 1025'. G AT 360'. G FROM 35'	TO SURFACE STATE CORPORA AUG 1	EIVED			
stroducing it into the hole. If cer	ment or other plugs set. HOLE SET SET SET	were used, state to WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE	he character of F MUD. MENT PLUG MENT PLUG	of same and depth of same and	TO SURFACE STATE CORPORA AUG 1	EIVED			
feet for each plug s	ment or other plugs set. HOLE SET SET SET	WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE	he character of F MUD. MENT PLUG MENT PLUG MENT PLUG	of same and depth of same and	TO SURFACE STATE CORPORA AUG 1	EIVED			
feet for each plug s	ment or other plugs set. HOLE SET SET SET OWFLI, INC.	were used, state to WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE	he character of F MUD. MENT PLUG MENT PLUG MENT PLUG	of same and depth AT 1025'. AT 360'. FROM 35' Cof this sheet) COMPANY	TO SURFACE STATE CORPORA AUG 1 Wichita A	EIVED TION COMMISSION 1968 ON DIVISION			
feet for each plug s	ment or other plugs set. HOLE SET SET SET OWFLL, INC.	WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE	he character of F MUD. MENT PLUG MENT PLUG MENT PLUG	of same and depth AT 1025'. AT 360'. FROM 35' Cof this sheet) COMPANY	TO SURFACE STATE CORPORA AUG 1	EIVED TION COMMISSION 1968 ON DIVISION			
feet for each plug s	ment or other plugs set. HOLE SET SET SET OWFLI, INC.	WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE	he character of F MUD. MENT PLUG MENT PLUG MENT PLUG	of same and depth AT 1025'. AT 360'. FROM 35' Cof this sheet) COMPANY	TO SURFACE STATE CORPORA AUG 1 Wichita A	EIVED TION COMMISSION 1968 ON DIVISION			
ress Dowell - Perry OKLAHOMA	Ment or other plugs set. HOLE SET SET SET SET OWFLI, INC. YTON, TEXAS	WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE	He character of F MUD. MENT PLUG MENT PLUG MENT PLUG MENT PLUG MENT PLUG MENT PLUG	Cof this sheet) Company Murfin -	TO SURFACE STATE CORPORA AUG 1 WICHITA .	EIVED TION COMMISSION 1968 ON DIVISION			
ress OKLAHOMA	ment or other plugs set. HOLE SET SET SET SET OWFLI, INC. YTON, TEXAS	WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE AND MUREIN	THE CHARACTER OF MUD. MENT PLUC MEN	Cof this sheet) COMPANY MURFIN -	TO SURFACE STATE CORPORA AUG 1 WICHITA , SS.	EIVED TION COMMISSION 1968 N DIVISION Ansas			
e of Plugging Contractor TE OF OKLAHOMA HARC	Ment or other plugs set. HOLE SET SET SET SET OUNT INC. YTON, TEXAS	were used, state to WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE AND MUREIN OUNTY OF (TEST OF LLLING	Cof this sheet) COMPANY MURFIN -	NICHITA,	EIVED TION COMMISSION 1960 N DIVISION KANSAS of the above-described			
ress Dowell - Perry OKLAHOMA HARG being first duly sworn on oath,	Ment or other plugs set. HOLE SET SET SET SET OUNT I NC. YTON, TEXAS OLD DAVIDOR says: That I have I	were used, state to WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE AND MUREIN OUNTY OF (knowledge of the	STATE OF LINGS OKLAHO employee of facts, statem	Cof this sheet) Company MURFIN -	NICHITA,	EIVED TION COMMISSION 1960 N DIVISION KANSAS of the above-described			
ress Dowell - Perry OKLAHOMA HARG being first duly sworn on oath,	Ment or other plugs set. HOLE SET SET SET SET OUNT I NC. YTON, TEXAS OLD DAVIDOR says: That I have I	WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE AND MUREIN OUNTY OF (knowledge of the and correct. So	STATE OF LINGS OKLAHO employee of facts, statem	Cof this sheet) Company MURFIN -	NICHITA,	EIVED TION COMMISSION 1960 N DIVISION KANSAS of the above-described			
ntroducing it into the hole. If cerefect for each plug series of Plugging Contractor	Ment or other plugs set. HOLE SET SET SET SET OUNT I NC. YTON, TEXAS OLD DAVIDOR says: That I have I	were used, state to WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE AND MUREIN OUNTY OF (knowledge of the	BEAUT PLUCE MENT PLUCE	Cof this sheet) COMPANY MURFIN -	NICHITA.	E. ION COMMISSION 1968 N DIVISION SANSAS KANSAS of the above-described and the log of			
ntroducing it into the hole. If cerefect for each plug series of Plugging Contractor	Ment or other plugs set. HOLE SET SET SET SET OUNT I NC. YTON, TEXAS OLD DAVIDOR says: That I have I	WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE AND MUREIN OUNTY OF (knowledge of the and correct. So	BEAUT PLUCE MENT PLUCE	Cof this sheet) Company Murfin - OMA Owner) or (owners, and fatters	NICHITA. State CORPORA AUG 1 Wichits A WICHITA. SS. er or operator) s herein contai	E. ION COMMISSION 1968 N DIVISION SANSAS KANSAS of the above-described and the log of			
ress Dowell - Perry TE OF OKLAHOMA HARG being first duly sworn on oath, re-described well as filed and tha	Ment or other plugs set. HOLE SET SET SET SET OUNTLI, INC. YTON, TEXAS OLD DAVIDOR says: That I have I	was full o 100 sack ce 25 sack ce 10 sack ce AND MUREIN OUNTY OF (Signature)	BEAUT PLUCE MENT PLUCE	Cof this sheet) COMPANY MURFIN - MA Owner) or (owners, and fatters H SANTA FE	NICHITA.	EIVED TION COMMISSION 1960 N DIVISION KANSAS of the above-described			
ress Dowell - Perry OKLAHOMA HARC being first duly sworn on oath,	Ment or other plugs set. HOLE SET SET SET SET OUNTLI, INC. YTON, TEXAS OLD DAVIDOR says: That I have I	WAS FULL O 100 SACK CE 25 SACK CE 10 SACK CE Male description is necessary to the same description of the same correct. So (Signature)	BEAUT PLUCE MENT PLUCE	Cof this sheet) Company Murfin - OMA Owner) or (owners, and fatters	NICHITA. State CORPORA AUG 1 Wichits A WICHITA. SS. er or operator) s herein contai	E. ION COMMISSION 1968 N DIVISION SANSAS KANSAS of the above-described and the log of			
ntroducing it into the hole. If cer feet for each plug s Dowell - Perr TE OF OKLAHOMA HARC HARC J, being first duly sworn on oath, we-described well as filed and tha	Ment or other plugs set. HOLE SET SET SET SET OUNTLI, INC. YTON, TEXAS OLD DAVIDOR says: That I have I	was full o 100 sack ce 25 sack ce 10 sack ce AND MUREIN OUNTY OF (Signature)	BEAUT PLUCE MENT PLUCE	Cof this sheet) COMPANY MURFIN - MA Owner) or (owners, and fatters H SANTA FE	NICHITA. State CORPORA AUG 1 Wichits A WICHITA. SS. er or operator) s herein contai	E. ION COMMISSION 1968 N DIVISION SANSAS KANSAS of the above-described and the log of			

2. . . .

15-203-20007-00-00

Form CP-4

STATE OF KANSAS STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission

• • . . .

212 No. Market Wichita, Kansas	<u>Wichita</u>	Cty., Kar	County	, sec LECIL	-CIT	_/(\\			
NORTH	Location as 14	E/CITIVADITA	or footage from DAVIDOR 8	TI TITE?					
	Lease Owner_		X DAVIDOR		Well No. ONE				
	Lease Name Office Address_		Fe, OKLAHOMA	Well No. UNE. OKLA.					
	Character of V	Character of Well (completed as Oil, Gas or Dry Hole) D&A							
i į į	Date well com	Date well completed 7-16-68							
	Application for	plugging filed.		7-16-68 7-16-68	19				
		Application for plugging approved				19			
		nenced			7-16-68	19			
		Plugging completed 7-16-68 19							
	Reason for aba	Reason for abandonment of well or producing formation							
	If a producing	If a producing well is abandoned, date of last production							
<u> </u>				_		re plugging was con			
Locate well correctly on above Section Plat									
Locate well correctly on above Section Plat ane of Conservation Agent who s	upervised plugging of th	is well	<u>W. L. NI</u>	CHOLS					
ducing formation	1	Depth to top	Bottom		Total Depth of	Well <u>5177'</u> Fe			
ow depth and thickness of all wa									
OIL, CAS OR WATER RECO	ORDS				c	CASING RECORD			
		<u> </u>	1		1				
FORMATION	CONTENT	FROM	ТО	StzE	PUT IN	PULLED DUT			
		<u>. </u>	 		<u> </u>				
			1						
			+	<u> </u>					
			1						
Describe in detail the manne introducing it into the hole. Iffeet for each plulst_plug2nd_plug3rd_plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	f same and de	pth placed, from				
introducing it into the hole. Iffeet for each plulst plug2nd plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	STATE CON	PECEIVED REPORATION COMMI	†SSIAN			
lntroducing it into the hole. Iffeet for each plulst plug2nd plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	STATE CON	PECEIVED REPORATION COMMI	†SSIAN			
lntroducing it into the hole. Iffeet for each plulst plug2nd plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	STATE CON	ECEIVED	ารรากก			
ntroducing it into the hole. Iffeet for each plulst plug 2nd plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	STATE CON	PECEIVED REPORATION COMMI	SSI/IN			
ntroducing it into the hole. Iffeet for each plulst plug2nd plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	STATE CON	PECEIVED REPORATION COMMI	SSI/IN			
ntroducing it into the hole. Iffeet for each plulst plug 2nd plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	STATE CON	PECEIVED REPORATION COMMI	SSI/IN			
ntroducing it into the hole. Iffeet for each plulst plug2nd plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	STATE CON	PECEIVED REPORATION COMMI	SSI/IN			
ntroducing it into the hole. Iffeet for each plulst plug2nd plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	STATE CON	PECEIVED REPORATION COMMI	SSI/IN			
ntroducing it into the hole. Iffeet for each plulst plug2nd plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	STATE CON	PECEIVED REPORATION COMMI	ารรากก			
lntroducing it into the hole. Iffeet for each plulst plug2nd plug	@ 1025' w/100 c @ 360' w/25 Sa	cere used, state to	he character of	STATE CON	PECEIVED REPORATION COMMI	†SSIAN			
lntroducing it into the hole. Iffeet for each plulst plug2nd plug	@ 1025' w/100 @ 360' w/25 sa 2 35' w/10 sa	sacks cementacks cement	t essary, use BACK	STATE COL	PECEIVED REPORATION COMMI	†SSIAN			
ntroducing it into the hole. Iffeet for each plulst plug2nd plug3rd plug	@ 1025' W/100 c @ 360' W/25 Sa 2 35' W/10 Sa MURFIN DRILLI	sacks cementacks cement	essary, use BACK	STATE COL	PECEIVED REPORATION COMMI	†SSIAN			
ntroducing it into the hole. Iffeet for each plulst plug2nd plug3rd plug	@ 1025' W/100 c @ 360' W/25 Sa 2 35' W/10 Sa MURFIN DRILLI	sacks cementacks cement	essary, use BACK	STATE COL	PECEIVED REPORATION COMMI	†SSIAN			
ntroducing it into the hole. Iffeet for each plulst plug2nd plug3rd plug	@ 1025' W/100 c @ 360' W/25 Sa 2 35' W/10 Sa MURFIN DRILLI	sacks cementacks cement	essary, use BACK	STATE COL	PECEIVED REPORATION COMMI	†SSIAN			
Introducing it into the hole. Iffeet for each plulst plug2nd plug3rd plug	ement or other plugs wg set. @ 1025' w/100 c @ 360' w/25 sa 2 35' w/10 sa MURFIN DRILLI 617 Union Cer	al description is necessary Wichi	essary, use BACK	STATE COL	PECEIVED REPORATION COMMI UG 2 1 1968 VATION DIVISION Hita, Kansas	†SSIAN			
Introducing it into the hole. Iffeet for each plulst plug2nd plug3rd plug	MURFIN DRILLI 617 Union Cer	al description is need NG COMPANY	essary, use BACK ta, Kansa	STATE CONSER Wice of this sheet)	PECEIVED PORATION COMMINICAL KANSAS —, ss.	SSION			
ntroducing it into the hole. Iffeet for each plulst plug2nd plug3rd plug	MURFIN DRILLI 617 Union Cer	al description is need NG COMPANY NEER, Wichi	essary, use BACK ta, Kansa	of this sheet) S 67202	pth placed, from PECETVED PARATION COMMING 2 1 1968 VATION DIVISION Kansas —, ss. vner or operator) of	of the above-describ			
Introducing it into the hole. If	MURFIN DRILLI 617 Union Cer Daniels cement or other plugs w g set. (If additions MURFIN DRILLI 617 Union Cer	al description is need NG COMPANY of Survivors Control of the Cont	essary, use BACK ta, Kansa EDGWICK (employee of o	of this sheet) S 67202	pth placed, from PECETVED PARATION COMMING 2 1 1968 VATION DIVISION Kansas —, ss. vner or operator) of	of the above-describ			
ntroducing it into the hole. If	MURFIN DRILLI 617 Union Cer Daniels cement or other plugs w g set. (If additions MURFIN DRILLI 617 Union Cer	al description is need in Michigan Wichia	essary, use BACK ta, Kansa EDGWICK (employee of o	STATE CONSERVICE of this sheet) S 67202 owner) or (owners, and matter)	pth placed, from PECETVED PARATION COMMING 2 1 1968 VATION DIVISION Kansas —, ss. vner or operator) of	of the above-describ			
Introducing it into the hole. If	MURFIN DRILLI 617 Union Cer Daniels cement or other plugs w g set. (If additions MURFIN DRILLI 617 Union Cer	al description is need NG COMPANY of Survivors Control of the Cont	essary, use BACK ta, Kansa EDGWICK (employee of of facts, stateme help me God.	STATE CONSERVICE of this sheet) S 67202 owner) or (owners, and matter)	pth placed, from PECETVED PARATION COMMING 2 1 1968 VATION DIVISION Kansas —, ss. vner or operator) of	of the above-describ			
me of Plugging Contractor_dress KANSAS	MURFIN DRILLI 617 Union Cer Daniels cement or other plugs w g set. (If additions MURFIN DRILLI 617 Union Cer	al description is need in Michigan Wichia	essary, use BACK ta, Kansa EDGWICK (employee of of facts, stateme help me God. MURFIN D	of this sheet) S 67202 SWIELLING	pth placed, from PECETVED PROPRATION COMMINICATION DIVISION Mita, Kansas -, ss. vers herein contain	of the above-describ			
me of Plugging Contractor_dress	MURFIN DRILLI 617 Union Cer Daniels that the same are true a	al description is need in the control of the contro	ta, Kansa EDGWICK (employee of of facts, stateme help me God. MURFIN D	STATE CONSERVICE of this sheet) S 67202 owner) or (owners, and matter)	pth placed, from PECETVED PROPRATION COMMINICATION DIVISION Hita, Kansas The properator of the pro	of the above-described and the log of t			
Introducing it into the hole. If	MURFIN DRILLI 617 Union Cer Daniels that the same are true a	al description is need in the control of the contro	essary, use BACK ta, Kansa EDGWICK (employee of of facts, stateme help me God. MURFIN D James R. August	of this sheet) S 67202 when, and matter RILLING	pth placed, from PECETVED PORATION COMMINICATION DIVISION Hita, Kansas The properties of the prope	of the above-described and the log of t			
introducing it into the hole. If feet for each plus and plug and plug and plug and plug and plug and plug are plug and plug and plug are plug and plug are plug and plug are p	MURFIN DRILLI 617 Union Cer Daniels th, says: That I have ke that the same are true a	al description is need in the contract of the	essary, use BACK ta, Kansa EDGWICK (employee of of facts, stateme help me God. MURFIN D James R. August	of this sheet) S 67202 when, and matter RILLING	pth placed, from PECETVED PROPRATION COMMINICATION DIVISION Hita, Kansas The properties of the pro	of the above-described and the log of t			
me of Plugging Contractor dress ATE OF KANSAS James R. II, being first duly sworn on oach ove-described well as filed and over-described well as filed and over-	MURFIN DRILLI 617 Union Cer Daniels that the same are true a	al description is necessary with the correct. So (Signature)	essary, use BACK ta, Kansa EDGWICK (employee of of facts, stateme help me God. MURFIN D James R. August	of this sheet) S 67202 SWIELLING	pth placed, from PECETVED PROPRATION COMMINICATION DIVISION Hita, Kansas The properties of the pro	of the above-described and the log of t			

DAVIDOR & DAVIDOR

BEG. 12 T. 205 R. 38W

LOC. SW SW O'BRIEN ONE 14 WICHITA CTY., KANSAS 5177' TOTAL DEPTH COUNTRY KANSAS 7-1-68 CDMP7-16-68 COMM. SHOT OR TREATED MURFIN DRILLING COMPANY CONTRACTOR IBBUED CABING 20 15 В 5/8" w/250 sacks 50-50 pos, 2% cc ELEVATION 12 6 13 PRODUCTION D & A FIGURES INDICATE BOTTOM OF FORMATIONS 162 Surface soil & sand 5012 Sand & Lime 250 Shale 5070 Lime 347 Shale 5105 Lime 1125 Shale 5159 St-Louis "Miss." 1365 Shale 5177 Lime STATE CORPORATION COMMISSION 2030 Shale 2211 Shale CONSERVATION COMMISSION 2240 Anhydrite 2244 Anhydrite 2550 Lime & Shale 2711 Lime & Shale 3010 Shale w/Lime Lime & Shale 3165 3270 Lime 3350 Lime 3430 Lime 3555 Lime 3670 Lime 3770 Lime 3850 Lime 3945 Lime 3980 Lime 4100 Lime 4173 Lime 4265 Lime 4341 Lime 4405 Lime 4482 Lime 4555 Lime 4619 Lime 4635 Lime 4666 Lime 4700 Lime 4778 Lime 4828 Lime Lime & Shale 4900 4990 Lime & Shale State of_ **KANSAS** _SEDGWICK County of __ MURFIN DRILLING <u> James R. Daniels</u> _of the_ O'BRIEN #1 upon oath state that the above and foregoing is a true and correct copy of the log of the eworn to Belgre me this 14th August 68 M Commission Espires: ADELA MIZENER, Notary Public CO. KARING CO. Maria Commission expires November 5, 1970