

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

Operator: License # 3988

Name: Slawson Exploration Co., Inc.

Address 200 N Harvey, STE 1412

Oklahoma City, OK 73102

City/State/Zip Oklahoma City, OK 73102

Purchaser: N/A

Operator Contact Person: Steve Slawson

Phone (405) 232-0201

Contractor: Name: L. D. Drilling, Inc.

License: 6039

Wellsite Geologist: Kim Shoemaker

Designate Type of Completion

New Well Re-Entry Workover

Oil SWD S10W Temp. Abd.

Gas ENHR SIGW

Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-Entry: old well info as follows:

Operator: _____

Well Name: _____

Comp. Date _____ Old Total Depth _____

Deepening Re-perf. Conv. to Inj/SWD

Plug Back _____ PBTB

Commingled _____ Docket No. _____

Dual Completion _____ Docket No. _____

Other (SWD or Inj?) _____ Docket No. _____

4-28-95 5-07-95 _____
Spud Date Date Reached TD Completion Date

API NO. 15- 171-20483-0000

County Scott

S/2 NE NW SE Sec. 28 Twp. 17 Rge. 31 ^E

2140 Feet from ^N (circle one) Line of Section

1650 Feet from ^E (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
NE, NW or SW (circle one)

Lease Name Hermes 'X' Well # 1

Field Name _____

Producing Formation None ---

Elevation: Ground 2936 KB 2941

Total Depth 4600' PBTB _____

Amount of Surface Pipe Set and Cemented at 387 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan DAA 87 10-20-97
(Data must be collected from the Reserve Pit)

Chloride content 2000 ppm Fluid volume 1500 bbls

Dewatering method used Evaporation (mostly rainwater)

Location of fluid disposal if hauled offsite: _____

Operator Name **RELEASED**

Lease Name SEP 16 1998 License No. _____

Quarter _____ Sec. _____ Twp. _____ S Rng. _____ E/W

County **FROM CONFIDENTIAL!** Docket No. _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature [Signature] JUN 1 1995

Title Division Operations Mgr. Date: 06-08-95

Subscribed and sworn to before me this 8th day of June 19 95.

Notary Public [Signature]

Date Commission Expires 12-1-96

K.C.C. OFFICE USE ONLY		
F <input checked="" type="checkbox"/>	Letter of Confidentiality Attached	
C <input checked="" type="checkbox"/>	Wireline Log Received	
C <input checked="" type="checkbox"/>	Geologist Report Received	
Distribution		
<input checked="" type="checkbox"/> KCC	<input type="checkbox"/> SWD/Rep	<input type="checkbox"/> NGPA
<input type="checkbox"/> KGS	<input type="checkbox"/> Plug	<input type="checkbox"/> Other
(Specify)		

Operator Name Slawson Exploration Co., Inc. Lease Name Hermes 'X' Well # 1
 Sec. 28 Twp. 17S Rge. 31 East West
 County Scott

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets.)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy.)
 List All E.Logs Run:

CNL-CDL, DIL-SP-GR

Log Name	Formation (Top), Depth and Datum		Sample
	Top	Datum	
Anhydrite	(no log)		
Base Anhy	(no log)		
Wabaunsee	3893	(- 952)	
Heebner	4118	(-1177)	
Muncie Ck	4209	(-1268)	
Stark	4291	(-1350)	
BKC	4321	(-1380)	
Marmaton	4485	(-1544)	
Cherokee	4568	(-1626)	
Miss	4597		
TD			

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	28	387'	60/40 Poz	225	2% Gel, 3% cc

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run	Production Interval	
				<input type="checkbox"/> Yes <input type="checkbox"/> No		
Date of First, Resumed Production, SWD or Inj.	Producing Method		<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
<u>D&A</u>						
Estimated Production Per 24 Hours	Oil <u>N/A</u> Bbls.	Gas <u>N/A</u> Mcf	Water <u>N/A</u> Bbls.	Gas-Oil Ratio	Gravity	

Disposition of Gas: Vented Sold Used on Lease (if vented, submit ACO-18.)
 METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled Other (Specify) _____
 Production Interval _____

ALLIED CEMENTING CO., INC.

1049

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

CONFIDENTIAL

ORIGINAL

SERVICE POINT:

Neosho City

DATE <u>4-23-75</u>	SEC. <u>25</u>	TWP. <u>17</u>	RANGE <u>31</u>	CALLED OUT <u>9 AM</u>	ON LOCATION <u>11 AM</u>	JOB START <u>1 PM</u>	JOB FINISH <u>2 PM</u>
LEASE <u>H</u>	WELL # <u>1</u>	LOCATION <u>Planning Point S. 2nd</u>			COUNTY <u>Sevier</u>	STATE <u>KS</u>	

OLD OR (NEW) (Circle one)

CONTRACTOR L. D. Dillmore
 TYPE OF JOB Oil well
 HOLE SIZE 12 1/4 T.D. 357'
 CASING SIZE 8 1/2 - 2 1/2 DEPTH 386.70
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. 15' - 237.851
 PERFS. _____

OWNER Simon CEMENT

AMOUNT ORDERED 225 1/4 402 1/3

COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING _____ @ _____
 MILEAGE _____ @ _____
 RELEASED _____

EQUIPMENT

PUMP TRUCK CEMENTER Mike
 # 224 HELPER Bob
 BULK TRUCK _____
 # 116 DRIVER Bill
 BULK TRUCK _____
 # _____ DRIVER _____

SEP 16 1998 TOTAL _____

REMARKS:

FROM CONFIDENTIAL SERVICE

Run 40' 3 1/2" 28" casing - Bore Case
total job 116 225 1/4 402 1/3 Disposal
well 237.851 H₂O cement left Case
Thank you
Allied Cementing
Mike, Bob, Bill

DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE _____ @ _____
 MILEAGE _____ @ _____
 PLUG 7 1/2 P _____ @ _____
 _____ @ _____
 _____ @ _____

TOTAL _____

CHARGE TO: Simon
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

TOTAL _____

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Charles Dillmore

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

ALLIED CEMENTING CO., INC.

0200

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: PARLEY

DATE <u>5-7-95</u>	SEC. <u>28</u>	TWP. <u>17S</u>	RANGE <u>31W</u>	CALLED OUT	ON LOCATION <u>8:50 AM</u>	JOB START <u>7:50 AM</u>	JOB FINISH <u>11:50 AM</u>
LEASE <u>HERMES "X"</u>	WELL# <u>1</u>	LOCATION <u>NE 1/4 Sec 28 T17S R31W</u>			COUNTY <u>DECATUR</u>	STATE <u>KS</u>	

OLD OR NEW (Circle one) NEW

CONTRACTOR L.D. DALLG.
 TYPE OF JOB PTA
 HOLE SIZE 7 7/8" T.D.
 CASING SIZE _____ DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4" DEPTH 2,300'
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____

OWNER State
 CEMENT

AMOUNT ORDERED 651

COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING _____ @ _____
 MILEAGE _____

EQUIPMENT

PUMP TRUCK CEMENTER TERRY
 # 191 HELPER WAHNE
 BULK TRUCK
 # 215 DRIVER DEAN
 BULK TRUCK
 # _____ DRIVER _____

RELEASED

SEP 16 1998

TOTAL _____

REMARKS:

5050 AT 2300'
5050 AT 1300'
4050 AT 700'
5050 AT 400'
1050 AT 40'
1050 AT HOLE

SERVICE FROM CONFIDENTIAL

DEPTH OF JOB 2300'
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE _____ @ _____
 MILEAGE _____ @ _____
 PLUG 8 1/2" AT HOLE @ _____
 _____ @ _____
 _____ @ _____

TOTAL _____

CHARGE TO: SLAWSON EXPLORATION CO., INC.

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES: 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.


2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

CONFIDENTIAL



ORIGINAL

RELEASED ON TESTING

P. O. Box 157
SEP 16 1998
HOLTON, KANSAS 67544
(316) 653-7550

API # 15-171-20483-0000

Page 1 of 2 Pages


~~FROM CONFIDENTIAL~~

Company Slawson Exploration Co., Inc. Lease & Well No. Hermes "X" No. 1
Elevation 2941 KB Formation Cherokee Sand Effective Pay _____ Ft. Ticket No. 1120
Date 5-6-95 Sec. 28 Twp. 17S Range 31W County Scott State Kansas
Test Approved By Kim B. Shoemaker Diamond Representative Roger D. Friedly
Formation Test No. 2 Interval Tested from 4,540 ft. to 4,600 ft. Total Depth 4,600 ft.
Packer Depth 4,535 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Packer Depth 4,540 ft. Size 6 3/4 in. Packer Depth _____ ft. Size _____ in.
Depth of Selective Zone Set _____
Top Recorder Depth (Inside) 4,528 ft. Recorder Number 13386 Cap. 3,875 psi
Bottom Recorder Depth (Outside) 4,597 ft. Recorder Number 13556 Cap. 4,400 psi
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____
Drilling Contractor L. D. Drilling, Inc. Drill Collar Length _____ I.D. _____ in.
Mud Type Chemical Viscosity 44 Weight Pipe Length _____ I.D. _____ in.
Weight 9.4 Water Loss 11.2 cc. Drill Pipe Length 4,515 ft. I.D. 3 1/2 in.
Chlorides 2,500 P.P.M. Test Tool Length 25 ft. Tool Size 3 1/2-IF in.
Jars: Make Bowen Serial Number Not Run Anchor Length 60 ft. Size 4 1/2-FH in.
Did Well Flow? No Reversed Out No Surface Choke Size 1 in. Bottom Choke Size 5/8 in.
Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2-XH in.

Blow: 1st Open: Weak, 1/2 in., blow increasing to 3 ins. No blow back during shut-in.
2nd Open: Weak, surface, blow increasing to 1 in. No blow back during shut-in.

Recovered 5 ft. of clean oil = .0513 bbls. (Gravity: 29 @ 60°)
Recovered 72 ft. of salt water = .73872 bbls.
Recovered 77 ft. of TOTAL FLUID = .79002 bbls.
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Remarks _____

Time Set Packer(s) 9:35 ~~AM.~~ ^{PM.} Time Started Off Bottom 12:35 ~~PM.~~ ^{AM.} Maximum Temperature 128°
Initial Hydrostatic Pressure (A) 2327 P.S.I.
Initial Flow Period Minutes 30 (B) 56 P.S.I. to (C) 47 P.S.I.
Initial Closed In Period Minutes 45 (D) 1047 P.S.I.
Final Flow Period Minutes 45 (E) 72 P.S.I. to (F) 64 P.S.I.
Final Closed In Period Minutes 60 (G) 1036 P.S.I.
Final Hydrostatic Pressure (H) 2292 P.S.I.



15-171-20483-0000

DIAMOND TESTING
P. O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313

Page 2 of 2 Pages

FLUID SAMPLE DATA

Company Slawson Exploration Co., Inc.

Lease & Well No. Hermes "X" No. 1

Date 5-6-95 Sec. 28 Twp. 17 S Range 31 W

Formation Test No. 2 Interval Tested From 4,540 ft. to 4,600 ft. Total Depth 4,600 ft.

Formation Cherokee Sand

	<u>MUD PIT</u>	<u>RECOVERY</u>	
Viscosity	<u>44</u> CP	<u>--</u> CP	
Weight	<u>9.4</u>	<u>--</u>	
Water Loss	<u>11.2</u> CC	<u>--</u> CC	
PH Factor	<u>9.5</u>	<u>--</u>	<u>Water</u> <u>7.5</u>

	<u>RESISTIVITY</u>		<u>CHLORIDE</u> <u>CONTENT</u>
Recovery Water	<u>.58</u> @	<u>62</u> °F.	<u>11,000</u> ppm
Recovery Mud	<u>--</u> @	<u>--</u> °F.	<u>--</u> ppm
Recovery Mud Filtrate	<u>--</u> @	<u>--</u> °F.	<u>--</u> ppm
Mud Pit Sample	<u>1.60</u> @	<u>65</u> °F.	<u>3,800</u> ppm
Mud Pit Sample Filtrate	<u>2.00</u> @	<u>68</u> °F.	<u>3,200</u> ppm

Sample Taken By Roger D. Friedly

Witness By Kim B. Shoemaker

Remarks Pit filtrate triton dish chlorides were 2,500 Ppm.
Recovery water dish chlorides were 9,500 Ppm.

15-171-20483-00-00

DJT # 2 outside
clock 6913 "CKSD"

1540 - 4600
LOC 4579

