

Kansas Corporation Commission Oil & Gas Conservation Division 1062820

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _	3895		API No. 15 - 15-107-24405-00-00
	eld Services, Inc.		Spot Description:
Address 1: 30805 COLI	WATER RD		NE_SW_NE_SW Sec. 5 Twp. 20 S. R. 23 F East West
Address 2:			
City: LOUISBURG	State: KS Zip	66053 + 8108	3315 Feet from ✓ East / ☐ West Line of Section
Contact Person: Bob Et	perhart		Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 285	-0873		□ NE □ NW ☑ SE □ SW
CONTRACTOR: License	#_4339		County: Linn
		E. Jackson Production Co.	Lease Name: North Baker Well #: G-7
Wellsite Geologist: N/A			Field Name: LaCygne-Cadmus
Purchaser: High Sierra	Crude Oil		Producing Formation: Peru
Designate Type of Comple	etion:		Elevation: Ground: 871 Kelly Bushing: 0
✓ New Well	Re-Entry	Workover	Total Depth: 300 Plug Back Total Depth:
	sw	 □ slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
Gas D8	A 🕢 ENHR	☐ sigw	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
og	☐ GSW	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Meth	ane)		If Alternate II completion, cement circulated from: 292
Cathodic Dtl	ner (Core, Expl., etc.):		feet depth to: 0 w/ 50 sx cmt
If Workover/Re-entry: Old	Well Info as follows:		SX GIVE
Operator:			
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date:	Original To	otal Depth:	
Deepening	Re-perf.	ENHR Conv. to SWD	Chloride content:ppm Fluid volume:bbls
	Conv. to	GSW	Dewatering method used:
Plug Back:	Pluç	g Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled	Permit #:		Operator Name:
Dual Completion	Permit #:		Lease Name: License #:
SWD	Permit #:		
☐ ENHR	Permit #:		QuarterSecTwpS. R East West
☐ GSW	Permit #:		County: Permit #:
7/12/2011	7/13/2011	12/29/2011	
Spud Date or (Recompletion Date	Date Reached TD	Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Letter of Confidentiality Received Date:						
Confidential Release Date:						
✓ Wireline Log Received☐ Geologist Report Received						
UIC Distribution ALT I I III Approved by: Destrue Carrier Date: 01/04/2012						

Side Two



1062820

Operator Name: Bobo	at Oilfield Servi	ces, Inc.		Lease	Name:	North Baker		Well #: _G-	7	
Sec. 5 Twp.20	s. R. <u>23</u>	✓ East	West		y: <u>Linn</u>					
INSTRUCTIONS: Shortime tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shu s if gas to surface te	it-in pressures est, along with	whether s	hut-in pre	ssure read	ched static level,	hydrostatic press	ures, bottom i	hole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional Sh	neets)	Yes	✓ No	•	V .	og Formation	n (Top), Depth and	i Datum		Sample
Samples Sent to Geolo	gical Survey	☐ Yes	√ No		Nam Peru	e		Тор 230	(Gi	Datum L
Cores Taken Electric Log Run Electric Log Submitted (If no. Submit Copy)	Electronically	✓ Yes ✓ Yes ✓ Yes	□ No □ No □ No							-
List All E. Logs Run:										
Gamma Ray/Neutron	/CCL									
		Penort al		RECORD		_	010			
Purpose of String	Size Hole Orilled	Size Ca Set (In	asing	We	surrace, inte eight . / Ft.	ermediate, producti Setting Depth	on, etc. Type of Cement	# Sacks Used		and Percent
Surface casing	8.75	6.25	<u> </u>	8		20	Portland	5	 	iddin 700
Production casing	5.625	2.875		6		292	Portland/Fly Ash	50	60/40	Poz Mix
									<u></u>	
Purpose:	Depth	i —		ŀ		JEEZE RECORD				
Perforate	Top Bottom	Type of Cement		# Sacks Used		Type and Percent Additives				
Plug Back TD Plug Off Zone	-									
	-								<u> </u>	
Shots Per Foot		ON RECORD - Footage of Each			ı		cture, Shot, Cement nount and Kind of Ma		rd	Depth
3	248-253 & 256-2 5	58			Acid 250 gal 7.5% HCL					
								····		
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:				
							Yes No			
Date of First, Resumed P	roduction, SWD or EN		oducing Meth	nod: Dumpi	ing 🗌	Gas Lift 0	ther (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er Bt	ois. G	as-Oil Ratio		Gravity
DISPOSITION	_		_	METHOD O Perf.	OF COMPLETION: PRODUCTION INTERVAL: Dually Comp. Commingled					
Vented Sold (If vented, Subm	Used on Lease		r (Specify)		(Submit	. —	nit ACO-4)			

Lease:	N BAKER	,		
Owner:	BOBCAT OILFIELD SERVICES, INC.			
OPR#:	3895			
Contractor:	DALE JACKS	PRODUCTION CO.		
OPR#:	4339	Super State		
Surface: 20FT, 6IN	Cemented: 5 SACKS	Hole Size: 8 3/4		
Longstring	Cemented:	Hole Size:		

Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Well #: G-7
Location:S2-NE-SW, S:5, T:20,
S.R.:23, E
County: LINN
FSL: 1650 1700
FEL: 3300 3315
APIN: 15-107-24405-00-00
Started: 7-12-11
Completed: 7-13-11
TD: 300

Well Log

SN: 230' Packer:
Plugged: Bottom Plug:

Depth			Depth	Formation				
2	TOP SQIL		ACE:7-12-1	1				
10	CLAY		SET TIME:4:00PM					
14	SHALE	ÇALLE	CALLED:1:00PM					
16	BLACK SHALE	LONGSTRING:292' 2 7/8 8RD PIPE, TD-300'						
18	UME							
24	SHALE							
29	LIME		CALLED II:43AM- ITEH					
30	BLACK SHALE							
39	SHALE (LIMEY)			· · · · · · · · · · · · · · · · · · ·				
178	SHAEL							
179	BLACK SHALE							
189	SHALE							
196	LIME							
214	SHALE (GAS)							
225.5	LIME (GAS)							
231	SHAEL							
233	OIL SAND (SOME SHALE) (SOME WATER) (FAIR BLEED)							
234	OIL SAND (SHALEY) (WATER & OIL) (GOOD BLEED)							
246	OIL SAND (GOOD BLEED) (SOME SHALE)							
248	OIL SAND (SOME SHALE) (WATER & OIL) (FAIR BLEED)							
250.5	OIL SAND (SOME SHALE) (GOOD BLEED)							
251.5	OIL SAND (SHALEY) (FAIR BLEED)							
254	SANDY SHALE (SOME OIL SAND STRKS) (POOR BLEED)							
257.5	OIL SAND (SOME SHALE) (FAIR BLEED)							
260	SANDY SHALE							
274	SHALE							
276	COAL							
283	SHALE							
293	UME							
300	SHALE							
	16 18 24 29 30 39 178 179 189 196 214 225.5 231 233 234 246 248 250.5 251.5 260 274 276 283 293	16 BLACK SHALE 18 LIME 24 SHALE 29 LIME 30 BLACK SHALE 39 SHALE (LIMEY) 178 SHAEL 179 BLACK SHALE 189 SHALE 196 LIME 214 SHALE (GAS) 231 SHAEL 233 OIL SAND (SOME SHALE) (SOME WATER) (FAIR BLEED) 234 OIL SAND (SOME SHALE) (WATER & OIL) (GOOD BLEED) 246 OIL SAND (GOOD BLEED) (SOME SHALE) 248 OIL SAND (SOME SHALE) (WATER & OIL) (FAIR BLEED) 250.5 OIL SAND (SOME SHALE) (GOOD BLEED) 251.5 OIL SAND (SOME SHALE) (FAIR BLEED) 254 SANDY SHALE (SOME OIL SAND STRKS) (POOR BLEED) 257.5 OIL SAND (SOME SHALE) (FAIR BLEED)	16 BLACK SHALE 18 LIME 24 SHALE 29 LIME 30 BLACK SHALE 39 SHALE (LIMEY) 178 SHAEL 189 SHALE 196 LIME 214 SHALE 225.5 LIME (GAS) 231 SHAEL 233 OIL SAND (SOME SHALE) (SOME WATER) (FAIR BLEED) 246 OIL SAND (SHALEY) (WATER & OIL) (GOOD BLEED) 246 OIL SAND (SOME SHALE) (WATER & OIL) (FAIR BLEED) 250.5 OIL SAND (SOME SHALE) (WATER & OIL) (FAIR BLEED) 250.5 OIL SAND (SOME SHALE) (WATER & OIL) (FAIR BLEED) 251.5 OIL SAND (SOME SHALE) (WATER & OIL) (FAIR BLEED) 252.5 OIL SAND (SOME SHALE) (FAIR BLEED) 253.5 OIL SAND (SOME SHALE) (FAIR BLEED) 254 SANDY SHALE (SOME OIL SAND STRKS) (POOR BLEED) 257.5 OIL SAND (SOME SHALE) (FAIR BLEED) 257.5 OIL SAND (SOME SHALE) (FAIR BLEED) 257.5 SANDY SHALE 260 SANDY SHALE 276 COAL 283 SHALE	16 BLACK SHALE 18 LIME 24 SHALE 29 LIME 30 BLACK SHALE 31 SHALE (LIMEY) 178 SHALE 179 BLACK SHALE 189 SHALE 189 SHALE 196 LIME 214 SHALE (GAS) 225-5 LIME (GAS) 231 SHAEL 233 OIL SAND (SOME SHALE) (SOME WATER) (FAIR BLEED) 234 OIL SAND (SOME SHALE) (WATER & OIL) (FAIR BLEED) 246 OIL SAND (SOME SHALE) (WATER & OIL) (FAIR BLEED) 250-5 OIL SAND (SOME SHALE) (WATER & OIL) (FAIR BLEED) 251.5 OIL SAND (SOME SHALE) (WATER & OIL) (FAIR BLEED) 252-4 SANDY SHALE (SOME OIL SAND STRKS) (POOR BLEED) 257.5 OIL SAND (SOME SHALE) (FAIR BLEED) 257.6 COAL 283 SHALE 293 LIME				



Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Lease :	NORTH BAKER
Owner:	BOBCAT OILFIELD SERVICES INC.
OPR#:	3895
Contractor:	DALE JACKSON PRODUCTION CO.
OPR#:	4339

Cell # 020-303-2003			
Office # 913-795-2991	County: LINN		
	FSL: 1650 1700		
	FEL: 3880 3315		
Ore Run #1	API#: 15-107-24405-0		

Well #: G-7
Location:S2-NE-SW, S:5, T:20, S.R.:23, E
County: LINN
FSL: 1659 17 00
FEL: 3300 3315
API#: 15-107-24405-00-00
Started: 7-12-11
Completed: 7-13-11

	77.77								
FT	Depth	Clock	Time	Formation/Remarks	Depth				
0	233								
1	234		ĭ	OIL SAND (SHALEY) (GOOD BLEED) (WATER & OIL)	234				
2	235		0.5						
				·					
3	236		1						
4	237		1.5						
5	238		2						
6	239		2						
7	240		2.5						
8	241		2						
9	242		1.5						
10	243		2						
11	244		2.5						
12	245		2.5						
13	246		1.5	OIL SAND (GOOD BLEED) (SOME SHALE)	246				
14	247		2						
				OIL SAND (SOME SHALE) {WATER & OIL} (FAIR BLEED)	248				
15	248		2.5						
16	249		2.5						
17	250		3	OIL SAND (SOME SHALE) (GOOD BLEED)	250.5				
18	251		2.5						
19	252		2.5	OIL SAND (SHALEY) (FAIR BLEED)	251.5				
•	252		25	SANDY SHALE (SOME OIL SAND STRKS) (POOR BLEED)					
20	253	-1-2	2.5	and					
			L						

\$4021,54

TOTAL

Avery Lumber
P.O. BOX 68
MOUND CITY, KS 66056
{913} 795-2210 FAX {913} 795-2194

Customer Copy INVOICE PLEASE REFER TO INVOICE NUMBER ON ALL CORRESPONDENCE

Involce: 10032661 Paga: 1 Special 17:30:16 Terro: 07/11/11 instructions Ship Date: Invoice Date: Q7/15/11 Sale rop #: MAVERY MIKE 08/05/11 Due Date: Acct rep code: Sold To: BOBCAT OILFIELD SRVC,INC BAD TO: BOBCAT OILFIELD SRVC,INC C/O BOB EBERHART (913) 637-2823 **30805 COLDWATER RD** LOUISBURG, K9 66053 (913) 837-2823 Customer #: 3570021 Customer PO: Order By: TERRY

popingon ORDER SHIP L U/M ITEM# DESCRIPTION Alt Price/Liom PRICE **EXTENSION** 280.00 280.00 BAG CPPC PORTLAND CEMENT 8.2900 2321,20 8,2900 BAG СРРМ 240.00 240.00 BAG 1224.00 POST SET FLY ASH 75# 5.1000 BAG 5.1000 14.00 14.00 L EΑ CPQP QUIKRETE PALLETS 17.0000 EA 17.0000 238.00 DIRECT DELIVERY, PHONE ORDER BY TERRY 913 -837 - 4159 FILLED BY CHECKED BY DATE SHEPPED DRIVER \$3783.20 Sales total SHIP VIA LINN COUNTY RECEIVED COMPLETE AND IN SCOOL CONDITION 3783.20 Taxable 0.00 Sales tax Non-texable 238.34 X

2 - Customer Copy

