* Corrected * CORRECTED

For KCC Use: 9-6-2011

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed

August 26, 2044	th the Kansas Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date: August 26, 2011 month day ye	par salari para sa
34592	NE NW SE NW Sec. 14 Twp. 14 S. R. 22
OPERATOR: Licenses	feet from N / X S Line of S
Name: Kansas Resource Exploration & Development, LLC Address 1: 9393 W. 110th St., Suite 500	SECTION: SECTION: Regular Irregular? W Line of S
Address 2:	is SECTION: Regular Imagular?
City: Overland Park State: KS Zip: _66210 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Brad Kramer	County
Phone: (913) 669-2253	Lease Name: Knabe D Well #: KRI-2
CONTRACTOR: License#_8509	Field Name: Gardner
Name: Evens Energy Development, Inc.	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Group
Mall Drillard For: Mall Classe: Time Southern	NI 41 71 1 1 1 1 1 7 1 900
Well Drilled For Well Class: Type Equipme	Ground Surface Flevation: 1,030 Estimated
Oil XEnh Rec XInfield Mud Rol	tery
Gas Storage Pool Ext. XAir Rota Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to boltom of fresh water: 200
Other:	Depth to bottom of usable water: 300
	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	
Well Name:	Projected Total Depth; 900'
Original Completion Date: Original Total Depth:	_
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Yes No Well X Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
Bottom Hole Location:	DWR Permit #:
Bottom Hole Location:	DWR Permit #:
Bottom Hole Location: KCC DKT#:	OWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes amposed zone:
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW 3633 F5L, 3477 FE SW-SE-NW-NW 4209 FSL, 4358 FE	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT DWR Permit #: (Note: Apply for Permit with DWR The second of t
Bottom Hole Location: KCC DKT #: NE-NW- SE NW 3633 F5L, 3477 FE SWSE-NW-NW 4209 FSL, 4358 F1 The undersigned hereby affirms that the drilling, completion and	DWR Permit #:
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW 3633 F5L, 3477 FE SW-SE-NW-NW 4209 FSL, 4358 FE	DWR Permit #:
Bottom Hole Location: KCC DKT #: NE-NW-SE NW 3\cap 3\cap 5\cap L, 3\cap 7\cap FE SW-SE-NW-NW 4209 FSL, 4358 FB The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w	OWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT I eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3
Bottom Hole Location: KCC DKT#: NE-NW- SE AW 3633 F5L, 3477 FE SWSE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and It is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. 2. A copy of the approved notice of intent to drill shall be possible.	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT I eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 KCC Will (Note: Apply for Permit with DWR Yes AFFIDAVIT AFFIDAVIT AUG 3 KCC Will KCC Will AUG 3
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 3477 FE The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w 2. A copy of the approved notice of intent to drill shall be possible. The minimum amount of surface pipe as specified below s	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT I eventual plugging of this well will comply with K.S.A. 55 et. seq. Well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pine shall be set.
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 3477 FE The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of the approved notice of intent to drill shall be posentially and the properties of the minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 24. If the well is dry hole, an agreement between the operator	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT If eventual plugging of this well will comply with K.S.A. 55 et. seq. Well; Sted on each drilling rig; Shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. If and the district office on plug length and placement is necessary prior to plugging:
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW 3V33 F5L, 3477 F6 SWSE-NW-NW 4209 F5L, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. A copy of the approved notice of intent to drill shall be pos. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT It eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; Sted on each drilling rig; Shall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation. It is not the underlying formation and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in:
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F1 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. A copy of the approved notice of intent to drill shall be pos. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20. If the well is dry hole, an agreement between the operator. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT If eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; Sted on each drilling rig; Shall be set by circulating cement to the top; in all cases surface pipe shall be set Of feet into the underlying formation. The audit he district office on plug length and placement is necessary prior to plugging; The either plugged or production casing is cemented in; The complete water to surface within 120 DAYS of sput date.
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 3477 FE SWSE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. A copy of the approved notice of intent to drill shall be pos. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case.	Will Cores be taken? If Yes, proposed zone: EL AFFIDAVIT I eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; In the set by circulating cement to the top; in all cases surface pipe shall be set to feel into the underlying formation. If and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. Sing order #133.891-C, which applies to the KCC District 3 area afternate. II composition
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F1 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. A copy of the approved notice of intent to drill shall be pos. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT If eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation. a rand the district office on plug length and placement is necessary prior to plugging; be either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. 2. A copy of the approved notice of intent to drill shall be possible. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the surface care.	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT If eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation. a rand the district office on plug length and placement is necessary prior to plugging; be either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F1 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. A copy of the approved notice of intent to drill shall be pos. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT If eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; be either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing, the best of my knowledge and belief.
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. A copy of the approved notice of intent to drill shall be pos. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator to the appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the statements made herein are true and	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT If eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation. If and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
Bottom Hole Location: KCC DKT#: C. NE-NW-SE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. 2. A copy of the approved notice of intent to drill shall be por. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the complete content. Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT I eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 00 feet into the underlying formation. I and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date, sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing, the best of my knowledge and belief. Remember to:
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. A copy of the approved notice of intent to drill shall be po: The minimum amount of surface pipe as specified belows through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator to appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the complete: According to the production of the spud date or the plants. Signature of Operator or Agent: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT I eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 for ething the district office on plug length and placement is necessary prior to plugging; and the district office on plug length and placement in; be cemented from below any usable water to surface within 120 DAYS of spud date, sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
Bottom Hole Location: KCC DKT #: NE-NW-SE-NW 3/33 F5L, 3477 F6 SWSE-NW-NW 4/209 FSL, 4/358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. A copy of the approved notice of intent to drill shall be possible through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the complete of the spud shall of the statements of the spud date or the spud shall. For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT It eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; Sted on each drilling rig; Schall be set by circulating cement to the top; in all cases surface pipe shall be set Of feet into the underlying formation. It and the district office on plug length and placement is necessary prior to plugging; It either plugged or production casing is cemented in; De cemented from below any usable water to surface within 120 DAYS of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
Bottom Hole Location: KCC DKT #: NE-NW-SE AW 3V33 F5L, 3477 F6 SWSE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. 2. A copy of the approved notice of intent to drill shall be por. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the Date: 7-29-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 09/-235750000 Conductor pipe required feet	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Rece Aug 3 Well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. It is compared in the best of my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. 2. A copy of the approved notice of intent to drill shall be por. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the production pipe required	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Rece Are a ventual plugging of this well will comply with K.S.A. 55 et. seq. Aug 3 Well; Sted on each drilling rig; Shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation. If and the district office on plug length and placement is necessary prior to plugging; If either plugged or production casing is cemented in; If be cemented from below any usable water to surface within 120 DAYS of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. A copy of the approved notice of intent to drill shall be po: The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the point of the spud state of the spu	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Rece Are a common and the district office on plug length and placement is necessary prior to plugging; be either plugged or production casing is ceremeted in; be ceremeted from below any usable water to surface within 120 DAYS of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. 2. A copy of the approved notice of intent to drill shall be por. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the production pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 09/-23575 0000 Conductor pipe required None feet per ALT. Approved by: \$\frac{\text{FWH} 9-1-201}{\text{Implements}} \text{ feet per ALT.} This authorization expires: \$\frac{\text{G-1-2-01}}{\text{Implements}} \text{ feet per ALT.}	Will Cores be taken? If Yes, proposed zone: RECE AFFIDAVIT I eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation. I and the district office on plug length and placement is necessary prior to plugging; Seither plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. A copy of the approved notice of intent to drill shall be po: The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the point of the spud state of the spu	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT RECE AFFIDAVIT I eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 velt; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation. I and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. Ising order #133,891-C, which applies to the KCC District 3 area, afternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. The best of my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water.
Bottom Hole Location: KCC DKT#: NE-NW-SE AW 3V33 F5L, 3477 FE NE-NW-SE-NW-NW 4209 FSL, 4358 FE The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. 2. A copy of the approved notice of intent to drill shall be por. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20. If the well is dry hole, an agreement between the operator. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface case must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the provide the surface of Operator or Agent: For KCC Use ONLY API # 15 - 09/ -23575000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECE AFFIDAVIT I eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation. I and the district office on plug length and placement is necessary prior to plugging; Seither plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
Bottom Hole Location: KCC DKT#: NE-NW-SE-NW-NW 4209 FSL, 4358 F8 The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. Notify the appropriate district office prior to spudding of w. 2. A copy of the approved notice of intent to drill shall be por. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the production pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 09/-23575 0000 Conductor pipe required None feet per ALT. Approved by: \$\frac{\text{FWH} 9-1-201}{\text{Implements}} \text{ feet per ALT.} This authorization expires: \$\frac{\text{G-1-2-01}}{\text{Implements}} \text{ feet per ALT.}	Will Cores be taken? If Yes, proposed zone: RECE AFFIDAVIT I eventual plugging of this well will comply with K.S.A. 55 et. seq. AUG 3 Well; Sted on each drilling rig; Shall be set by circulating cement to the top; in all cases surface pipe shall be set O feet into the underlying formation. I and the district office on plug length and placement is necessary prior to plugging; I either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, afternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. the best of my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days): - Obtain written approval before disposing or injecting salt water. - If well will not be drilled or permit has expired (See: authorized expiration date)

JAN 3 0 2012 KCC WICHITA



For KCC Use ONLY		•
API # 15 - 091-2	2070	TOTAL
API # 15 - 077	33/3	<u> </u>

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

ator: Kansas Resource Exploration & Development, LLC Knabe D Number: KRI-2 Gardner	2,683 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Line of Section W Line of Section Twp. 14 S. R. 22 X S Line of Section W Line of Section X E W E W
Der of Acres attributable to well: QTR/QTR/QTR of acreage: SW SE N	- NW	Regular or irregular irregular. Irregular, locate well from nearest corner boundary. Ir used: NE NW SE SW
lease roads, tank batteries, pipelines and ele	octrical lines, as required by the Kans You may attach a separate plat if desi	lary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). red.
In Bidd	24TT -X11768	LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
3033	1000	EXAMPLE
44209		1980° FS
		SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

 The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, RECEIVED 4 sections, etc.

2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

AUG 3 1 2011

- 3. The distance to the nearest lease or unit boundary line (in footage).
 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for pil walls; KCC WICHITA
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

RECEIVED JAN 3:0 2012

KCC WICHITA

15-091-23575-0000

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CORRECTED
Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 34592	Well Location: ASW SE NW NW
OPERATOR: License # 34592 Name: Kansas Resource Exploration & Development, LLC Address 1: 9393 W. 110th St., Suite 500	NE NW SE NW Sec. 14 Twp. 14 S. R. 22 X Eas West
Address 3: 9393 W. 110th St., Suite 500	County: Johnson
N 14	KDADED KRI-2
City: Overland Park State: KS Zip: 66210 +	
City: Overland Park State: KS Zip: 66210 + Contact Person; Brad Kramer	the lease below:
Phone: ((913)) 669-2253 Fax: (913) 451-6750	
Phone: ((913)) 669-2253 Fax: (913) 451-6750 Email Address: kramerbradley@yahoo.com	
Surface Owner Information:	
Name: Ronald & Susan Rushing	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1: 661 N Pine Cir.	sheet listing all of the information to the left for each surface owner. Surface
	 owner information can be found in the records of the register of deeds for
Address 2:	county, and in the real estate property tax records of the county treasurer.
State: KS Zip: 66030 +	county, and in the real estate property tax records of the county treasurer.
City: Gardner State: KS Zip: 66030 Land City: Gardner State: KS Zip: 66030 Land Carterity or CB-1 (Intent) or CB-1 (Int	Cathodic Protection Borehole Intent), you must supply the surface owners and its, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. otice Act (House Bill 2032), I have provided the following to the surface fill be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
State: KS Zip: 66030 + If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be entitled select one of the following:	Cathodic Protection Borehole Intent), you must supply the surface owners and ds, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. otice Act (House Bill 2032), I have provided the following to the surface ill be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form of form being filed is a Form C-1 or Form CB-1, the plat(s) required by this, fax, and email address. (s). I acknowledge that, because I have not provided this information, the ace owner(s). To mitigate the additional cost of the KCC performing this andling fee, payable to the KCC, which is enclosed with this form. Indiing fee with this form. If the fee is not received with this form, the KSONA-1 in CP-1 will be returned.
State: KS Zip: 66030 + If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be entitled select one of the following:	Cathodic Protection Borehole Intent), you must supply the surface owners and its, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. otice Act (House Bill 2032), I have provided the following to the surface fill be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this, fax, and email address. (s). I acknowledge that, because I have not provided this information, the acc owner(s). To mitigate the additional cost of the KCC performing this andling fee, payable to the KCC, which is enclosed with this form. RECEIVED.
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be entitled to select one of the following:	(Cathodic Protection Borehole Intent), you must supply the surface owners and its, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. otice Act (House Bill 2032), I have provided the following to the surface form being filed is a Form C-1 or Form CB-1, Form CB-1, Form T-1, or Form the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this, fax, and email address. (s). I acknowledge that, because I have not provided this information, the acce owner(s). To mitigate the additional cost of the KCC performing this andling fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 m CP-1 will be returned. RECEIVED RECEIVED AUG 3 1 2011

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED

RECEIVED
JAN 3 0 2012

KCC WICHITA



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate Operator Name: Kansas Resource Exploration & Development, LLC License Number: 34592 Operator Address: 9393 W. 110th St., Suite 500 Overland Park KS 66210 Contact Person: Brad Kramer (913) 669-2253 Phone Number: Lease Name & Well No.: Knabe D KRI-2 Pit Location (QQQQ): * SW - SE - NW-NW Type of Pit: Pit is: 14 Twp. 14 R. 22 X East West Emergency Pit Burn Pit X Proposed Existing Settling Pit X Drilling Pit If Existing, date constructed: 3,633 et from 🔲 North / 🔀 South Line of Section Workover Pit Haul-Off Pit Feet from X East / West Line of Section (If WP Supply API No or Year Drilled) Pit capacity: 120 Johnson (bbls) Is the pit located in a Sensitive Ground Water Area? Yes X No Chloride concentration: ma/l (For Emergency Pils and Settling Pits only) is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? X Yes No Yes X No Native Clay 15 10 Pit dimensions (all but working pits): Length (feet) _Width (feet) N/A: Steel Pits Depth from ground level to deepest point: (feat) No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water. Source of information: measured Depth of water well. well owner electric log X KDWR Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: **Drilling Mud** Producing Formation: Type of material utilized in drilling/workover 2 Number of producing wells on lease: Number of working pits to be utilized: Air dry and backfill Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No RECEIVED Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief AUG 3 1 201 KCC WICHITA 7-29-11 Date Signature of Applicant or Agent KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS Date Received: 8-3/-11 Permit Number: Permit Date: Lease Inspection: Yes 🛧 No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

JAN 3/0 2012

KCC WICHITA