€ CL* CORRECTED

Effective Date:

Kansas Corporation Commission Oil & Gas Conservation Division

March 2010 Form must be Typed

Form KSONA-			ive (5) days prior to commencing well	
	1, Certification of C	be approved by KCC II ompliance with the Kansi	as Surface Owner Notification Act, MUST be submitted with	this form.
E 4-4 C-4 Dates	September 1, 2011	Ì	Spot Description:	
Expected Spring Date	month day		NW _ SE _ SE _ NW Sec. 14 Twp. 14	s. R. 22
34	1592		(3000) 2085 feet from 1	
OPERATOR: License#		ILC	feet from IXI	: / 🗍 W Line of Sect
Address 1: 9393 W. 110th St., S			+ 100 10N: ⊠Regular ☐ irregular?	
Artdress 2			— (Note: Locate well on the Section Plat on a	reverse side)
City: Overland Park	State: KS Z	ip: 66210 +		1010/30 3/00/
Contact Person: Brad Kramer			Lease Name: Knabe D	Well #:_KRI-6
Phone: (913) 669-2253			Field Name: Gardner	
CONTRACTOR: License#850	09		- Is this a Prorated / Spaced Field?	☐Yes 🔀
Name: Evans Energy Developmen			- Target Formation(s): Cherokee Group	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage): 289	-x4De
		Ä	Ground Surface Elevation: 1,034 Estimated	feet M
Enh Rec	X Infield Pool Ext.	Mud Rotary Air Rotary	Water well within one-quarter mile:	∐Yes ⊠
Gas Storage Disposal	Wildcat	Cable	Public water supply well within one mile:	☐Yes 🔀
Seismic ;# of Hol			Depth to bottom of fresh water: 200	
Other:			Depth to bottom of usable water: 300	
			Surface Pipe by Alternate: II XII	
lif OWWO: old well inform	mation as follows:		Length of Surface Pipe Planned to be set: 20'	
Operator:			Length of Conductor Pipe (if any):	
Well Name:			Projected Total Depth: 900'	
Original Completion Date:	Origina	al Total Depth:	Formation at Total Depth: Bartlesville	
Directional Deviated or Mariane	tal wellhom?	Yes ⊠ No	Water Source for Drilling Operations:	
Directional, Deviated or Horizont If Yes, true vertical depth:				
Bottom Hole Location:			DWR Permit #:	
KCC DKT #:	•		(Note: Apply for Permit with DWR	
2 2 00	75 FEL A	1LUB 399	Will Cores be taken?	☐Yes 🔀
45: 1085 PSC 07				
			If Yes, proposed zone:	
ts: 3088 FSC 87 5: 3102 FSC 301		1LUB 406	FFIDAVIT	RECEIVI
s: 3/02 FSL 304	03 FEL N	1LUB 406 A		
S: 3/02 FSL 300 The undersigned hereby affirm	ns that the drilling.	ALUB 406 A completion and eventual	FFIDAVIT	
S: 3/02 FSL 300 The undersigned hereby affirm	o3 FEL Ans that the drilling, minimum requirement	Acompletion and eventual ents will be met:	FFIDAVIT	
S: 3/02 FSL 300 The undersigned hereby affirm It is agreed that the following r 1. Notify the appropriate di	ns that the drilling, minimum requirement istrict office prior to	Acompletion and eventual ents will be met:	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.	AUG 3 1 ;
The undersigned hereby affirm It is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of	ns that the drilling, minimum requireme istrict office prior to notice of intent to of surface pipe as s	A completion and eventual ents will be met: o spudding of well; drill shall be posted on eapecified below shall be s	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe	AUG 3 1 ;
The undersigned hereby affirm It is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved of the minimum amount of through all unconsolidates.	ns that the drilling, minimum requireme istrict office prior to notice of intent to of surface pipe as sized materials plus as the district of the surface pipe as sized materials plus as the district of the surface pipe as sized materials plus as as siz	A completion and eventual ents will be met: a spudding of well; trill shall be posted on eapecified below shall be so	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation.	AUG 3 1 ;
The undersigned hereby affirm it is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, an	ns that the drilling, minimum requirement istrict office prior to notice of intent to off surface pipe as signed materials plus an agreement between	Acompletion and eventual ents will be met: a spudding of well; trill shall be posted on ea pecified below shall be sa minimum of 20 feet into en the operator and the desired below shall be sa minimum of 20 feet into	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pri	AUG 3 1 ;
The undersigned hereby affirm it is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved. 3. The minimum amount of through all unconsolidat. 4. If the well is dry hole, ar 5. The appropriate district. 6. If an ALTERNATE II CO	ns that the drilling, minimum requireme istrict office prior to office prior to office prior to office prior as sited materials plus an agreement betwee office will be notified MPLETION, produ	Acompletion and eventual ents will be met: o spudding of well; trill shall be posted on ea pecified below shall be so a minimum of 20 feet into en the operator and the ded before well is either pluction pipe shall be cemen	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. itsirict office on plug length and placement is necessary pri ugged or production casing is cemented in; inted from below any usable water to surface within 120 DAY	AUG 3 1 ; sulface. WICH for to plugging; vs of spud date.
The undersigned hereby affirm It is agreed that the following root 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Appendio	ns that the drilling, minimum requireme istrict office prior to notice of intent to of surface pipe as sited materials plus and office will be notified MPLETION, produx "B" - Eastern Kan	completion and eventual ents will be met: o spudding of well; drilf shall be posted on ea pecified below shall be a minimum of 20 feet into en the operator and the obefore well is either pluction pipe shall be cements as surface casing order	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. istrict office on plug length and placement is necessary pri ugged or production casing is cemented in; ted from below any usable water to surface within 120 DA) #133,891-C, which applies to the KCC District 3 area, alter	AUG 3 1 ; se simple sim
The undersigned hereby affirm It is agreed that the following rown 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendio	ns that the drilling, minimum requireme istrict office prior to notice of intent to of surface pipe as sited materials plus and office will be notified MPLETION, produx "B" - Eastern Kan	completion and eventual ents will be met: o spudding of well; drilf shall be posted on ea pecified below shall be a minimum of 20 feet into en the operator and the obefore well is either pluction pipe shall be cements as surface casing order	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. itsirict office on plug length and placement is necessary pri ugged or production casing is cemented in; inted from below any usable water to surface within 120 DAY	AUG 3 1 ; se simple sim
The undersigned hereby affirm It is agreed that the following root 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Appendio	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as signed materials plus an agreement betwee office will be notified MPLETION, produx "B" - Eastern Kankin 30 days of the signed.	completion and eventual ents will be met: cospudding of well; trill shall be posted on eapecified below shall be so a minimum of 20 feet into en the operator and the debefore well is either pluction pipe shall be cement as surface casing order pud date or the well shall	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pri ugged or production casing is cemented in; attendation to the complete set of the com	AUG 3 1 ; se simple sim
The undersigned hereby affirm It is agreed that the following root 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix must be completed with	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as sited materials plus an office will be notified MPLETION, produx "B" - Eastern Kantin 30 days of the sinents made herein	completion and eventual ents will be met: o spudding of well; drilf shall be posted on ea pecified below shall be a minimum of 20 feet into en the operator and the old before well is either pluction pipe shall be cement as surface casing order pud date or the well shall are true and to the best of	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. istrict office on plug length and placement is necessary pri ugged or production casing is cemented in; ted from below any usable water to surface within 120 DAX #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief.	AUG 3 1 ; e sixCeWICH for to plugging; YS of spud date. rnate II cementing
The undersigned hereby affirm It is agreed that the following root 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix must be completed with	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as signed materials plus an agreement betwee office will be notified MPLETION, produx "B" - Eastern Kankin 30 days of the signed.	completion and eventual ents will be met: o spudding of well; drilf shall be posted on ea pecified below shall be a minimum of 20 feet into en the operator and the old before well is either pluction pipe shall be cement as surface casing order pud date or the well shall are true and to the best of	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pri ugged or production casing is cemented in; attendation to the complete set of the com	AUG 3 1 ; se simple sim
The undersigned hereby affirm It is agreed that the following root 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix must be completed with I hereby certify that the statem Date: 7-29-11	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as sited materials plus an office will be notified MPLETION, produx "B" - Eastern Kantin 30 days of the sinents made herein	completion and eventual ents will be met: o spudding of well; drilf shall be posted on ea pecified below shall be a minimum of 20 feet into en the operator and the old before well is either pluction pipe shall be cement as surface casing order pud date or the well shall are true and to the best of	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pri agged or production casing is cemented in; attendation below any usable water to surface within 120 DAN #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to:	AUG 3 1 se silence CelVICE for to plugging; YS of spud date. rnate II cementing any cementing.
The undersigned hereby affirm It is agreed that the following rows 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix must be completed with I hereby certify that the statem Date: 7-29-11	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as sited materials plus an office will be notified MPLETION, produx "B" - Eastern Kantin 30 days of the sinents made herein	completion and eventual ents will be met: o spudding of well; drilf shall be posted on ea pecified below shall be a minimum of 20 feet into en the operator and the old before well is either pluction pipe shall be cement as surface casing order pud date or the well shall are true and to the best of	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. itsirict office on plug length and placement is necessary progged or production casing is cemented in; itted from below any usable water to surface within 120 DA; #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface.	AUG 3 1 2 standard and a standard an
The undersigned hereby affirm It is agreed that the following rows 1. Notify the appropriate discovered 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO. Or pursuant to Appendix must be completed with 1 hereby certify that the statem Date: 7-29-11 For KCC Use ONLY API # 15 - 091 - 23	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as sited materials plus an office will be notified MPLETION, produx "B" - Eastern Kantin 30 days of the sinents made herein	completion and eventual ents will be met: spudding of well; drill shall be posted on ear pecified below shall be so a minimum of 20 feet into en the operator and the drill before well is either pluction pipe shall be cemer pud date or the well shall are true and to the best of rator or Agent:	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. itstrict office on plug length and placement is necessary progged or production casing is cemented in: ted from below any usable water to surface within 120 DAN #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	for to plugging; YS of spud date. rnate II comenting any cementing.
The undersigned hereby affirm It is agreed that the following rows 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix must be completed with I hereby certify that the statem Date: 7-29-11	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as sited materials plus an office will be notified MPLETION, produx "B" - Eastern Kantin 30 days of the sinents made herein	completion and eventual ents will be met: o spudding of well; drilf shall be posted on ea pecified below shall be a minimum of 20 feet into en the operator and the old before well is either pluction pipe shall be cement as surface casing order pud date or the well shall are true and to the best of	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. itsirict office on plug length and placement is necessary progged or production casing is cemented in; inted from below any usable water to surface within 120 DAI #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill	AUG 3 1 2 content of the state
The undersigned hereby affirm it is agreed that the following real 1. Notify the appropriate disproved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, are 5. The appropriate district 6. If an ALTERNATE II CO. Or pursuant to Appendismust be completed with 1 hereby certify that the statem Date: 7-29-11 For KCC Use ONLY API # 15 - 091 - 23	ns that the drilling, minimum requirements office prior to notice of intent to of surface pipe as sized materials plus an agreement betwee office will be notified MPLETION, product "B" - Eastern Kantin 30 days of the signents made herein Signature of Oper None	completion and eventual ents will be met: spudding of well; drill shall be posted on ear pecified below shall be so a minimum of 20 feet into en the operator and the drill before well is either pluction pipe shall be cemer pud date or the well shall are true and to the best of rator or Agent:	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. itstrict office on plug length and placement is necessary progged or production casing is cemented in: ted from below any usable water to surface within 120 DAN #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	AUG 3 1 2 e share CeWICH for to plugging; YS of spud date, rnate II cementing any cementing. e Owner Notification : ate;
The undersigned hereby affirm it is agreed that the following reaches 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, are 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendio must be completed with 1 hereby certify that the statem Date: 7-29-11 For KCC Use ONLY API # 15 - 91 - 23 Conductor pipe required	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as sized materials plus an agreement betwee office will be notified MPLETION, product "B" - Eastern Kandin 30 days of the signanture of Open Signature of Open None	completion and eventual ents will be met: a spudding of well; drill shall be posted on ear pecified below shall be so a minimum of 20 feet into en the operator and the drill shall be cemented before well is either plus sas surface casing order pud date or the well shall are true and to the best of the contract of Agent: ———————————————————————————————————	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. itsirict office on plug length and placement is necessary progged or production casing is cemented in; itted from below any usable water to surface within 120 DAI #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a if my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud discounts.	AUG 3 1 : strange of spud date. roate II comenting any cementing. e Owner Notification tate; orders;
The undersigned hereby affirm it is agreed that the following reached is agreed that the following reached is agreed that the following reached is not though all unconsolidated. If the well is dry hole, are in the second in th	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as sized materials plus an agreement betwee office will be notified MPLETION, product "B" - Eastern Kandin 30 days of the signanture of Open Signature of Open None	completion and eventual ents will be met: a spudding of well; drill shall be posted on ear pecified below shall be so a minimum of 20 feet into en the operator and the drill shall be cemented before well is either plus sas surface casing order pud date or the well shall are true and to the best of the true and to the best of the true and to the same true and to the feet per ALT.	FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pri agged or production casing is cemented in; attend from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workoy - Submit plugging report (CP-4) after plugging is complete	AUG 3 1 2 In the plugging; YS of spud date, mate II comenting any cementing. The commenting any cementing are commenting.
The undersigned hereby affirm It is agreed that the following rows 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix must be completed with I hereby certify that the statem Date: T-29-11 For KCC Use ONLY API # 15 - O91 - 23 Conductor pipe required Minimum surface pipe required Approved by: WWW 9-1-	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as sted materials plus an agreement betwee office will be notified MPLETION, produx "B" - Eastern Kannin 30 days of the signature of Oper None	completion and eventual ents will be met: a spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into en the operator and the debefore well is either plus of the shall be cement of the same surface casing order pud date or the well shall are true and to the best of the same o	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. the underlying formation. istrict office on plug length and placement is necessary progged or production casing is cemented in; inted from below any usable water to surface within 120 DAN #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting sail	AUG 3 1 2 Se share CeVICH for to plugging; YS of spud date, rnate II cementing any cementing. e Owner Notification it ate; orders; ver or re-entry; ed (within 60 days); It water.
The undersigned hereby affirm it is agreed that the following reaches 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendic must be completed with 1 hereby certify that the statem Date: 7-29-11 For KCC Use ONLY API # 15 - O91 - 23 Conductor pipe required Minimum surface pipe required Approved by: 11-15 - 15 - 15 - 15 - 15 - 15 - 15 -	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as sted materials plus an agreement betwee office will be notified MPLETION, produx "B" - Eastern Kannin 30 days of the signature of Oper None	completion and eventual ents will be met: a spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into en the operator and the debefore well is either plus of the shall be cement of the same surface casing order pud date or the well shall are true and to the best of the same o	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. itstrict office on plug length and placement is necessary progged or production casing is cemented in; ted from below any usable water to surface within 120 DA; #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field provided. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sale. If well will not be drilled or permit has expired (See: auth	AUG 3 1 2 e shared eVICH for to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification ate; orders; ver or re-entry; ed (within 60 days): it water. orized expiration date)
The undersigned hereby affirm It is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved di 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix must be completed with I hereby certify that the statem Date: 7-29-11 For KCC Use ONLY API # 15 - 91 - 23 Conductor pipe required Minimum surface pipe required Approved by: 44 9 - 1- This authorization expires: 1	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as sted materials plus an agreement betwee office will be notified MPLETION, produx "B" - Eastern Kannin 30 days of the signature of Oper None	completion and eventual ents will be met: a spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into en the operator and the debefore well is either plus of the shall be cement of the same surface casing order pud date or the well shall are true and to the best of the same o	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pri upged or production casing is cemented in; attention below any usable water to surface within 120 DAN #133,891-C, which applies to the KCC District 3 area, after be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill - File acreage attribution plat according to field proration - Notify appropriate district office 48 hours prior to workor - Submit plugging report (CP-4) after plugging is complet - Obtain written approval before disposing or injecting sail - If well will not be drilled or permit has expired (See: auth please check the box below and return to the address b	AUG 3 1 2 e shared eVICH for to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification ate; orders; ver or re-entry; ed (within 60 days): it water. orized expiration date)
The undersigned hereby affirm It is agreed that the following r. 1. Notify the appropriate d. 2. A copy of the approved. 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendic must be completed with 1 hereby certify that the statem Date: 7-29-11 For KCC Use ONLY API # 15 - O91 - 23 Conductor pipe required Minimum surface pipe required Approved by: 1-1-1 This authorization expires: 1 (This authorization expires: 1 (This authorization void if drilling)	ns that the drilling, minimum requirement istrict office prior to notice of intent to of surface pipe as stated materials plus an agreement betwee office will be notified MPLETION, produx "B" - Eastern Kannin 30 days of the statements made herein Signature of Oper None 1901 Mone 1901 M	completion and eventual ents will be met: a spudding of well; drill shall be posted on ea pecified below shall be so a minimum of 20 feet into en the operator and the debefore well is either plus of the shall be cement of the same surface casing order pud date or the well shall are true and to the best of the same o	plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface pipe the underlying formation. itstrict office on plug length and placement is necessary progged or production casing is cemented in; ted from below any usable water to surface within 120 DA; #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field provided. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sale. If well will not be drilled or permit has expired (See: auth	AUG 3 1 2 e shared eVICH for to plugging; YS of spud date. rnate II cementing any cementing. e Owner Notification ate; orders; ver or re-entry; ed (within 60 days): it water. orized expiration date)

For KCC Use ONLY
API # 15 - D 9/-235 79-0000



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

in all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

ease: Knabe D	ion & Development, LLC	3,085 * 7			
Vell Number: KRI-6			2975 ¥ 750 3 feet from 🔀 E / 🔲 W Line of Section		
ield: <u>Gardner</u>		Sec. <u>14</u> Tv	wp. <u>14</u> S. R. <u>22</u> E		
umber of Acres attributable to w		ls Section: 🔀 F	Regular or Integular		
TR/QTR/QTR/QTR of acreage:	- SE - GE - MI		ular, locate well from nearest corner boundary.		
		Section corner use			
		PLAT			
Show location	of the well. Show footage to the ne		ine. Show the predicted locations of		
			urface Owner Notice Act (House Bill 2032).		
	Sec 14 You may attac	ch a separate plat if desired.			
	<u></u>	: :			
			LEGEND		
			O Well Location		
Asile			Tank Battery Location		
V27		· · · · · · · · · · · · · · · · · · ·	Pipeline Location Electric Line Location		
/ 1			Lease Road Location		
		2975			
	. —	<i>i</i>			
	1 KRI-60	* 2010 7 1	EVANOUE		
	KRI-CO	7 306 3	EXAMPLE		
	KRI-CO	* 306 3	EXAMPLE		
	1 KRI-60	*30b3	EXAMPLE		
	3085 X 3102	*30b3	EXAMPLE		
	1 KRI-60 3085 X 3100	73063	EXAMPLE 1980 FSL		
	1 KRI-60 3085 ** 3100	73063			
	1 KRI-60 3085 *X 3102	*30\p3			

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED

KCC WICHITA

JAN 3 0 2012

KCC WICHITA

15-091-235 79-00-00 Kansas Corporation Commission

Oil & Gas Conservation Division

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-1 July 2010 Form Must Be Typed Form Must Be Typed
Form must be Signed
At the His must be Filled

ehole Intent);
a Application).

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic P	Oceaning and the street of the
OPERATOR: License # 34592 Well	Location:
Name: Kansas Resource Exploration & Development, LLC NW	SE_SE_NW Sec. 14 Twp. 14 S. R. 22 XEas West
Address 1: 9393 W. 110th St., Suite 500	lohnson
Address 2:	e Name: Knabe D Well #: KRI-6
City: Overland Park State: KS Zip: 66210 + If filin	ng a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Brad Kramer the I	ease below:
Phone: ((913)) 669-2253 Fax: (913) 451-6750	
OPERATOR: License # 34592 Well Name: Kansas Resource Exploration & Development, LLC NW Address 1: 9393 W. 110th St., Suite 500 Cour Address 2: Leas City: Overland Park State: KS Zip: 66210 If filin Contact Person: Brad Kramer the I Phone: (913) 669-2253 Fax: 913 451-6750 Email Address: kramerbradley@yahoo.com	
Surface Owner Information:	
Name: Ronald & Susan Rushing Whe	n filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	t listing all of the information to the left for each surface owner. Surface or information can be found in the records of the register of deeds for the
	ty, and in the real estate property tax records of the county treasurer.
City: Gardner State: KS Zip: 66030 +	
I certify that, pursuant to the Kansas Surface Owner Notice Act (House owner(s) of the land upon which the subject well is or will be located: 1 CP-1 that I am filing in connection with this form; 2) if the form being file form; and 3) my operator name, address, phone number, fax, and email. I have not provided this information to the surface owner(s). I acknowled KCC will be required to send this information to the surface owner(s), task, I acknowledge that I am being charged a \$30.00 handling fee, pay. If choosing the second option, submit payment of the \$30.00 handling fee with form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be	I) a copy of the Form C-1, Form CB-1, Form T-1, or Form d is a Form C-1 or Form CB-1, the plat(s) required by this address. dge that, because I have not provided this information, the To mitigate the additional cost of the KCC performing this able to the KCC, which is enclosed with this form. this form. If the fee is not received with this form, the KSONA-1
I hereby certify that the statements made herein are true and correct to the best	of my knowledge and belief. AU6 3 1 2011
Date: 7-29-11 Signature of Operator or Agent: BK	Title: Agent KCC WICHITA
	RECEIVED
Mail to: KCC - Conservation Division, 130 S. Market	- Room 2078, Wichita, Kansas 67202 JAN 3 0 2012
	KCC WICHITA

Kansas Corporation Commission Oil & Gas Conservation Division

APPLICATION FOR SURFACE PIT

CORRECTED
Form must be Typed

Submit in Duplicate

Operator Name: Kansas Resource Exp	loration & Devel	License Number: 34592				
Operator Address: 9393 W. 110th	St., Suite 500	Overland Park KS 66210				
Contact Person: Brad Kramer		Phone Number: (913) 669-2253				
Lease Name & Well No.: Knabe D KR		I -6	Pit Location (QQQQ):			
Type of Pit:	Pit Is:		NW SE SE NW			
Emergency Pit Burn Pit	, <u> </u>	☐ Existing	Sec. 14 Twp. 14 R. 22 X East West			
Settling Pit X Drilling Pit	If Existing, date con		3,085 Feat from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		2.975 Feet from ▼ East / West Line of Section Johnson County			
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
is the bottom below ground level? XYes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? Native Clay			
Pit dimensions (all but working pits):	5 Length (fee	et)10	Width (feet)			
Depth fro	om ground level to dee	pest point:	5 (feet) No Pit			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	iner	•	edures for periodic maintenance and determining including any special monitoring.			
Distance to regrest up to up II within one crite	nf nit-	Don'th to challe				
Distance to nearest water well within one-mile	oi pit.	Source of infor	owest fresh water feet.			
N/Afeet Depth of water wellfeet		measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY: Drilling Mud				
Producing Formation:			at utilized in drilling/workover:			
Number of producing wells on lease: Barrels of fluid produced daily:			rking pils to be utilized:			
Does the slope from the tank battery allow all s flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. AUG 3 1 2011						
7-29-11		TSK	KCC WICHITA			
Date		Sig	gnature of Applicant or Agent			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: 8-31-11 Permit Number: Permit Date: 4-41 Lease Inspection: Yes No						

Mall to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

JAN 3:0 2012

KCC WICHITA