* Corrected*

CORRECTED

For KCC Use:	9-6-2011
Effective Date:	102011
District #	3
SGA? Yes	XNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Eillad

NOTICE OF INTENT TO DRILL

Expected Spud Date: September 27, 2011	Kansas Surface Owner Notification Act, MUST be submitted with this form.
month day year	Spot Description:
SPERATOR 4 34592	NE SE NW Sec. 14 Twp. 14 S. R. 22
OFERAIOR: License#	feet from N / X s Line of S
Name: Kansas Resource Exploration & Development, LLC	feet from XE / W Line of S
Address 1; 9393 W. 110th St., Suite 500	Is SECTION: Regular Irregular?
Address 2:	is 3ECTION. Kegular I Integular?
	(Note: Locate well on the Section Plat on reverse side)
City: Overland Park State: KS Zip: 66210 + Contact Person; Brad Kramer	County: Johnson
Phone: (913) 669-2253	V) =
Priorie: (515) 665-2255	VYCII #.
CONTRACTOR: License#_ 8509	Field Name: Gardner
Name: Evans Energy Development, Inc.	Is this a Prorated / Spaced Field?
	Target Formation(s): Cherokee Group
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 756 X 1 7 5
	Ground Surface Elevation: 1 043 Estimated
	- Rel
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 200
Other:	Depth to bottom of usable water: 300
f OWWO: old well information as follows:	
	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 900'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville
<u></u>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	
If Yes, true vertical depth:	Other:
Bottom Hole Location:	
	DWR Permit #:
s: 4490 FSL 4679 FEL NLUB 725	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:
S: 4490 FSL 4579 FEL NLUB 775 5: 4412 FSL 4105 FEL MLUB 1175	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:
S: 4490 FSL 4579 FEL NLUB 775 5: 4412 FSL 4105 FEL MLUB 1175	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:
S: 4490 FSL 4679 FEL NLUB 775 5: 4412 FSL 4105 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:
S: 4490 FSL 4679 FEL NLUB 775 S: 4412 FSL 4105 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:
S: 4490 FSL 4679 FEL NLUB 775 5: 4412 FSL 4105 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well:	(Nore: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq.
S: 4490 FSL 4679 FEL NLUB 775 5: 4410 FSL 4679 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be nosted or	(Nore: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq.
S: 4490 FSL 4679 FEL NLUB 775 5: 4410 FSL 4679 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be	(Nore: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT uat plugging of this well will comply with K.S.A. 55 et. seq.
S: 4490 FSL 4679 FEL NLUB 775 5: 4410 FSL 4679 FEL NLUB 775 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; se set by circulating cement to the top; in all cases surface pipe shell be set
S: 4490 FSL 4679 FEL NLUB 775 5: 4410 FSL 4105 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; se set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.
S: 4490 FSL 4619 FEL NLUB 775 5: 4410 FSL 4105 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well in a the control of the well is dry hole.	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; se set by circulating cement to the top; in all cases surface pipe shell be set not the underlying formation. ne district office on plug length and placement is necessary prior to plugging;
S: 4490 FSL 4619 FEL NLUB 775 5: 4440 FSL 4105 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be centered.	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; se set by circulating cement to the top; in all cases surface pipe shell be set not the underlying formation. the district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; neptod from below are useful from policy are useful from below are useful for the first from t
S: 4490 FSL 4619 FEL NLUB 775 3: 4410 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be conformed to a pursuant to Appendix "B" - Fastern Kansas surface confine on	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig: se set by circulating cement to the top; in all cases surface pipe shell be set not the underlying formation. se district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spudges.
S: 4490 FSL 4619 FEL NLUB 775 5: 4410 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE it COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; se set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. ne district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spudging and the set #133,891-C, which applies to the KCC District 3 area, alternate II cemented in all be plugged. In all cases, NOTIFY district office prior to any cementing.
S: 4490 FSL 4619 FEL NLUB 775 5: 4410 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE it COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; se set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. ne district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spudging and the set #133,891-C, which applies to the KCC District 3 area, alternate II cemented in all be plugged. In all cases, NOTIFY district office prior to any cementing.
S: 4490 FSL 4619 FEL NLUB 775 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE it COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be received as the statements made herein are true and to the best of the spud to the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the s	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; se set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. ne district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spudging and the set #133,891-C, which applies to the KCC District 3 area, alternate II cemented in all be plugged. In all cases, NOTIFY district office prior to any cementing.
S: 4490 FSL 4619 FEL NLUB 775 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE it COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be received as the statements made herein are true and to the best of the spud to the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements made herein are true and to the s	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shell be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is comented in; in the plugged of production casing is comented in; in the plugged. In all cases, NOTIFY district office prior to any cementing. ACCORT
S: 4490 FSL 4619 FEL NLUB 775 5: 4410 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE it COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig: the set by circulating cement to the top; in all cases surface pipe shell be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; plugged or production casing is comented in; in the plugged of production casing is comented in; in the plugged. In all cases, NOTIFY district office prior to any cementing. It is formy knowledge and belief. Title: Agent
S: 4490 FSL 4679 FEL NLUB 775 5: 4490 FSL 4679 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet if 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be cented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented by the statements made herein are true and to the best cases. Date: 7-29-11 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. It district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; Interest #133,891-C, which applies to the KCC District 3 area, alternate il cements all be plugged. In all cases, NOTIFY district office prior to any cementing. AUG 3 1 Title: Remember to:
S: 4490 FSL 4679 FEL NLUB 775 5: 4490 FSL 4679 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet if 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be cented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented by the statements made herein are true and to the best cases. Date: 7-29-11 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. It district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; Interest #133,891-C, which applies to the KCC District 3 area, alternate il cements all be plugged. In all cases, NOTIFY district office prior to any cementing. AUG 3 1 Title: Remember to:
S: 4490 FSL 4619 FEL NLUB 775 5: 4410 FSL 4105 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be centured to a complete within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be returned to the best of the spud shall be statements made herein are true and to the best open of the spud shall be statements of the open of Agent: For KCC Use ONLY API # 15 - 091-23 5 6 9-00-00	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. It district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; Intended from below any usable water to surface within 120 DAYS of spudging and belief. It is plugged. In all cases, NOTIFY district office prior to any cementing. AUG 3 1 Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
S: 4490 FSL 4619 FEL NLUB 775 3: 4490 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet if 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be centured by the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be centured by that the statements made herein are true and to the best of the control of the specific production of the specific production of the specific production of the spud date or the well shall be centured by the specific production of the spud date or the well shall be centured by the specific production of the spud date or the well shall be centured by the specific production of the spud date or the well shall be centured by the specific production of the spud date or the well shall be centured by the specific production of the specific production of the specific production	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spudging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spudging; all be plugged. In all cases, NOTIFY district 3 area, alternate II cemented in the first of my knowledge and belief. AUG 3 1 Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
S: 4490 FSL 4619 FEL NLUB 775 S: 4490 FSL 4619 FEL NLUB 775 S: 4490 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be centured or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be returned to the best of the statements made herein are true and to the best of the content of the statements of the spud date or Agent: For KCC Use ONLY API # 15 - 091-23 5 6 9-00-00 Conductor pipe required 6 feet	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. It district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; Intended from below any usable water to surface within 120 DAYS of spudging and belief. It is plugged. In all cases, NOTIFY district 3 area, alternate II cementing. AUG 3 1 Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
S: 4490 FSL 4619 FEL NLUB 775 5: 4490 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet if 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be cented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented that the statements made herein are true and to the best carrier of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. It district office on plug length and placement is necessary prior to plugging; plugged or production casing is comented in: In each drilling rig; In each
S: 4490 FSL 4619 FEL NLUB 775 S: 4490 FSL 4619 FEL NLUB 775 S: 4490 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be centured or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be returned to the best of the statements made herein are true and to the best of the content of the statements of the spud date or Agent: For KCC Use ONLY API # 15 - 091-23 5 6 9-00-00 Conductor pipe required 6 feet	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig: the set by circulating cement to the top; in all cases surface pipe shell be set into the underlying formation. the district office on plug length and placement is necessary prior to plugging; plugged or production casing is comented in; in the plugged or production casing is comented in; in the plugged of production casing is comented in; in the plugged. In all cases, NOTIFY district 3 area, alternate II combinated in the plugged. In all cases, NOTIFY district office prior to any comenting. Title: AGENT Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field promation orders:
S: 4490 FSL 4619 FEL NLUB 775 3: 4490 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be centured or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the spud state of the spud state or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the statement of the spud date or the well shall be certified before the statement of the spud date or the statement of the statement of the spud date or the statement of the statement of the statement of the stateme	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shell be set into the underlying formation. In elicitric office on plug length and placement is necessary prior to plugging; plugged or production casing is comented in; in ented from below any usable water to surface within 120 DAYS of spudging and be plugged. In all cases, NOTIFY district 3 area, alternate il cemental all be plugged. In all cases, NOTIFY district office prior to any cementing. AUG 3 1 Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or recentry.
S: 4490 FSL 4679 FEL NLUB 775 5: 4490 FSL 4679 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet if 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be cented or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the case of the statements of the case of the surface of the statements and the statements of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shell be set into the underlying formation. It district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spudging and bereform below any usable water to surface within 120 DAYS of spudging and left #133,891-C, which applies to the KCC District 3 area, alternate II cemental and be plugged. In all cases, NOTIFY district office prior to any cementing. AUG 3 1 Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days)
S: 4490 FSL 4619 FEL NLUB 775 3: 4490 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be centured or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the spud state of the spud state or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the well shall be certified before the statements of the spud date or the statement of the spud date or the well shall be certified before the statement of the spud date or the statement of the statement of the spud date or the statement of the statement of the statement of the stateme	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. It district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; Intented from below any usable water to surface within 120 DAYS of spudging; plugged or production casing is cemented in; Intented from below any usable water to surface within 120 DAYS of spudging all be plugged. In all cases, NOTIFY district office prior to any cementing. If It
S: 4490 FSL 4619 FEL NLUB 775 3: 4490 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE if COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the best of the statements of Operator or Agent: For KCC Use ONLY API # 15 - 091 - 23 S to 9 - 00 - 00 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. It is district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; Intended from below any usable water to surface within 120 DAYS of spudging; plugged or production casing is cemented in; Intended from below any usable water to surface within 120 DAYS of spudging; plugged. In all cases, NOTIFY district office prior to any cementing. If It is Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See authorized expiration date)
S: 4490 FSL 4679 FEL NLUB 775 5: 4490 FSL 4679 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet if 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE il COMPLETION, production pipe shall be cented or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the case of the statements of the case of the surface of the statements and the statements of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set and the underlying formation. It district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spudging and be plugged. In all cases, NOTIFY district office prior to any cementing. If the Certification of Compliance with the Kansas Surface Owner Notification and (KSONA-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notification and (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See authorized expiration date) please check the box below and return to the address below.
S: 4490 FSL 4619 FEL NLUB 775 3: 4490 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE if COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the best of the statements of Operator or Agent: For KCC Use ONLY API # 15 - 091 - 23 S to 9 - 00 - 00 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set and the underlying formation. It district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 DAYS of spudging and be plugged. In all cases, NOTIFY district office prior to any cementing. If the Certification of Compliance with the Kansas Surface Owner Notification and (KSONA-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notification and (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See authorized expiration date) please check the box below and return to the address below.
S: 4490 FSL 4619 FEL NLUB 775 3: 4490 FSL 4619 FEL NLUB 1175 The undersigned hereby affirms that the drilling, completion and events it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted or 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE if COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the best of the statements of Operator or Agent: For KCC Use ONLY API # 15 - 091 - 23 S to 9 - 00 - 00 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. It is district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; Intended from below any usable water to surface within 120 DAYS of spudging; plugged or production casing is cemented in; Intended from below any usable water to surface within 120 DAYS of spudging; plugged. In all cases, NOTIFY district office prior to any cementing. If It is Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See authorized expiration date)

JAN 3 0 2012



For KCC Use ONLY API # 15 - 091-23569-000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

		4,490 4 L/4 (8 r) fe	et from: N / X S Line of Section
Knabe D umber: KR-15			et from X E / W Line of Section
Gardner			s. r.22 X E W
er of Acres attributable to well:		is Section: 🔀 Regular or	Irregular
QTR/QTR/QTR of acreage: NE SE	- NW - NW		•
			II from nearest corner boundary.
		Section corner ased.] 44 35 344
Ob an location of the court of the	PLAT		
Show location of the well. Show for lease roads, tank batteries, pipelines and			
	You may attach a separa		once Act (Flouse Bill 2032).
Sec	<u> 1</u> 낙		
	11019		LEGEND
0 KP-15	¥-410.	<u>0</u>	Well Location
	一十一	2	Tank Battery Location
			 Pipeline Location Electric Line Location
Via I			■ Lease Road Location
	•		
49190			
X4462		- FYAMOU	•
¥4462		EXAMPLE	E
¥4462		EXAMPLE	
¥4467		EXAMPLE	
¥4467		EXAMPLE	
¥4462		EXAMPLE	
¥4467		EXAMPLE	1980°FSL
¥4467		EXAMPLI	
¥4467		EXAMPLI	

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a protated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

RECEIVED JAN 3 0 2012 KCC WICHITA

KCC WICHITA

15-091-23569.0000

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

CORRECTED SONA-1 Luly 2010 Form Must Be Typed

Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	thodic Protection Screhole Intent) T-1 (Transfer)	CP-1 (Plugging Application)
OPERATOR: License # 34592 Name: Kansas Resource Exploration & Development, LLC Address 1: 9393 W. 110th St., Suite 500	Well Location:	22 🖼 🗀
Name: 14411343 145454155 Exploration & Bovelopment, 225	NE SE NW NW Sec. 14 Twp. 14	S. R. ZZ XEas West
Address 1: 4500 VV. 11001 OLI, OBING 550	County: Johnson Lease Name: Knabe D	KP_15
Address 2:		
State: 150 Zip: 002.10 +	If filing a Form T-1 for multiple wells on a leas the lease below:	se, enter the legal description of
Contact Person:		
Contact Person: Brad Kramer Phone: ((913)) 669-2253 Fax: (913) 451-6750 Email Address: kramerbradley@yahoo.com		
Surface Owner Information: Name: Ronald & Susan Rushing Address 1: 661 N Pine Cir. Address 2:	When filing a Form T-1 involving multiple surfa	ace owners, attach an additional
Address 1: 661 N Pine Cir.	sheet listing all of the information to the left for owner information can be found in the records	or each surface owner. Surface s of the register of deeds for the
Address 2:	county, and in the real estate property tax reco	ords of the county treasurer.
City: Gardner State: KS Zip: 66030 +		
I certify that, pursuant to the Kansas Surface Owner Notice Act owner(s) of the land upon which the subject well is or will be local CP-1 that I am filing in connection with this form; 2) if the form being form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I acknowledge will be required to send this information to the surface owner task, I acknowledge that I am being charged a \$30.00 handling feature and the associated form C.1. Form CR.1. Form T.1. or Form CR.1.	ated: 1) a copy of the Form C-1, Form CB- ng filed is a Form C-1 or Form CB-1, the p email address. nowledge that, because I have not provide er(s). To mitigate the additional cost of the e, payable to the KCC, which is enclosed w ever with this form. If the fee is not received w	-1, Form T-1, or Form Mat(s) required by this dat(s) required by this date of this information, the KCC performing this with this form.
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 v		DEOCH CO.
I hereby certify that the statements made herein are true and correct to the	2	RECEIVED
Date: 7-29-11 Signature of Operator or Agent:	Title: Agent	AUG 3 1 2011
Mail to: KCC - Conservation Division, 130 S. M	larket - Room 2078, Wichita, Kansas 67202	KCC WICHITA RECEIVED JAN 3 0 2012
		KCC WICHITA



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

Submit in Duplicate

						
Operator Name: Kansas Resource Exploration & Development, LLC		License Number: 34592				
Operator Address: 9393 W. 110th St., Suite 500			Overland	Park KS	66210	
Contact Person: Brad Kramer		Phone Number:	one Number: (913) 669-2253			
Lease Name & Well No.: Knabe D KR-15		Pit Location (QQQQ):				
Type of Pit:	Pit is:		_ <u>NW</u> _ <u>NW</u>			
Emergency Pit Burn Pit	X Proposed	_ •	Sec. 14 Twp.	14 _{R.} 22	_ 🔀 East	West
Settling Pit X Drilling Pit	If Existing, date con	nstructed: XLL	24.490 Fee	et from North	/X South Lin	e of Section
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		54,079 Fee	et from X East /	 ′∏West Line	e of Section
(If WP Supply API No. or Year Drilled)	120	(bbls)	Johnson			County
Is the pit located in a Sensitive Ground Water A	√rea? Yes XI	No	Chloride concentra	ition: r Emergency Pits an	d Settling Pits on	rng/l
Is the bottom below ground level? XYes No	Artificial Liner?	lo	How is the pit lined Native Clay	if a plastic liner is	s not used?	
Pit dimensions (all but working pits):	5Length (fee	et)10	Width (feet)		N/A: Stee	el Pits
Depth fro	om ground level to dee	pest point:	(feet)		No Pit	
Distance to nearest water well within one-mile of	of pit:		west fresh water		eet.	
N/A feet Depth of water well	feet	Source of inform measured	mation: wellowner	electric	log 🔀	KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worke	ver and Haul-Off Pi	ts ONLY:		
Producing Formation:		Type of material	utilized in drilling/wo	orkover:	Mud	
Number of producing wells on lease: Number of work		king pits to be utilized: 2				
Barrels of fluid produced daily:		Abandonment p	rocedure:	Air dry an		31 47
Does the slope from the tank battery allow all sp flow into the pit? Yes No	pilled fluids to	Drill pits must be	e closed within 365 d	ays of spud date.	RECE	IVED
I hereby certify that the above statem	ents are true and corre	ect to the best of r	ny knowledge and be	elief.	AUG 3	1 2011
7-29-11		TK			KCC W	ICHITA
Date		Sig	nature of Applicant o	r Agent		
	KCC O	FFICE USE ON	ILY			
			Liner	Steel Pit	RFAC	RFAS

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

JAN 3 0 2012

KCC WICHITA