ORRECTED!

For KCC Use: Effective Date:	9-6-2011
District #	3
SGA? Yes	™ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

KCC WICHITA

NOTICE OF INTENT TO DRILL

month day year	Spot Description:	·
2.522	SE SW NW NW Sec. 14 Twp. 14	_S. R. 22 XE W
OPERATOR: License# 34592	feet from	N / X S Line of Section
Name: Kansas Resource Exploration & Development, LLC	leet from X	E / W Line of Section
Address 1: 9393 W. 110th St., Suite 500	↑ Is SECTION: Regular Irregular?	_
Address 2:	- (Note: Locate well on the Section Plat o	n reverse sidel
City: Overland Park State: KS Zip: 68210 +	County: Johnson	n reverse side,
Contact Person: Brad Kramer Phone: (913) 669-2253	Lease Name: Knabe D	Well #: KR-19
	Field Name: Gardner	
CONTRACTOR: License# 8509	ls this a Prorated / Spaced Field?	Yes No
Name: Evans Energy Development, Inc.	Target Formation(s): Cherokee Group	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 🏯	
XOil Enh Rec XInfield Mud Rotary	Ground Surface Elevation: 1,047 Estimated	feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:	Yes X No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic ,# of Holes Other	Depth to bottom of fresh water: 200	
Other:	Depth to bottom of usable water: 300	
— — — — — — — — — — — — — — — — — — —	Surface Pipe by Alternate:	
If OWWO: old welt information as follows.	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 900'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville	
Directional, Deviated or Horizontal wellbore?	Water Source for Orilling Operations:	
If Yes, true vertical depth;	Mell Farm Fond Other:	
Bottom Hole Location:	DWR Permit #:	
KCC DKT#:	(Note: Apply for Permit with DWI	<u> </u>
: 3994 FSL , 4643 FEL NLUB 548	- Will Cores be taken? If Yes, proposed zone:	∐Yes ⊠No
	FIDAVIT	
The undersigned hereby affirms that the drilling commission and account of	francisco of Alice could will be such a 12 to 5 ft for a	
The undersigned hereby affirms that the drilling, completion and eventual pl	sugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;		
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distance of the set of the se	th drilling rig; It by circulating cement to the top; in all cases surface piphe underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ged from below any usable water to surface within 120 DA 133.891-C, which applies to the KCC District 3 area, alto	rior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the diff. 5. The appropriate district office will be notified before well is either plug of the analysis of the spuddate or the well shall be completed within 30 days of the spud date or the well shall be	ch drilling rig; t by circulating cement to the top; in all cases surface pip he underlying formation. strict office on plug length and placement is necessary p iged or production casing is cemented in; ed from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alt he plugged. In all cases, NOTIFY district office prior to	rior to plugging; IYS of spud date, ernate II cement any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distance of the set of the se	th drilling rig; t by circulating cement to the top; in all cases surface pipe underlying formation. strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto the plugged. In all cases, NOTIFY district office prior to my knowledge and belief.	rior to plugging; IYS of spud date, ernate II cement any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the diff. 5. The appropriate district office will be notified before well is either plug of the analysis of the spuddate or the well shall be completed within 30 days of the spud date or the well shall be	ch drilling rig; t by circulating cement to the top; in all cases surface pip he underlying formation. strict office on plug length and placement is necessary p iged or production casing is cemented in; ed from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alt he plugged. In all cases, NOTIFY district office prior to	rlor to plugging; IYS of spud date. ernate II cement RECE/ any cementing. AUG 3 1
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distance of the set of the se	ch drilling rig; t by circulating cement to the top; in all cases surface piphe underlying formation. strict office on plug length and placement is necessary piged or production casing is cemented in; ed from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to my knowledge and belief.	rlor to plugging; IYS of spud date. ernate II cement RECE/ any cementing. AUG 3 1
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disense the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cernented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the complete of the statements of Operator or Agent: Date: 7-29-11	ch drilling rig: t by circulating cement to the top; in all cases surface piphe underlying formation. strict office on plug length and placement is necessary piged or production casing is cemented in; ed from below any usable water to surface within 120 DI \$133,891-C\$, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: Agent Remember to:	rior to plugging; IYS of spud date. Pernate II cement RECE/ any cementing. AUG 3 1
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distance of the set of the se	ch drilling rig; t by circulating cement to the top; in all cases surface pipe underlying formation. strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 DA \$133,891-C, which applies to the KCC District 3 area, alto the plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surfacet (KSONA-1) with Intent to Drill;	rior to plugging; IYS of spud date. Prinate II cement RECE! any cementing. AUG 3 1 KCC WIC
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disense the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cernented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the complete of the statements of Operator or Agent: Date: 7-29-11	ch drilling rig; t by circulating cement to the top; in all cases surface pipe underlying formation. strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surfacet (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill	AUG 3 1 KCC WIC
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disection of the appropriate district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cernented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete of the statements of the operator of Agent: For KCC Use ONLY API # 15	th drilling rig; It by circulating cement to the top; in all cases surface pipe underlying formation. Strict office on plug length and placement is necessary possed or production casing is cemented in; ged or production casing is cemented in; ed from below any usable water to surface within 120 DA 1133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill. File Completion Form ACO-1 within 120 days of spud-	rior to plugging; IYS of spud date. ernate II cement RECE! AUG 3 1 KCC WIC
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disection of the appropriate district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cernented or pursuant to Appendix "b" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete statements made herein are true and to the best of the complete statements and the operator of Agent: For KCC Use ONLY API # 15 - O9/-23573-DDOO Conductor pipe required feet	th drilling rig; It by circulating cement to the top; in all cases surface pipe underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; led from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surfacet (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud in File careage attribution plat according to field proration	rior to plugging; IYS of spud date. Prinate II cement RECE/ any cementing. AUG 3 1 KCC WICC De Owner Notification II; date: Lorders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the different plus and intention of the different plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall be appropriate. The province of the province of the plus of the spud date or the well shall be appropriated of the plus of the spud date or the well shall be appropriated of the plus of the spud date or the well shall be appropriated of the plus of the spud date or the well shall be appropriated of the spud date or the well shall be appropriated of the spud date or the well shall be appropriated of the spud date or the well shall be appropriated of the spud date or the well shall be appropriated of the spud date or the well shall be appropriated of the spud date or the well shall be appropriated or the spud date or the well shall be appropriated or the spud date or the well shall be appropriated or the shall be appropria	th drilling rig; It by circulating cement to the top; in all cases surface pipe underlying formation. Strict office on plug length and placement is necessary possed or production casing is cemented in; ged or production casing is cemented in; ed from below any usable water to surface within 120 DA 1133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill. File Completion Form ACO-1 within 120 days of spud-	rior to plugging; IYS of spud date. Prinate II cement RECE/ any cementing. AUG 3 1 KCC WIC De Owner Notification II; II; Idate; II orders; Over or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in the well is dry hole, an agreement between the operator and the disentation of the set in the set in the well is drived the set of the set in the well is drived in the set in the disentation of the set in the s	ch drilling rig; t by circulating cement to the top; in all cases surface pip he underlying formation. strict office on plug length and placement is necessary piped or production casing is cemented in; ed from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, althe plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surfacet (KSONA-1) with Intent to Driff; File Drill Pit Application (form CDP-1) with Intent to Driff; File completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to works. Submit plugging report (CP-4) after plugging is comple Obtain written approval before disposing or injecting se	rior to plugging; IYS of spud date. ernate II cement RECEI AUG 3 1 KCC WIC De Owner Notification II; date; orders; over or re-entry; eld (within 60 days); alt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cernented or pursuant to Appendix "b" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the productor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15	th drilling rig: It by circulating cement to the top; in all cases surface piphe underlying formation. Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 DA 1133,891-C, which applies to the KCC District 3 area, alto the plugged. In all cases, NOTIFY district office prior to may knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surfacet (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spuding File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is complete.	rior to plugging; It's of spud date. Prinate II cement RECE! AUG 3 1 KCC WIC De Owner Notification II; date; orders; orders; oted (within 60 days); alt water. horized expiration date)
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cerrented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the spud date or the well shall be set of the set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the set of the spud date or the well shall be set of the spud date or the spud date or the spu	ch drilling rig; t by circulating cement to the top; in all cases surface pipe underlying formation. strict office on plug length and placement is necessary piged or production casing is cemented in; ed from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File careage attribution plat according to field proration. Notify appropriate district office 48 hours prior to works. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting set fiveli will not be drilled or permit has expired (See: auf	AUG 3 1 Compared to plugging; AUG 3 1 AUG 3 1 AUG 3 1 AUG 3 1 AUG 4 1
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cerrented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the spud date or the well shall be set of the set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the well shall be set of the spud date or the set of the spud date or the well shall be set of the spud date or the spud date or the spu	ch drilling rig; It by circulating cement to the top; in all cases surface pipe underlying formation. By circulating cement to the top; in all cases surface pipe underlying formation. It is complete to plug length and placement is necessary piped or production casing is cemented in; ed from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alther plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surfacet (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to works. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting set well will not be drilled or permit has expired (See: autiplease check the box below and return to the address.)	AUG 3 1 Compared to plugging; AUG 3 1 AUG 3 1 AUG 3 1 AUG 3 1 AUG 4 1
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the appropriate district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cerrented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the certify that the statements made herein are true and to the best of the certify that the statements made herein are true and to the best of the certify that the statements made herein are true and to the best of the certify that the statements made herein are true and to the best of the certify that the statements made herein are true and to the best of the certify that the statements made herein are true and to the best of the certify that the statements made herein are true and to the best of the certific that the statements made herein are true and to the best of the certific that the statements made herein are true and to the best of the certific that the statements made herein are true and to the best of the certific that th	ch drilling rig; t by circulating cement to the top; in all cases surface pip he underlying formation. strict office on plug length and placement is necessary piged or production casing is cemented in; ed from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, althe plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surfacet (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to works. Submit plugging report (CP-4) after plugging is comple. Obtain written approval before disposing or injecting set well will not be drilled or permit has expired (See: auth please check the box below and return to the address.)	rior to plugging; It's of spud date. Frante II cement RECE! AUG 3 1 KCC WIC De Owner Notification II; date; orders; over or re-entry; sted (within 60 days); alt water. horized expiration date) below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each at the second of the provided provided in the second of the well at the well and unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug on the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the spud date or the well shall be second of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the spud date of the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported and the statements of the spud date or the well shall be supported and the supported of the spud date or the well shall be supported and the supported of the spud date. It is authorization void if drilling not started within 12 months of approval date.) Spud date: Mail to: KCC - Conservation Division,	ch drilling rig; t by circulating cement to the top; in all cases surface pip he underlying formation. strict office on plug length and placement is necessary piged or production casing is cemented in; ed from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, althe plugged. In all cases, NOTIFY district office prior to my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surfacet (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to works. Submit plugging report (CP-4) after plugging is comple. Obtain written approval before disposing or injecting set well will not be drilled or permit has expired (See: auth please check the box below and return to the address.)	rior to plugging; IYS of spud date. ernate II cement RECEI AUG 3 KCC Wice Dee Owner Notification II; date; in orders; byer or re-entry; bild (within 60 days); alt water. horized expiration date) below.

For KCC Use ONLY API # 15 - 091-235 73-0000



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

in all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

ase: Knabe D Number: KR-19		75,543 ★ H (f (0) feet from X E / W Line of Section Sec. 14 Twp. 14 S. R. 22 X E W		
/QTR/QTR/QTR of acreage: SE -	SW - NW - NW	Is Section:	Regular or Irregular	
		If Section is In Section corner	regular, locate well from nearest used: NE NW SE	corner boundary.
Shaw lagating of the well		.AT	we the second of	
lease roads, tank batteries, pipeli	ines and electrical lines, as req You may attach a se	uired by the Kansas	ry line. Show the predicted location s Surface Owner Notice Act (Hous ad.	
	5ec 14			
			LEGEND	
		:	O Well Location	
4490 -			Tank Batter Pipeline Lo	
41:43	X Yiele &		Electric Line Lease Road	Location
3999 * 2988			EXAMPLE	· · · · · ·
K 3 115	<u> </u>	· ·		
				:
· · · · · · · · · · · · · · · · · · ·		······ :		
			?	1980 FSL
				:
			SEWARD CO. 3390' FEL.	· · · · · · · · · · · · · · · · · · ·
	oot of the proposed drilling la	***		

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- The distance to the nearest lease or unit boundary line (in rootage).
 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil washed). CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

RECEIVED JAN 3 0 2012 KCC WICHITA

AUG 3 1 2011

15-091-23573-00-00 KANSAS CORPORATION COMMISSION

Oil & Gas Conservation Division

Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 34592	Well Location:			
Name: Kansas Resource Exploration & Development, LLC	SE SW NW NW Sec. 14 Twp. 14 S. R. 22 Keas West County: Johnson Lease Name: Knabe D Well #: KR-19			
OPERATOR: License # 34592 Name: Kansas Resource Exploration & Development, LLC Address 1: 9393 W. 110th St., Suite 500 Address 2:				
Address 2:	Lease Name. Knabe D	Wall #: KR-19		
Address 2: City: Overland Park Contact Person: Brad Kramer Phone: (913) 669-2253 Email Address: kramerbradley@yahoo.com	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:			
Contact Person: Usad Notice 913 451,6750	the lease below.			
Phone: ((313)) 431-0730 Fax: (313) 431-0730				
Email Address: Namer bradies @yarroo.com				
Surface Owner Information:				
Name: Ronald & Susan Rushing	When filing a Form T-1 involving multiple surfa	ace owners, attach an additional		
Address 1: 661 N Pine Cir.	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			
Name: Notation & Susan Rusting Address 1: 661 N Pine Cir. Address 2:				
City: Gardner State: KS Zip: 66030 +				
owner(s) of the land upon which the subject well is or will be loc CP 1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, an I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface own task, I acknowledge that I am being charged a \$30.00 handling for the second option, submit payment of the \$30.00 handling for the second option.	eing filed is a Form C-1 or Form CB-1, the p d email address. knowledge that, because I have not provide ner(s). To mitigate the additional cost of the ee, payable to the KCC, which is enclosed v	lat(s) required by this d this information, the KCC performing this with this form.		
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	will be returned.			
I hereby certify that the statements made herein are true and correct to t	he best of my knowledge and belief.	RECEIVE		
Date: 7-29-11 Signature of Operator or Agent:	Tatle: Agent	Alio -		
Signature of Operator of Agent.	T##6:	AUG 3 / 2011		
		RECEIVED AUG 3 + 2011 KCC WICHITA		
Mail to, KCC Concernation Division 120 C	Market Danie 2010 Markita Market Overen	DECENTO		
Mail to: KCC - Conservation Division, 130 S.	market - ROOM 2078, Wichita, Kansas 67202	RECEIVED		
		JAN 3 0 2012		
		KCC WICHITA		



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT

Submit in Duplicate Operator Name: Kansas Resource Exploration & Development, LLC License Number: 34592 Operator Address: 9393 W. 110th St., Suite 500 Overland Park KS 66210 Contact Person: Brad Kramer Phone Number: (913) 669-2253 Lease Name & Well No.: Knabe D KR-19 Pit Location (QQQQ): SE _ SW _ NW _ NW Type of Pit: Pit is: Sec. 14 Twp. 14 R. 22 X East West Emergency Pit Burn Pit X Proposed Existing Settling Pit X Drilling Pit Feet from North / X South Line of Section Workover Pit ' Haul-Off Pit Feet from 🔀 East / 🔲 West Line of Section (If WP Supply API No or Year Onlied) Pit capacity: 120 **Johnson** (bbls) Is the pit located in a Sensitive Ground Water Area? Yes X No Chloride concentration: (For Emergency Pits and Settling Pits only) is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? X Yes No Yes X No Native Clay Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. 5-09/-23573-000 Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water Source of information Depth of water well measured well owner electric log X KDWR Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: **Drilling Mud** Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: _ Air dry and backfill Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. RECEIVED I hereby certify that the above statements are true and correct to the best of my knowledge and belief. AUG 3 1 2011 7-29-11 (CC WICHIT Signature of Applicant or Agent KCC OFFICE USE ONLY

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Permit Date:

Date Received: 8-31-11 Permit Number:

RECEIVED
JAN 3 0 2012

Yes a No

RFAC RFAS

Steel Pit

8-3/-// Lease Inspection:

T-31-12

KCC WICHITA