For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Seption Description Seption		Surface Owner Notification Act, MUST be submitted with this form.
OPERATOR: Licensell 31093 Online Bedet OR Opposition Address 1 P. De Box 150 Onland Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: Option Methods of the State OK Zip 74602 + 1150 Contact Pennin: O		
Address 1 P.O. Bot 1160 Address 1 P.O. B		- NW - SW - SE Sec. 31 Twp. 23 S. R. 21 EXW
Address 1 P.O. Box 1500 Address 2 Contract February 1500 Contract Fe	OPERATOR: License#	feet from N / X S Line of Section
Native Locate well on the Section Flat on reverse aide)	traine.	leet from Kie / W time of Section
Colty Provided State OK Zip 74602 + 1150 Contract Person: Oyld M. Becker, Jr. Prone: 303-670-8202 CONTRACTOR: Licenses Plant be licensed by CCC. Well Drilled For: Well Class: Ippe Equament. Gold Storage Pool Ext Disposed Provided Pro		Is SECTION: X Regular I Irregular?
Contract Person. Cycle M. Beoker, Jr. Phone. 303-670-8020 CONTRACTOR. Licensols Must be Iteasted by KCC. Nome Unitsown Advise on ACC! Well Drief For: Well Class. Well Drief For: Well Class. Jype Equipment. Solid Space Field? Target Formation; I limit on the oldinger. Stronger Pool East. Well Drief For: Well Class. Jype Equipment. John Stronger Pool East. John Stronger		(Note: Locate well on the Section Plat on reverse side)
CONTRACTOR: Licenses		County: Hodgeman
Second Content Seco	Phone: 303-670-8202	Lease Name: Winter Land and Cattle Well #: 1
Name Unknown Advise on Actor Well Crisss: Type Equipment:		
Well Drilled For Well Class Type Equipment San Type Equipment San Type Equipment San		
Sound Surface Elevation 235 tipop est feet MISL Mul Rotary Air Rotary Miscoat Miscoat Cable	Name Visitionii Pay 32 Of File	
Vester well within one-quarter mile: Vester well well within one-quarter mile: Vester well well within one-quarter mile: Vester well well well well within one-quarter mile: Vester well well well well well well well we		
Disposal Wildcat Cable Disposal Wildcat Cable Dotter	⊠Oil Enh Rec ⊠nfield ⊠Mud Rotary	
Depth to bottom of fresh water 330 Seph to bottom of the bottom of the bester 330 Seph to bottom of usable water 330 Seph to bottom of water 330 Seph to bottom of water 330 Seph to bottom of usable water 330 Seph to bottom of water 330 Seph to bottom		
Depth to bottom of usable water \$\frac{50}{3}\$ \text{ Syrace Pipe by Alternate } \[\] \[\] \] \[\]		Depth to bottom of freeh water: 330 / 180
Surface Pipe by Alternate Surface Pipe Planned to be set Substitution Surface Pipe Planned Surface Pipe Planned Planned Surface Pipe Planned Planned Surface Pipe Planned Planned Surface Pipe Planned Surface Pipe Planned Planned Surface Pipe Planned Surface Planned Surface Pipe Planned Planned Surface Pipe P		Depth to bottom of usable water 540' 540
Length of Surface Pipe Planned to be set 36 th		Surface Pipe by Alternate:
Operator. Well Name Original Completion Date: Original Conductor Well Experience of Date: Well Experience of Date: Well Experience of Date: Original Completion Date: Original Conductor Date: Original Completion Date: Original Conductor Date: O	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 360
Well Name: Original Completion Date: Original Total Depth Original Completion Date: Original Total Depth Original Completion Date: Original Conductors Projected Total Depth: Penn. Cgl.	Operator:	Length of Conductor Pipe (if any): N/A
Original Completion Date: Original Total Depth: Formation at Total Depth: Penn. Cgl. Water Source for Drilling Operations Water Source for Premit with Drill Water Source for Premit with Drill Water Source for Premit with Drill Water Source for Premit with Drill Drill Water Source for Premit with Drill	·	
Directional, Deviated or Horizontal wellbore? Yes No		Formation at Total Depth: Penn. Cgl.
If Yes, true vertical depth. DWR Permit #: (Note: Apply for Permit with DWR		
Bottom Hole Location: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:		Well Farm Pond Other:
Yes Will Cores be taken? Yes No	•	
AFFIDAVIT RECEIVED The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. FEB ① 3 2012 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill. Shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any used water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent: For KCC Use ONLY Aproved by S8 2 - 6 - 2012 Title: President Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or perm		——————————————————————————————————————
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq FEB 0 3 2012		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. FEB 0 3 2012 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kanass surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent: For KCC Use ONLY API # 15		
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 083 - 2175 - 00 - 00 feet per ALT		_
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent: For KCC Use ONLY API #15 - 08-3 - 21751-00-00 Conductor pipe required		ugging of this well will comply with K.S.A. 55 et. seq
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent:	· · · · · · · · · · · · · · · · · · ·	I ED N 2 VOIX
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent:	, ,, ,	VCC MIOLUTA
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent: Title: President Remember to: File Conductor pipe required Feet Minimum surface pipe required Feet feet Minimum surface pipe required Feet provided Feet per ALT File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	 A copy of the approved notice of intent to drill snall be posted on each The minimum amount of surface nine as specified below shall be see 	thy circulating cement to the ton; in all cases surface nine shall be set
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 08.3 - 2175 -00-00 Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet per ALT	through all unconsolidated materials plus a minimum of 20 feet into the	be underlying formation.
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent: For KCC Use ONLY API #15 - 083 - 2175 - 00 - 00		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 _ 083 - 2175 - 00 - 00		
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/31/12 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 083 - 21751-00-00 Conductor pipe required feet Minimum surface pipe required feet per ALT. File Completion Form ACO-1 within 120 days of spud date; Approved by: 58 2-6-2012 This authorization expires: 2-1-2013 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Spud date: Agent: Minimum surface pipe required feet per ALT. Within 12 months of approval date.) File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or Permit Expired Date: Signature of Operators or Agent:	The state of the s	•
For KCC Use ONLY API # 15 - 083 - 2175 - 00 - 00 Conductor pipe required		
For KCC Use ONLY API # 15 - 083 - 2175 1- 00-00 Conductor pipe required	I hereby certify that the statements made herein are true and to the best of	my knowledge apd belief.
For KCC Use ONLY API # 15 - 083 - 2175 1- 00-00 Conductor pipe required	1/21/12	M Grade President
For KCC Use ONLY API # 15 - 083 - 2175 1 - 00 - 00 Conductor pipe required	Date: Signature of Operator or Agent:	Title: 1 7 Coldon
API # 15	For KCC Use ONLY	
Conductor pipe required	1	· · · · · · · · · · · · · · · · · · ·
Minimum surface pipe required	Mara	
Approved by:	200	
This authorization expires: 2 - 2013 (This authorization void if drilling not started within 12 months of approval date.) Spud date:	leet per AZI.	- File acreage attribution plat according to field proration orders,
Chris authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Obtain written approval before disposing or injecting salt water.	Approved by: 35 2-6-2012	
Spud date: Agent: Well will not be drilled or permit has expired (See: authorized expiration date)	1 · · · · · · · · · · · · · · · · · · ·	- Submit plugging report (CP-4) after plugging is completed (within 60 days);
Spud date:	(This authorization void if drilling not started within 12 months of approval date.)	Obtain written approval before disposing as injecting celt water
Well will not be drilled or Permit Expired Date:		
Mail to: KCC - Conservation Division.	Spud date: Agent:	If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
	Spud date: Agent:	If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

For KCC Use ONLY API # 15 - 083 - 2 175 1-00-00

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Becker Oil Corporation	Location of Well: County: Hodgeman
Lease: Winter Land and Cattle	feet from N / X S Line of Section
Well Number: 1.	
Field: Saw Log Creek	Sec. 31 Twp. 23 S. R. 21 E 🔀 W
Number of Acres attributable to well:	− Is Section: 🔀 Regular or 🔲 Irregular
QTR/QTR/QTR of acreage: NW _ SW _ SE	-
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Show location of the well. Show footage to the neare- lease roads, tank batteries, pipelines and electrical lines, as	PLAT st lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). a separate plat if desired.
	·
	LECEND
: : : : : : : : : : : : : : : : : : : :	: LEGEND
	: : : O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location
: : : : 21	EXAMPLE
31	
	<u> </u>
#)-1 Wint	1980'FSL
, of	-2310
	SFWARD CO. 3390' FFI

In plotting the proposed location of the well, you must show:

FEB 0 3 2012

RECEIVED

The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
 4 sections, etc.

KCC WICHITA

2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-083-21751-00-00

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OREDATOR: Ligano # 31093	Wall Location
OPERATOR: License # 31093 Name: Becker Oil Corporation Address 1: P.O. Box 1150	Well Location: NW_SW_SE_Sec. 31 Twp. 23 S. R. 21 East West
Address 1. P.O. Box 1150	County: Hodgeman
Address 2:	Lease Name: Winter Land and Cattle Well #: 1
Address 2:	50 If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Clyde M. Becker, Jr.	the lease below:
Contact Person: Clyde M. Becker, Jr. Phone: (303) 670-8202 Fax: (303) 670-8202	
Email Address:	
Surface Owner Information:	
Name: Brian Winter Address 1: 1414 East Trail St.	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface
Address 1: 1111 Zust 1121 St	owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
Address 2:	
the KCC with a plat showing the predicted locations of lease ro	1 (Cathodic Protection Borehole Intent), you must supply the surface owners and hads, tank batteries, pipelines, and electrical lines. The locations shown on the plat entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or CP-1 that I am filing in connection with this form; 2) if t form; and 3) my operator name, address, phone numb I have not provided this information to the surface own KCC will be required to send this information to the surface.	Notice Act (House Bill 2032), I have provided the following to the surface will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form he form being filed is a Form C-1 or Form CB-1, the plat(s) required by this er, fax, and email address. er(s). I acknowledge that, because I have not provided this information, the urface owner(s). To mitigate the additional cost of the KCC performing this handling fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 form and the associated Form C-1, Form CB-1, Form T-1, or F	handling fee with this form. If the fee is not received with this form, the KSONA-1 orm CP-1 will be returned.
I hereby certify that the statements made herein are true and of	A RECENTED
Date: 1/31/12 Signature of Operator or Agent:	lyth the president FEB U 3 2012
	KCC WICHITA

Township 235 Range 21 W County Hodgeman State Kansas Proposed Tank Buttery Existing proposed flow lines Existing Row Becker Oil #2 Winter Lunda Cuttle Becker Oil #1 Winter Land a + Cattle 2310-990' FORM 45-8 **RECEIVED**

FEB 0 3 2012 KCC WICHITA

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate Operator Name: Becker Oil Corporation License Number: 31093 Operator Address: P.O. Box 1150 OK Ponca City 74602 Contact Person: Clyde M. Becker, Jr. 303-670-8202 Phone Number: Lease Name & Well No.: Winter Land and Cattle 1.1 Pit Location (QQQQ): NW SW SE Type of Pit: Pit is: Sec. 31 Twp. 23 R. 21 East X West Emergency Pit Burn Pit X Proposed Existing X Drilling Pit Settling Pit 990 If Existing, date constructed: Feet from North / X South Line of Section Workover Pit Haul-Off Pit 2,310 _Feet from 🔀 East / West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) 1.800 Hodgeman (bbls) Is the pit located in a Sensitive Ground Water Area? Yes X No Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? X Yes No Yes X No NORTH Chays 60 60 Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: . No Pit (feet) If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. 60 Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: Depth of water well 297 KDWR measured well owner electric log feet Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Chem. Mud Producing Formation: ___ Type of material utilized in drilling/workover: 2 Number of working pits to be utilized: Number of producing wells on lease: ___ Allow to evaporate, backfill, replace top Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. RECEIVED I hereby certify that the above statements are true and correct to the best of my knowledge and belief. FEB 0 3 2012 1/31/12 KCC WICHITA Date Signature of Applicant of KCC OFFICE USE ONLY Steel Pit RFAC ☐ RFAS Liner 2 - 13-12 Lease Inspection: Yes 🗷 No Date Received: 2-3-/2 Permit Number: Permit Date: