
STATE OF KANSAS STATE CORPORATION COMMISSION



My commission expires

WELL PLUGGING RECORD

Make Required Affidavit Mail or Deliver Report to			('^1	ntu Saa	12 70 2	2 Rge. 39 1/2/
	***************************************	milton 'NE	/caru 1 cm 1	ity. Sec.	1WP • 2	ige. 03 47
Conservation Division	Locati	on as Nr. C-SI		" or foots	ige from 1	ines
State Corporation Comm.	Lease			etroleum C		··
245 North Water		Name Monn				
Wichita, KS 67202						ell No. 1-12
, 1011ta, 115 07202		Address_		Douglas, W		and the second s
	Charac	ter of We	11 (Comp	leted as (Dil, Gas o	r Dry Hole)
		_ · (Bas			
	Date W	ell comple	eted	· · · · · · · · · · · · · · · · · · ·	5-5-81	19
		ation for		g filed	6-29-81	19
				g approved	7-13-81	19
		ng commen			8-11-81	19
		ng complet			8-11-81	19
				of well or	producin	g formation
				cial Value	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	E 2 07 11(0 0 1 1)/I
	If a pr				date of	last production
	, , , , , , , , , , , , , , , , , , ,		None		date of	19
	Vas nei	rmission (from the	Conservat	ion Division or
Locate well correctly on above Section Plat				ing was co		
Name of Conservation Agent who					r. Thomas	yes
Producing formation Hugoton						pth of Well2950'
Show depth and thickness of al	1 water of	ion co tor	formati	ot tom 2775	Total Del	prn of Well2330
and depen and entermess of al	i water, or	t and gas	TOTMACIO	ons.		
OIL, GAS OR WATER RECORDS				. ,		e e e
						CASING RECORD
FORMATION	CONTENT	. FROM	то	SIZE	PUT IN	. PULLED OUT
Surface				8 5/8"	828'	01
Production		· ·		4 1/2"	2948*	2250'
		T	1			
plugs were used, state the cha	racter of sa	in introd	ducing it	t into the	hold. I	ere the mud flui f cement or othe feet to
plugs were used, state the cha feet for each pl	racter of sa ug set	in introd	ducing it	t into the	hold. I	f cement or other
plugs were used, state the cha feet for each pl Pumped 1 sk. hulls & 20 s	racter of saug set.	in introdume and de	ducing in place pth place Pressure	t into the ced, from ed to 750	hold. I	f cement or other
plugs were used, state the cha feet for each pl Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105	racter of saug set. sks. cement to 0' to 850'	in introduce and de to 2547 Layed do	ducing in place pth place Pressure	t into the	hold. I	f cement or othe
plugs were used, state the cha feet for each pl Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus	racter of saug set. sks. cement to to 850 t	in introduced and decomposition 2547' Layed do	Pressure	t into the ced, from ed to 750 of 4 1/2"	hold. I	f cement or othe
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800	racter of saug set. sks. cement to 60' to 850' shed plug to 80' to 700'	in introduce and de to 2547 Layed do	Pressure	t into the ced, from ed to 750 of 4 1/2"	hold. I	f cement or other feet to
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40'	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0'	in introduced and decomposition 2547 Layed do	Pressure	t into the ced, from ed to 750 of 4 1/2"	hold. I	f cement or othe
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0'	in introduced and decomposition 2547 Layed do	Pressure	t into the ced, from ed to 750 of 4 1/2"	Ibs. STATE CORPO	f cement or other feet to FEIVED FATION COMMISSION 26
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40'	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0'	in introduced and decomposition 2547 Layed do	Pressure	t into the ced, from ed to 750 of 4 1/2"	Ibs. STATE CORPO	f cement or other feet to CEIVED MATIGN COMMISSION 20199
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40'	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0'	in introduced and decomposition 2547 Layed do	Pressure	t into the ced, from ed to 750 of 4 1/2"	Ibs. STATE CORPO	f cement or other feet to CEIVED MATIGN COMMISSION 20199
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40'	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0'	in introduced and decomposition 2547 Layed do	Pressure	t into the ced, from ed to 750 of 4 1/2"	Ibs. STATE CORPO	f cement or other feet to CEIVED MATIGN COMMISSION 20199
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below	sks. cement to the second seco	in introduce and description 2547' Layed dos	Pressure www rest	t into the ced, from ed to 750 of 4 1/2" tubing	hold. I: STATE CORPO CONSERVAT Wiehita,	f cement or other feet to FELLIFD FATION COMMISSION ON DIVISION Kansas
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0' ground level description	in introduce and decomposition 2547' Layed down Layed down	Pressure own rest on 2 3/8	t into the ced, from ed to 750 of 4 1/2" tubing	hold. I: STATE CORPO CONSERVAT Wiehita,	f cement or other feet to FELLIFD FATION COMMISSION ON DIVISION Kansas
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0' ground level description description description	in introduce and decorate and d	Pressure own rest on 2 3/8	t into the ced, from ed to 750 of 4 1/2" tubing	hold. I: STATE CORPO CONSERVAT Wiehita,	f cement or other feet to FELLIFD FATION COMMISSION ON DIVISION Kansas
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0' ground level description	in introduce and decorate and d	Pressure own rest on 2 3/8	t into the ced, from ed to 750 of 4 1/2" tubing	hold. I: STATE CORPO CONSERVAT Wiehita,	f cement or other feet to FELLIFD FATION COMMISSION ON DIVISION Kansas
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional Name of Plugging Contractor Mi	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0' ground level description description Permit #766	in introduce and decorate and d	Pressure own rest m 2 3/8	t into the ced, from ed to 750 cof 4 1/2" tubing	hold. I: STATE CORPO CONSERVAT Wiehita,	f cement or other feet to FELLIFD FATION COMMISSION ON DIVISION Kansas
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional of Plugging Contractor Mi	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0' ground level description description Permit #766	in introduce and decorate and d	Pressure who rest m 2 3/8 ary, use Service	t into the ced, from ed to 750 of 4 1/2" tubing	hold. I: STATE CORPO CONSERVAT Wichita, this sheet	f cement or other feet to FOLIVED HATION COMMISSION Z 6 1984 TON DIVISION Kansas :)
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional Name of Plugging Contractor Mi	racter of saug set. sks. cement to to 850' shed plug to 80' to 700' to 0' ground level description description Permit #766	in introduce and decome and decom	Pressure who rest m 2 3/8 ary, use Service HASKELI	t into the ced, from ed to 750 cof 4 1/2" tubing	hold. I: STATE CORPO CONSERVAT Wichita, this sheet	f cement or other feet to FEIVED WATION COMMISSION RANSAS SS.
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional of the sky	racter of saug set. sks. cement to so' to 850' shed plug to 80' to 700' to 0' ground level description description for #766 COUNT	in introduce and decome and decom	Pressure who rest m 2 3/8 ary, use Service HASKELI	t into the ced, from ed to 750 of 4 1/2" tubing BACK of	hold. I: STATE CORPO CONSERVAT Wichita, this sheet	f cement or other feet to CEIVED MATION COMMISSION Z 6 1984 NON DIVISION Kansas wher or operator
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional of the sky	racter of saug set. sks. cement to so' to 850' shed plug to 80' to 700' to 0' ground level description description COUNT	in introduce and decome and decom	Pressure who rest m 2 3/8 ary, use Service HASKELL (empley) on oath	t into the ced, from ed to 750 of 4 1/2" tubing BACK of	hold. I: STATE CORPO CONSERVAT Wichita, this sheet	f cement or other feet to CEIVED MATION COMMISSION Z 6 1984 NON DIVISION Kansas wher or operator
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional of the sky	racter of saug set. sks. cement to so' to 850' shed plug to 80' to 700' to 0' ground level description dwest Casing Permit #766 COUNT ing first duers herein cotrue and cor	in introduce and decome and decom	Pressure who rest m 2 3/8 ary, use Service HASKELL (empley) on oath	t into the ced, from ed to 750 of 4 1/2" tubing BACK of	hold. I: STATE CORPO CONSERVAT Wichita, this sheet	f cement or other feet to CEIVED MATION COMMISSION Z 6 1984 NON DIVISION Kansas wher or operator
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional of the sky	racter of saug set. sks. cement to so' to 850' shed plug to 80' to 700' to 0' ground level description dwest Casing Permit #766 COUNT ing first duers herein cotrue and cor	in introduce and decorate and d	Pressure own rest m 2 3/8 ary, use Service HASKELL Complete the help me	t into the ced, from ed to 750 of 4 1/2" tubing BACK of BACK of says:- T log of the God. Sublette	hold. In STATE COSPO OCT CONSERVAT Wichita, withis sheet that I have above do not be above do	f cement or other feet to CEIVED MANGE COMMISSION 20 1984 10N DIVISION Kansas wher or operator e knowledge of escribed well
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional of the sky	racter of saug set. sks. cement to so' to 850' shed plug to 80' to 700' to 0' ground level description description for #766 COUNT ing first duers herein cotrue and cor	is necess Pulling TY OF layedricet. Schature)	Pressure own rest m 2 3/8 ary, use Service HASKELL Complete the help me	t into the ced, from ed to 750 of 4 1/2" tubing BACK of BACK of says:- T log of the God. Sublette	Ibs. STATE COSPO CONSERVAT Wiehita, this sheet ex) or (or hat I-have above-de	f cement or other feet to CEIVED MANGE COMMISSION 20 1984 10N DIVISION Kansas wher or operator e knowledge of escribed well
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional of the sky	racter of saug set. sks. cement to so' to 850' shed plug to 80' to 700' to 0' ground level description description for #766 COUNT ing first duers herein cotrue and cor	is necess Pulling TY OF layedricet. Schature)	Pressure own rest m 2 3/8 ary, use Service HASKELL Complete the help me	t into the ced, from ed to 750 of 4 1/2" tubing BACK of says:- T log of the God. Sublette. (A	hold. In the sheet of the sheet	f cement or other feet to CEIVED MANGE COMMISSION 20 1984 10N DIVISION Kansas wher or operator e knowledge of escribed well
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional of the state of the above-described well, be the facts, statements, and matts of filed and that the same are	racter of saug set. sks. cement to so' to 850' shed plug to 80' to 700' to 0' ground level description description for #766 COUNT ing first duers herein cotrue and cor	in introduce and decorate and d	Pressure who rest The symmetry The symmetr	t into the ced, from ed to 750 of 4 1/2" tubing BACK of says:- T log of the God. Sublette. (A	hold. In STATE COSPO CONSERVAT Wichita, Wichita, this sheet the above de a	f cement or other feet to CEIVED MATION COMMISSION 20 1981 MON DIVISION Kansas wher or operator e knowledge of escribed well
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional of the state of Plugging Contractor Minume of Plugging Contractor Minume of Plugging Contractor Minume of the above-described well, be the facts, statements, and matter of the same are	racter of saug set. sks. cement to so' to 850' shed plug to 80' to 700' to 0' ground level description description for #766 COUNT ing first duers herein cotrue and cor	in introduce and decorate and d	Pressure who rest The symmetry The symmetr	t into the ced, from ed to 750 of 4 1/2" tubing BACK of says:- T log of the God. Sublette. (A	hold. In STATE COSPO CONSERVAT Wichita, Wichita, this sheet the above de a	f cement or other feet to CEIVED MATION COMMISSION 20 1981 MON DIVISION Kansas wher or operator e knowledge of escribed well
Pumped 1 sk. hulls & 20 s Pumped 60 sks. cement 105 Ran 2 3/8" tubing and pus Pumped 35 sks. cement 800 Put bridge & 10 sks. 40' Cut off 8 5/8", 3' below (If additional of the sement state of the above-described well, be the facts, statements, and matters filed and that the same are	racter of saug set. sks. cement to so' to 850' shed plug to 80' to 700' to 0' ground level description description Permit #766 COUNT ing first duers herein cotrue and cor (Sign fore me this	in introduce and decorate and d	Pressure who rest The symmetry The symmetr	t into the ced, from ed to 750 of 4 1/2" tubing BACK of says:- T log of the God. Sublette. (A	hold. I: STATE COSPO CONSERVAT Wiehita, this sheet (AY) or (or hat I-have e above-de Ks. 6787 ddress) ist	f cement or other feet to CEIVED MATION COMMISSION 20 1981 MON DIVISION Kansas wher or operator e knowledge of escribed well



KANSAS DRILLER'S LOG

LEASE: MONMOUTH COLLEGE #1-12

OWNER: WOOLSEY PETROLEUM CORPORATION

SPUD: 2-27-81

COMP: 3-03-81 LOCATION: C SE NW

SECTION 12-22S-39W

HAMILTON COUNTY, KANSAS

8 5/8" Set @ 828' 5 1/2" Set @ 2948' CASING:

Soil, Sand & Clay	275	
Blue Shale & Shells	829	
Shale	930	
Shale, Red Bed & Anhydrite	1680	
Shale & Red Bed	2296	
Stone Corral	2310	
Shale	2520	
Shale & Shells	2705	
Shale	2794	
Lime	2834	
Lime & Shale	2934	
Lime	2950	
R.T.D.	2950	

STATE OF KANSAS ss. COUNTY OF SEDGWICK)

RECEIVED STATE CORPORATION COMMISSION

I, William C. Wakefield, do hereby certify that this is a true and correct **CONSERVATION DIVISION** Driller's Log on the MONMOUTH COLLEGE #1-12, located C SE NW SMCHIQNKah2a32S-39W, HAMILTON COUNTY, KANSAS, as shown by the daily drilling reports.

EARL F. WAKEFIELD, INC.

William C. Wakefield

Subscribed and Sworn to before me this 11th day of March, 1981,

My Appointment Expires: October 28, 1984

Notary Public

KANSAS DRILLER'S LOG

LEASE: MONMOUTH COLLEGE #1-12 LOCATION: C SE NW

OWNER: WOOLSEY PETROLEUM CORPORATION SECTION 12-22S-39W

SPUD: 2-27-81 HAMILTON COUNTY, KANSAS

COMP: 3-03-81 CASING: 8 5/8" Set @ 828'

5 1/2" Set @ 2948'

Soil, Sand & Clay	275	
Blue Shale & Shells	829	
Shale	930	
Shale, Red Bed & Anhydrite	1680	
Shale & Red Bed	2296	
Stone Corral	2310	
Shale	2520	
Shale & Shells	. 2705	
Shale	2794	
Lime	2834	
Lime & Shale	2934	STAT RECT.
Lime	2950	STATE COPPORATION COMMISSION
R.T.D.	2950	CONSERVE 2 6 1981
		CONSERVATION DIVISION Wichita, Kansas
		Kansas

STATE OF KANSAS)
) ss.
COUNTY OF SEDGWICK)

I, William C. Wakefield, do hereby certify that this is a true and correct Driller's Log on the MONMOUTH COLLEGE #1-12, located C SE NW SECTION 12-22S-39W, HAMILTON COUNTY, KANSAS, as shown by the daily drilling reports.


EARL F. WAKEFIELD, INC.

William C. Wakefield

Subscribed and Sworn to before me this 11th day of March, 1981.

My Appointment Expires: October 28, 1984

Carol J. Noel Notary Public



		0				O^{*}		
WELL COMPLET		TAND	yar yari, '+ =		~· .		s. 12	T. 22 R. 39 XX
API No. 15	075 County		,376 OC	,			Loc	C SE NW
Operator					*		County	
Woolse Address	ey Petroleur	m Corpora	tion	, , ,			·	640 Acres
	Douglas :	Suite 400	Wichita	a, Kansas	67202		· - -	50
Well No. 1–12	Lease Name	outh Coll	 AGO	. •				
Footage Location	TIOIM	Jach Coll	ege	· · · · · · · · · · · · · · · · · · ·			-	++0++1
	(N) (S) line			from (E) (W)	line			
Principal Contractor Earl F. Wakef	ield. Inc.		ogist N/A				- <u> </u> - -	50 60
Spud Date	Date Completed		Depth	P.B.T.D	,			ocate well correctly
. 2/27/81	5/05/8		950 '	. 293	3'		Elev.: Gr	34221
Directional Deviation		Oil	and/or Gas Pur	chaser		1	DF	кв <u> 3431</u> 1
			CASING	RECORD		 :		
Report of all strin	gs set — surface,	intermediate,	production, e			·		
Purpose of string	Size hole drilled	Size casing set	Weight lbs/ft.	Setting depth	f Type ce	ment	Sacks	Type and percent additives
Surface	12½"	8 5/8"		828'	Class HLC	Н .	150 300	2%cc 3%cc
Production	7 7/8"	4 1/2"		2948	Class	u	125	18% salt, 3/4%
Troddection	17 770	4 1/2	10.51	2340	CIASS	п	123	10% Sait, 3/4/
		1					1	
	LINER RECOR	RD.	,			PERFORA	TION RE	CORD
Top, ft.	LINER RECOR	RD Socks ce	ement	Shots	per ft.	Sixe	TION RE	TOTAL MEDIA
Top, ft.	Bottom, ft.	Socks ce	ement	; Shots	per ft.	Sixe		RECEPTATION SPINMISSING
	Bottom, ft. TUBING RECO	Socks ce	ement	; Shots	per ft.	Sixe	& type	TOTAL MEDIA
	Bottom, ft.	Socks ce		Shots 2	per ft.	Sixe	& type	RECOMMENTAL STATE CONTROL OF 201901
	TUBING RECO	Socks ce	et at	Shots 2 CEMENT SQU	•	Size	& type	RECEPTATION SPINMISSING
	TUBING RECO Setting depth	Socks ce	et at URE, SHOT, (2	•	Size	& type	RECOMMENTAL PROPERTY OF 2 G 1901
	TUBING RECO Setting depth A	Packer s CID, FRACTI	et at URE, SHOT, (2	•	Size	e & type	RECOMMISSING CONSERVATION DIVISION Wichita, Kansas
3000 gal 15% F	TUBING RECO Setting depth A Amoun	Packer s CID, FRACTI	et at URE, SHOT, i	CEMENT SQL	•	Size	All	RECEPTION DIVISION Wichita. Kansas Depth interval treated Perforations
Size	TUBING RECO Setting depth A Amoun	Packer s CID, FRACTI	et at URE, SHOT, i	CEMENT SQL	•	Size	All	RECEPTIVE FORM SERVENTE CONSERVATION DIVISION Wichita. Kansas
3000 gal 15% F	TUBING RECO Setting depth A Amoun	Packer s CID, FRACTI nt and kind of s 1ed 2% KC	et at URE, SHOT, i	CEMENT SQL	•	Size	All	RECEPTION DIVISION Wichita. Kansas Depth interval treated Perforations
3000 gal 15% F	TUBING RECO Setting depth A Amoun	Packer s CID, FRACTI nt and kind of r	URE, SHOT, material used	CEMENT SQL	JEEZE RECC	Size	All	RECEPTION DIVISION Wichita. Kansas Depth interval treated Perforations
3000 gal 15% F 32000# sd, 200	TUBING RECO Setting depth A Amoun	Packer s CID, FRACTI nt and kind of r	URE, SHOT, material used C1 water. INITIAL PRO	CEMENT SQU	JEEZE RECC	Six in its in it	All Down	RECEPTION DIVISION Wichita. Kansas Depth interval treated Perforations

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are avoilable from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

15-075-20374-0000 DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: Operator Woolsey Petroleum Corporation Dry Hole Well No. Lease Name Monmouth College S 12 T 22 R 39 C SE NW Hamilton Co., KS WELL LOG SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION. Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries. FORMATION DESCRIPTION, CONTENTS, ETC. NAME DEPTH DST #1 2752-2794' (Winfield) 30-30-30-30 1st Op: VWB died 10" 2nd Op: NB Rec: 20' DM 40-43# IHP 1481# FFP FSIP 135# IFP 29-35# STATE CORPORATION COMMISSION ISIP 302# FHP 1481# BHT 89°F OCT 2012 DST #2 2794-2834' (Towanda) 30-30-30-30 1st Op: VWB died 23" : CONSERVATION DIVISION 2nd Op: NB Wichita, Kansa Rec: 65' DM FFP 25-25# IHP 1537# FSIP . 501# IFP17-25# FHP 1537# ISIP BHT 89°F USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD. **Date Received**

Signature

Ronald J. Miller, Operations Manager

June 30, 1981

Date