KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

ype Test:			(-	See Instructi	ons on Re	verse Side	e)			,	
Open Flow Deliverabilt			Test Date	: :				No. 15		i	
Company		· · · · · · · · · · · · · · · · · · ·	, .		Lease Duell Tr	ruete	15-	023-21291-0	34-33	Well Number	
Noble Energy Inc County Location			Section		TWP		RNG (E/W)		Acres Attributed		
heyenne	' NW-NW	-SW-SE	33				39W				
ield Cherry Creek			Reservoir Niobrara				Gas Gathering Conne Kinder Morgan		ection		
Completion Date /19/2011			Plug Bacl 1487 '	k Total Depth	ר		Packer S	Set at			
asing Size ", 4 1/2"			Internal Diameter 9 7/8", 6 1/4"		Set at 399', 1527'		Perforations 1326'		To 1352'		
ubing Size	bing Size Weight		Internal Diameter 1.995		Set at		Perforations		То		
Type Completion (Describe)			Type Fluid Production				Pump Unit or Traveling Plunger? Yes / No			/ No	
ingle (gas) roducing Thru (Annulus / Tubing	<u>.</u>)	Saltwater % Carbon Dioxide				yes % Nitrogen		Gas G	Gas Gravity - G _g	
ubing ertical Depth(H)				Press	sure Taps		····		(Meter	Run) (Prover) Size	
ressure Buildup	: Shut in 4/26)	0_11_at_9	:00	(BM)	Takan		• 20	at	(AM) (PM)	
Vell on Line:	Started 6/1	20	0 at 0 at							(AM) (PM)	
				OBSERVE	D SURFACE	F DATA		,	Duration of Shut	864 Hours	
Dynamic Size Prover Pressure in		Differential	Flowing Well Head Temperature		Casing Wellhead Pressure (P _w) or (P ₁) or (P ₂)		Wellhe	Fubing ad Pressure r (P ₁) or (P _c)	Duration (Hours)	Liquid Produced (Barrels)	
Property (inches	s) psig (Pm)	Inches H ₂ 0	t .	t	psig	psia	psig	psia			
Shut-In					180						
Flow				FLOW STR	FAM ATTR	IBUTES					
Plate Coefficeient (F _b) (F _p) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension ✓ P _m xh	Grav Fact F _e	vity T	Flowing emperature Factor F ₁₁	Dev Fa	viation actor F _{pv}	Metered Flow R (Mcfd)	GOR (Cubic F Barrel	eet/ Fluid	
		** ;	(OPEN FL	OW) (DELIVI		•		<u> </u>	(P _a)2 = 0.207	
$\frac{P_c)^2 = {(P_c)^2 - (P_a)^2}$ or $(P_c)^2 - (P_d)^2$	(P _c) ² - (P _w) ²	: Choose formula 1 or 2: 1. P _c ² - P _s ² 2. P _c ² - P _d ² livided by: P _c ² - P _s ²	LOG of formula 1. or 2. and divide	P _c ² - P _w ²	Backpre Slo As	essure Curve pe = "n" - or signed lard Slope	e n x	:	(P _d	Open Flow Deliverability Equals R x Antilog (Mcfd)	
Open Flow	<u> </u>	Mcfd @ 14.	65 psia		Deliverab	oility	I		Mcfd @ 14.65 ps	sia	
The undersig	gned authority, on	behalf of the	Company, s					ne above repo	rt and that he h	as knowledge of	
	Witness (if	any)			-		ecy	For C	Company	MEO.	

•	
I declare und	er penalty of perjury under the laws of the state of Kansas that I am authorized to request
exempt status und	er Rule K.A.R. 82-3-304 on behalf of the operator Noble Energy Inc
	joing pressure information and statements contained on this application form are true and
correct to the bes	of my knowledge and belief based upon available production summaries and lease records
• •	allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the
jas well on the gr	ounds that said well:
(Check	one)
, 	is a coalbed methane producer
	is cycled on plunger lift due to water
一	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
7	is not capable of producing at a daily rate in excess of 250 mcf/D
I further agree	e to supply to the best of my ability any and all supporting documents deemed by Commission
staff as necessar	to corroborate this claim for exemption from testing.
•	
Date: 11/11/2011	
Jako	
	•
	Signature: Cleryl Johnson
	Signature: Cley Johnson Title: Regulatory Analyst II

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The received signed and dated on the front side as though it was a verified report of annual test results.

DEC 0 2 2011



NATURAL GAS ANALYSIS

PROJECT NO.:

201106109

ANALYSIS NO.:

COMPANY NAME:

NOBLE ENERGY

ANALYSIS DATE:

JUNE 26, 2011

ACCOUNT NO.:

YUMA.

SAMPLE DATE:

JUNE 16, 2011

PRODUCER:

TO:

EFFECTIVE DATE: JULY 1, 2011

LEASE NO.: NAME/DESCRIP.: E1502321291 **DUELL TRUSTS 34-33**

FIELD DATA

SAMPLED BY:

J. AMOS

CYLINDER NO.:

0.5888

901

SAMPLE PRES.:

AMBIENT TEMP.: **GRAVITY:**

SAMPLE TEMP.: 87

SPOT

VAPOR PRES.:

SAMPLE TYPE: FIELD COMMENTS: NO PROBE

LAB COMMENTS:

	NORM.	GPM @	GPM @	
COMPONENTS	MOLE%	14.65		14.73
HELIUM	0.11	-	-	
HYDROGEN	0.07	•	-	
OXYGEN/ARGON	0.04	•	-	
NITROGEN	4.17	-		
CO2	0.38	•	-	ţ
METHANE	93.29	-	-	
ETHANE	1.34	0.356		0.358
PROPANE	0.40	0.110		0.110
ISOBUTANE	0.07	. 0.023		0.023
N-BUTANE	0.07	0.022		0.022
ISOPENTANE	0.02	0.007		0.007
N-PENTANE	0.02	0.007	*	0.007
HEXANES+	0.02	0.009		0.009
TOTAL	100.00	0.534		0.536
BTU @ 60 DEG F		14.65	, '	14.73
NET DRY REAL =		884.9		889.7
NET WET REAL =	•	869.4		874.2
GROSS DRY REAL =		982.3		987.6
GROSS WET REAL =		965.1		970.4

NOTE: REFERENCE GPA 2261(ASTM D1945), 2145, & 2172 CURRENT PUBLICATIONS

RELATIVE DENSITY REAL (AIR=1 @ 14.696 PSIA 60F):

THIS DATA HAS BEEN ACQUIRED THROUGH APPLICATION OF CURRENT STATE-OF-THE-ART ANALYTICAL TECHNIQUES. THE USE OF THIS INFORMATION IS THE RESPONSIBLITY OF THE USER. EMPACT ANALYTICAL SYSTEMS, ASSUMES NO RESPONSIBLITY FOR ACCURACY OF THE REPORTED INFORMATION NOR ANY CONSEQUENCES OF IT'S APPLICATION.

RECEIVED
DEC 0 2 2011
KCC WICHITA