15-181-20450-000

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	st:				(See instruc	tions on He	verse Siae	?)				
O ₁	pen Flo	w			Test Date				ADI	No. 15 m. 18	20 0000		
√ De	elivera	bilty			05/31/2		API No. 15 20 4 50 - 0000 181-2 024 5						
Compan OBO		υŪ	CTION, IN	C.		•	Lease ARMSTRONG				3-6	Well Number	
County Location SHERMAN NE SE NE			Section 6		TWP 8S	RNG (E/W) 39W		W)	_	Acres Attributed			
Field GOODLAND GAS FIELD					Reservoi NIOBF					nering Conne PRODUC	ection TION, INC.		
Completion Date . , , , , , , , , , , , , , , , , , ,					Plug Bac 1149'	k Total Dept	th		Packer S	et at	-		
Casing S 4.5				Internal Diameter 6 1/4"		Set at ' 1151'		Perforations 994'		To G 1031			
ubing Size Weight			Internal Diameter Set a			at	Perfo	ations	То				
ype Cor			escribe)		Type Flui	d Production	n		Pump Un	it or Traveling NO	Plunger? Yes	/ No	
Producing Thru (Annulus / Tubing) CASING					% Carbon Dioxide				% Nitrogen			Gas Gravity - G _g .5877	
/ertical Depth(H) 「D 1158'					Pressure Taps			. ,				Run) (Prover) Size	
ressure'	Builde	ıp:	Shut in	31 2	0_11_at_0	8:15	(AM) (PM)	Taken_06	5/01	20	11 at 09:00	(AM)(PM)	
Vell on L	_ine:		Started	2	0 at		(AM) (PM)	Taken		20	at	(AM) (PM)	
				٠.	. '	OBSERVE	D SURFAC	E DATA			Duration of Shut	-in 24.75 Hou	
Static / lynamic roperty	namic Size _P		Circle one: Meter Prover Pressu psig (Pm)		Flowing Temperature t	Well Head Temperature t	e Wellhead Pressure (P _w) or (P _t) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In			psig (Fili)	Inches H ₂ 0			psig 21	psia	psig	psia	· r		
Flow													
					· - p ³ - 3 ² - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	FLOW STR	EAM ATTR	IBUTES	·····				
Plate Coefficeient $(F_b) (F_\rho)$ Mcfd		Pro	Circle one: Meter or over Pressure psia	Press Extension P _m xh	Gravity Factor F _g		Temperature F		riviation Metered Fluctor R Fpv (Mcfd)		GOR (Cubic Fo Barrel	eet/ Fluid	
	<u>-</u> .						Av.Da.5.01 (6 v.Ha.4						
					-	OW) (DELIV	•					$)^2 = 0.207$	
)2 =		<u>-:</u> -	(P _w) ² =_	Choose formula 1 or 2:	P _d =		1	² _c - 14.4) +		: T	(P _d)) ² =	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		2.		 P_c² - P_a² P_c² - P_d² sivided by: P_c² - P_w² 	LOG of formula 1. or 2. and divide by:		Backpressure Curve Slope = "n" or Assigned Standard Slope		n x LOG		Antilog	Open Flow Deliverability Equals R x Antilo (Mcfd)	
,					37			-			£	RECEIVED	
pen Flow		Mcfd @ 14.65 psia			Deliverability		<u>l</u>		Mcfd @ 14.65 ps	NOV 2 1 201			
		igned	d authority, on					•	o make the		t and that he		
				id report is true					_	ctober	1111	20 VVIOLII	
				- ·				K	iho	nd C	1. M	Tiller	
			Witness (if	any)	n		_	· ·		For Co	ompany		

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.