

15-171-00053-00-00


WELL PLUGGING RECORD

STATE OF KANSAS
STATE CORPORATION COMMISSION
Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging of formations.

Scott County. Sec. 34 Twp. 19 Rge. (E) 33 (W)
Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines. NE/4 NE/4 SW/4
Lease Owner. The Atlantic Refining Company
Lease Name. McDaniels Well No. 1
Office Address. Post Office Box 17, Great Bend, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed. May 11 19 44
Application for plugging filed. May 15 19 44
Application for plugging approved. May 17 19 44
Plugging commenced. May 13 19 44
Plugging completed. May 13 19 44
Reason for abandonment of well or producing formation. Dry Hole



Locate well correctly on above Section Plat

If a producing well is abandoned, date of last production. 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well. Eldon Petty
Producing formation. 0 Depth to top. 0 Bottom. 0 Total Depth of Well 4770' Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
<u>Sand and Shale</u>	<u>0</u>	<u>0</u>	<u>249'</u>	<u>10$\frac{3}{4}$" OD</u>	<u>261'</u>	<u>NONE</u>
<u>NO SHOWS</u>	<u>NO PIPE SET</u>					

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Filled up heavy drilling mud 4770' to 252'
Wood bridge 252' to 250' and cemented with 15 sax
Heavy drilling mud from 280' to 42'
Wood bridge 42' to 40'
Cemented with 10 sax to bottom of cellar

PLUGGING
FILE # 34 19 33W
BOOK AGE 117 LINE 13



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Mr. S. K. Myers
Address Post Office Box 17, Great Bend, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.
Mr. Stanton K. Myers (employee of owner) or (~~owner~~) of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Stanton K. Myers

(Address) _____

SUBSCRIBED AND SWORN to before me this 26 day of May, 19 44

My commission expires Oct. 28, 1944 H. C. Colegrove Notary Public.

WELL RECORD

15-171-00053-00-00

Block or Twp. 34-19S-33W

Lease OTHA McDANIEL
 Lease No KS-7291
 County Scott

Well No. 1
 State Kansas

Location NE NE SW of 34-19S-33W

Elevation 2,963 Feet

Drilled { Contract
 Company Tools

Contracted Depth
 Completed Depth

Feet (Started 4-3-44
 Date { Completed 5-10-44
 Deepened
 Cleaned Out

Name of Contractor Helmerich & Payne, Inc.

Contract Price Per Foot Day Work

Well Estimated Cost Method of Drilling Rotary
 Well Actual Cost

BEFORE SHOOTING

AFTER SHOOTING

Initial Production
 Settled Production

Flowing
 on Pump

Initial Production
 Settled Production

Flowing
 on Pump

Baume Test Water With Oil %

Casing Record

Torpedo Record

SIZE	SET	PULLED
10 3/4"	Lap Weld 40#	Set at 251'
None pulled.		

Date	Company	From	To	Feet	Size of Shell	Total Qts.
NOT ACIDIZED						

Formation	Top	Bottom
Sand	0	130
Shale and shells	150	790
Sand and shale	950	1000
Sand	1000	1170
Red bed, shale & sand	1170	1280
Red bed	1280	1480
Anhydrate	1480	1505
Anhydrate and red bed	1505	1570
Red bed and shale	1570	1695
Red bed, shale & shale	1695	2000
Shale, shells & redbed	2000	2175
Anhydrate & red bed	2175	2215
Anhydrate, red bed & shale	2215	2490
Anhydrate and shale	2490	2705
Lime and shale	2705	2930
Lime	2930	2980
Lime and shale	2980	3150
Lime	3150	3205
Lime and shale	3205	3749
Lime	3749	4105
Lime and shale	4105	4123
Lime	4123	4449
Lime and shale	4449	4643
Limey sand	4643	4656
Sandy Lime	4656	4664
Lime	4664	4770 TD



PLUGGING
 FILE 34 19-33W
 BOOK PAGE 117 LINE 13

To plug and abandon. Dry Hole.

15-171-00053-00-00

Otha McDaniel #1
NE/4 NE/4 SW/4 Section 34-19S-33W
Scott County, Kansas
The Atlantic Refining Company

Commenced: April 2, 1944
Completed: May 13, 1944

Surface hole	0	99
Sand	99	130
Shale and shells	130	790
Sandy shale	790	950
Shale	950	1000
Sand	1000	1170
Red bed and shale, sand	1170	1280
Red bed	1280	1480
Anhydrite	1480	1505
Red bed and anhydrite	1505	1570
Red bed and shale	1570	1695
Red bed, salt, shale	1695	2000
Shale and shells, red bed	2000	2080
Red bed, shale, lime shells	2080	2175
Anhydrite and red bed	2175	2210
Anhydrite, red bed, shale	2210	2490
Anhydrite, shale	2490	2705
Lime and shale	2705	2930
Lime	2930	2945
Lime and shale	2945	3150
Lime	3150	3205
Lime and shale	3205	3749
Lime	3749	4066
Lime and shale	4066	4105
Lime	4105	4395
Lime and shale	4395	4750
Lime	4750	4770
TOTAL DEPTH	4770	

Casing Record:

10 3/4" casing set at 249' and cemented with 200 sacks cement

STATE OF OKLAHOMA)
COUNTY OF TULSA) ss.



I hereby affirm that the above and foregoing is a true and correct copy of the log of your Otha McDaniel Well No. 1, located in the Northeast Quarter of the Northeast Quarter, of the Southwest Quarter of Section 34, Township 19 South, Range 33 West, Scott County, Kansas.

HELSERICH & PAYNE, INC.

By William Boyd Hunt
Treasurer

Subscribed and sworn to before me, a Notary Public, this 26th day of May, 1944.

Lee Griffin
Notary Public

My commission expires July 22, 1947.

PLUGGING
FILE # 34 19-33W
BOOK PAGE 117 LINE 13