ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

24200	031-23102-00-00
OPERATOR: License # 31280	API No. 15
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	nw_ne_se_sw Sec. 29 Twp. 22 S. R. 17 ☑ East West
Address 2:	1,155 Feet from North / South Line of Section
City: Burlington State: ks Zip: 66839 +	3,135 Feet from ✓ East / ☐ West Line of Section
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311	□ne □nw ②se □sw
CONTRACTOR: License #_31280	County: Coffey
Name: Birk Petroleum	Lease Name: Parmely A Well #: 52
Wellsite Geologist: none	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
	Elevation: Ground: 1049 est. Kelly Bushing:
Designate Type of Completion:	· -
New Well Re-Entry Workover	Total Depth: 987 Plug Back Total Depth: 987
☑ Oil ☐ wsw ☐ swd ☐ slow	Amount of Surface Pipe Set and Cemented at: 40 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 973
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
Deepening Re-perf. Conv. to ENHR Conv. to SWD	
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	QuarterSec TwpS. R
ENHR Permit #:	
GSW Permit #:	County: Permit #:
12/30/2011	
Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if requiability in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	priversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentifications and submitted with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and r	egu-
lations promulgated to regulate the oil and gas industry have been fully complied	
and the statements herein are complete and correct to the best of my knowledg	Confidential Release Date:
Of Rid	☐ Wireline Log Received JAN 2 4 2012
Signature:	Geologist Report Received
Title: Agent Date: 01/23/2012	UIC Distribution KCC WICHITA

Side Two

Operator Name: Birl	<u>Petroleum</u>			Lease	a Name: _	Parmely A		Well #:52	<u> </u>	
Sec. 29 Twp. 22	s. R. <u>17</u>	✓ East	West		ty: Coffe					·
INSTRUCTIONS: Shi time tool open and clo recovery, and flow rat line Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in press st, along	ures, whether s with final chart(shut-in pre	ssure rea	ched static level	, hydrostatic pi	ressures, bottom	hole tem	perature, fluid
Drill Stem Tests Taker (Attach Additional		<u> </u>	′es ☑ No			og Formatio	en (Top), Depth	and Datum	7	Sample
Samples Sent to Geological Survey				Nam	e el Sand		Top 976 +		Datum 73	
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)			es 🗹 No					3.0		. 0
List All E. Logs Run:										
		Rep		RECORD		w Used	ion, etc.			
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)		eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
Surface	9 7/8"	7"		17#		40'	Portland	10	Calciu	m
Long String	5 7/8*	2 7/8"		6.5#	<u> </u>	973	Portland	120	-	
			ADDITIONAL	. CEMENT	TING / SQL	JEEZE RECORD			<u> </u>	 .
Purpose: Perforate Protect Casing Piug Back TD Plug Off Zone	Depth Top Bottom				ks Used	Type and Percent Additives				
Shots Per Foot	PERFORATI	ON RECOI	RD - Bridge Plug Each Interval Per	s Set/Type	·		cture, Shot, Cen	nent Squeeze Reco	rd	Depth
None						Frac W/42 sx sand			976-987	
			"							
TUBING RECORD:	Size:	Set At		Packer	At:	Liner Run:	Yes [No		
Date of First, Resumed 1/10/2012	Production, SWD or EN	HR.	Producing Meth	nod: Pump	ing 🔲	Gas Lift (Other (Explain) _			
Estimated Production Per 24 Hours	Oil 1	Bbls.	Gas	Mcf	Wat	er 8	bls.	Gas-Oil Ratio		Gravity
	ON OF GAS:		-	METHOD C	F COMPLE	prince	nmingled	PRODUCTI	ON INTE	CEIVED
			(Submit ACO-5) (Submit ACO-4)					JAN 2 4 2012		

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes 'no responsibility for damages in any manner to sidewalks, road-ways, dirleways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO

SOLD TO:

REGGI

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BIZZIS

B COOP, VENTURES/BIRK OIL 58 W TO WAYSIDE RD N 1 MI TO

STH RD W 1/2 MI WELL # PARMELY A #52

BURLINGTON KE

/11:08:45a WE			A STATE OF THE STATE OF	% CAL	1,11/	* AIR	1
TERRITOR AMERICA	ELL	12,00 yd	18.00 yd	0.00	35	\$ 0,00	200
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP S	FICKET NUMBER
	Date oday	1	12.00 yd	19421	G/yd 0.0	4.00 in	30864

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement: Wear Rubber Boots and Gloves: PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes; and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention: KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Milde at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting-this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you lessire it. It is

property if it places the material in this load where you lease it. It is and with the help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and his supplier from any responsibility from any damage that tray occur to the premises and/or adjacent property, buildings, buildwalles, cheways, curbs, etc., by the delivery of this material, and that you also agree to help him remove must from the wheels of his well-kildy-to that he will not litter the public street. Further, as additional considera-tion, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE

LOAD RECEIVED BY

X

CODE QUANTITY UNIT PRICE DESCRIPTION EXTENDED PRICE WELL (10 SACKS PER UNIT) 12.00 WELL 12.00 76.00 912:00 2.50 TRUCKING TRUCKING CHARGE 2,50 30.00 125.00 MIXING IS HAULTING 1.00 1.00 MIXAMAUL Tr. Vill 25.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
ECE N 2 /	3		JOB NOT BEADY G. TRUCK BROKE DOWN ACCIDENT TRUCK AHEAD ON JOB CTATION		bTotal \$ 1063.00 ax % 6.300 65.91
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	ptal \$ 1128.91
SIPA?	11:56			O STATE OF	der \$ 1128.91
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL