## ORIGINAL KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # 31280  | API No. 15 - 031-23119-00-00   |
|--|--|
| Name: Birk Petroleum   | Spot Description:  |
| Address 1: _874 12th Rd SW   | se_se_ne_sw_Sec29_Twp22_S. R17_ F East West  |
| Address 2:   | 1,485 Feet from North / South Line of Section  |
| City: Burlington State: Ks Zip: 66839 +  | 2,805 Feet from 🗸 East / 🗌 West Line of Section  |
| Contact Person: Brian L. Birk  | <del>-</del> -   |
| Phone: ( 620 ) 364-1311  | Footages Calculated from Nearest Outside Section Corner:   |
|  | □ NE □ NW ☑ SE □ SW  |
| CONTRACTOR: License # 31280  | County: Coffey   |
| Name: Birk Petroleum   | Lease Name: Parmely A Well #: 60   |
| Wellsite Geologist: None   | Field Name: Parmely  |
| Purchaser: Coffeyville Resources   | Producing Formation: Squirrel  |
| Designate Type of Completion:  | Elevation: Ground: 1059 Est. Kelly Bushing:  |
| ✓ New Well Re-Entry Workover   | Total Depth: 992 Plug Back Total Depth: 992  |
| ☑ oii ☐ wsw ☐ swd ☐ siow   | Amount of Surface Pipe Set and Cemented at: 40 Feet  |
| ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW  | Multiple Stage Cementing Collar Used? ☐ Yes ☑ No   |
| ☐ OG ☐ GSW ☐ Temp. Abd.  | If yes, show depth set:Feet  |
| CM (Coal Bed Methane)  | If Alternate II completion, cement circulated from: 973  |
| Cathodic Other (Core, Expl., etc.):  | feet depth to: Surface w/ 120 sx cmt.  |
| If Workover/Re-entry: Old Well Info as follows:  |  |
| Operator:  | Drilling Fluid Management Plan   |
| Well Name:   | (Date must be collected from the Reserve Pit)  |
| Original Comp. Date: Original Total Depth:   | Chloride content: ppm Fluid volume: bbls   |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD  | Dewatering method used:  |
| Conv. to GSW   | Dewatering method used.  |
| Plug Back: Plug Back Total Depth   | Location of fluid disposal if hauled offsite:  |
| Commingled Permit #:   | Operator Name:   |
| Dual Completion Permit #:  | Lease Name: License #;   |
| SWD Permit #:  | Quarter Sec TwpS. R  |
| Permit #:  | County: Permit #:  |
| GSW Permit #:  | 7 dilin #  |
| 1/6/2012         1/9/2012         1/9/2012           Spud Date or         Date Reached TD         Completion Date or   |  |
| Recompletion Date Recompletion Date  |  |
| INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requially in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for | conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information puested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST |
| ACEDAVIT   | KCC Office Use ONLY  |
| AFFIDAVIT  I am the affiant and I hereby certify that all requirements of the statutes, rules and n  |  |
| tations promulgated to regulate the oil and gas industry have been fully complied  | l =.   |
| and the statements herein are complete and correct to the best of my knowledg  | Date: RECEIVED   |
| Signature: Lith Brid   | Wireline Log Received  |
| Signature:   | Geologist Report Received JAN 2 4 2012   |
| Title: Agent / Date: 01/23/2012  | UIC Distribution   |
|  | UIC Distribution  ALT TO VIII TO BADDOVED by: D/S KGE WICHITA  |

## Side Two

| Operator Name: Bir  | k Petroleum                           |                           |                                       | Leas                 | e Name: _       | Parmely A        | ١                                     | Well #:60                               | <u> </u> |                          |
|---|---------------------------------------|---------------------------|---------------------------------------|----------------------|-----------------|------------------|---------------------------------------|---|----------|--------------------------|
| Sec. 29 Twp.22  | s. R. <u>17</u>                       | ✓ East                    | West                                  | Cour                 | ty: Coffe       | ЭУ               |                                       |   |          | · · · -                  |
| INSTRUCTIONS: Sit<br>time tool open and charactery, and flow rat<br>fine Logs surveyed. A | osed, flowing and shu                 | it-in press<br>est, along | ures, whether s<br>with final chart(  | hut-in pre           | essure rea      | ched static l    | evel, hydrostatic                     | pressures, bottom                       | hole tem | perature, fluid          |
| Drill Stem Tests Taker<br>(Attach Additional  | •                                     | Y                         | es 🗸 No                               |                      |                 | og Forn          | nation (Top), Dep                     | oth and Datum                           | Ø        | Sample                   |
| Samples Sent to Geo   | logical Survey                        | □ Y                       | es 🗹 No                               |                      | Nam             | e .<br>el Sand   |                                       | Тор<br>980                              | 4        | Datum<br>79              |
| Cores Taken<br>Electric Log Run<br>Electric Log Submitte<br>(If no, Submit Cop)           | · · · · · · · · · · · · · · · · · · · | Y<br>  Y<br>  Y           | es 🗹 No                               |                      | Squiii          | or carre         |                                       | 300                                     | ·        |                          |
| List All E. Logs Run:   |                                       |                           |                                       |                      |                 |                  |                                       |   |          |                          |
|   |                                       |                           | CARING                                | PECOPI               | )   N           | [7]\s            |                                       |   |          |                          |
| _   |                                       | Repo                      | ort all strings set-                  | RECORE conductor,    |                 | _                |                                       |   |          |                          |
| Purpose of String   | Size Hole<br>Drilled                  |                           | ze Casing<br>t (In O.D.)              |                      | eight<br>s./Ft. | Setting<br>Depth | Type o<br>Cemer                       |   |          | and Percent<br>Additives |
| Surface   | 9 7/8"                                | 7"                        |                                       | 17#                  |                 | 40'              | Portland                              | 10                                      | Calciu   | ım                       |
| Long String   | 5 7/8"                                | 2 7/8"                    |                                       | 6.5#                 |                 | 973              | Portland                              | 120                                     |          | ·                        |
|   |                                       |                           | ADDITIONAL                            | CEMEN                | TING / SOI      | IEEZE RECO       | DBD.                                  |   |          |                          |
| Purpose: Perforate  | Depth<br>Top Bottom                   | Турс                      | of Cement                             |                      | ks Used         |                  | ··· · · · · · · · · · · · · · · · · · | and Percent Additive                    | es .     |                          |
| Protect Casing Plug Back TD Plug Off Zone   |                                       |                           |                                       |                      |                 |                  | <del></del>                           |   |          |                          |
|   |                                       |                           |                                       | İ                    |                 |                  |                                       |   |          |                          |
| Shots Per Foot  | PERFORATI<br>Specify                  | ON RECOR                  | RD - Bridge Plug<br>Each Interval Per | s Set/Typ<br>forated | 8               | Acid             |                                       | ement Squeeze Reco<br>of Material Used) | ord      | Depth                    |
| None  | Open Hole Comp                        | letion 97                 | 3-992                                 |                      |                 | Frac W/4         | 42 sx sand                            |   |          | 973-992                  |
|   |                                       |                           |                                       |                      |                 |                  |                                       |   |          |                          |
|   |                                       |                           |                                       |                      |                 | <u>-</u>         | <del></del>                           | <del>.</del>                            |          | -                        |
|   |                                       |                           |                                       |                      |                 |                  |                                       |   | _        |                          |
| TUBING RECORD:  | Size:                                 | Set At:                   |                                       | Packer               | At:             | Liner Run:       | Yes [                                 |   |          | <u> </u>                 |
| Date of First, Resumed  | Production, SWD or EN                 | HR.                       | Producing Meth                        | nod:                 | ning 🗀          | Gas Lift         | Other (Explain)                       |   |          |                          |
| Estimated Production<br>Per 24 Hours  | Oil<br>1                              | Bbls.                     | · <del></del>                         | Mcf                  | Wat             |                  | Bbls.                                 | Gas-Oil Ratio                           |          | Gravity                  |
|   |                                       |                           |                                       |                      |                 |                  |                                       |   |          |                          |
| DISPOSITI   | ON OF GAS:                            |                           | _                                     | /ETHOD (             | OF COMPLE       | Comp.            | Commingled                            | PRODUCT                                 | OKEC     | <b>É</b> ÍVED            |
| -   | bmit ACO-18.)                         |                           | Other (Specify)                       |                      | (Submit a       | 4CO-5)           | (Submit ACO-4)                        |   | JAN      | 2 4 2012                 |

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in 'any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at oustomer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

3933

BERMATO 9 & B COOPERATIVE VENTURES

900 S. FOURTH ST.

BURL INGTON 6683 BI2/18 B & B COOP. VENTURES/BIRK OIL 58 W TO WAYSIDE RD N 1 MI TO 5TH RD W 1/2 MI 7

WELL # PARMELY A #60 LE ROY, KS 66857

| TIME      | FORMULA | LOAD SIZE | YARDS ORDERED | × CO1  | DRIVER/TRUCK | x are   | PLANT/TRANSACTION # |
|-----------|---------|-----------|---------------|--------|--------------|---------|---------------------|
| 12:13:14p | WELL.   | 12.00 yd  | 12.00 yd      | 0.00   | 35           | 0.00    |                     |
| DATE      | To Date | LOAD #    | YARDS DEL     | BATCH# | WATER TRIM   | SLUMP   | TICKET NUMBER       |
| 01-09-12  | oday    | 1         | 12.00 yd      | 19479  | G/yd 0.0     | 4.00 in | 30909               |

WARNING **IRRITATING TO THE SKIN AND EYES** 

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY ... CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

JOLA, KS

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to Dear Customer-The driver of this truck in presenting this RELESSE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the greenless and/or adjacent property if it places the material in this load wifey you desire it. It is our wish to help you in every way that we can, but in order to do this her driver is requesting that you sign this RELEASE relieving him and, this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property. Delidings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove must from the wheels of his weblide so that he will not littler the public setter. Further, an additional consideration, the undersigned agrees to indomnity and high familiess the other of his stuck and this supplier for any and all damages to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. arisin out of delivery of this order. SIGNED

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

| 10.20 1001       |          |                 |       | UNIT PRICE | EXTENDED PRICE |
|------------------|----------|-----------------|-------|------------|----------------|
| 12.00 WELL       | WELL (10 | SACKS PER UNIT) | 12.00 |            |                |
| 2.50 P TRUCKING  | TRUCKING | CHARGE          | 2,50  |            |                |
| 12.00 y MIXAHAUL | HINLY !  | HAULING         | 12.00 |            |                |
|                  | 11/2     | media           |       |            |                |

| 5                 |              | 1                |   |               |                     |
|-------------------|--------------|------------------|---|---------------|---------------------|
| RETURNED TO PLANT | LEFT JOB     | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN                                 | TIME ALLOWED  |                     |
| N m               |              |                  | JOB NOT READY     6. TRUCK BROKE DOWN                                 |               | · · ·               |
| 2 <               |              |                  | 2. SLOW POUR OR PUMP -: 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION |               | 7                   |
| DEET PLANT        | ARRIVED JOB  | START UNLOADING  | 4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER                      | TIME DUE      |                     |
| IN IT             | 1. m         |                  |   | 1             | *                   |
| 10,01             | 1.10         |                  |   |               | ADDITIONAL CHARGE 1 |
| TOTAL ROUND TRIP  | TOTAL AT JOB | UNLOADING TIME   |   | DELAY TIME    | ADDITIONAL CHARGE 2 |
|                   | DE BALLE     |                  |   | 1 1 1 1 1 1 1 |                     |
|                   |              |                  |   |               | GRAND TOTAL         |