

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed Ail blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-23116-00-00					
Name: Birk Petroleum	Spot Description:					
Address 1: 874 12th Rd SW	ne_se_ne_sw_Sec29_Twp22_S. R17_[7] East West					
Address 2:	1,815 Feet from North / South Line of Section					
City: Burlington State: Ks Zip: 66839 +	2,805 Feet from Feet from East / West Line of Section					
Contact Person: Brian L. Birk	Footages Calculated from Nearest Outside Section Corner:					
Phone: (620) 364-1311	□NE □NW ØSE □SW					
CONTRACTOR: License #_ 31280	County: Coffey					
Name: Birk Petroleum	Lease Name: Parmely A Well #: 61					
Wellsite Geologist: None	Field Name: Parmely					
Purchaser: Coffeyville Resources	Producing Formation: Squirrel					
Designate Type of Completion:	Elevation: Ground: 1062 Est. Kelly Bushing:					
New Well Re-Entry Workover	Total Depth: 995 Plug Back Total Depth: 995					
☐ OII ☐ WSW ☐ SWD ☐ SIOW	Amount of Surface Pipe Set and Cemented at: 40 Feet					
Gas D&A ZENHR SIGW	Multiple Stage Cementing Collar Used? Yes No					
GSW Temp. Abd.	If yes, show depth set:Feet					
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 980					
Cathodic Other (Core, Expl., etc.):	feet depth to: Surface w/ 120 sx cmt.					
If Workover/Re-entry: Old Well Info as follows:	W and white					
Operator:						
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls					
Deepening Re-perf. Conv. to ENHR Conv. to SWD						
Conv. to GSW	Dewatering method used:					
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:					
Commingled Permit #:	Operator Name:					
Dual Completion Permit #:	Lease Name: License #:					
. SWD Permit #:	Quarter Sec TwpS. R					
ENHR Permit #:	County: Permit #:					
GSW Permit #:	CountyFermit #					
1/5/2012 1/6/2012 1/6/2012 Soud Date or Date Reached TD Completion Date or						
Spud Date or Date Reached TD Completion Date or Recompletion Date						
Kansas 67202, within 120 days of the spud date, recompletion, workover or of side two of this form will be held confidential for a period of 12 months if re-	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST orm with all temporarily abandoned wells.					
AFFIDAVIT	KCC Office Use ONLY					
I am the affiant and I hereby certify that all requirements of the statutes, rules and	1 1 ottor of Confidentiality December					
lations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowled	o widi					
A	Confidential Release Date:					
Signature: Lith Bar	☐ Wireline Log Received RECEIVED ☐ Geologist Report Received					
Title: Agent Date: 01/23/2012	UIC Distribution IAN 2 4 2012					

Side Two

Operator Name: .	Birk Petroleum		Loone	- Parmoly A				
Sec. <u>29</u> Twp	s. R. <u>17</u>		Counte	Coffey		Well #:		
INSTRUCTIONS:	Show important tops	s and base of formations shut-in pressures, wheth e test, along with final ch ical well site report.	penetrated. De	tail all cores Poner	all final copies ovel, hydrostatic pace is needed.	of drill stems te pressures, botto Attach complete	sts giving interval test om hole temperature, to copy of all Electric W	
Drill Stem Tests Ta	ken	☐ Yes ☑ No			tion (Top), Depth			
Samples Sent to Goologiest S					,,		✓ Sample	
Cores Taken Electric Log Run Electric Log Submitted Electric I		☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☑ No ☐ Yes ☑ No	Yes No			Тор 986	Datum +76	
List All E. Logs Run	:	CASIN Report all strings se	G RECORD [New VUsed				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting	tion, etc.	# Sacks	Transito	
Surface	9 7/8"	7"	17#	Depth	Cement	Used	Type and Percent Additives	
Long String	5 7/8"	2 7/8*	6.5#	40'	Portland	10	Calcium	
			0.5#	980	Portland	120		
		ADDITIONA	CEMENTING					
Purpose: —— Perforate —— Protect Casing —— Plug Back TD	o		# Sacks Used		Type and Percent Additives			
Plug Off Zone Shots Per Foot	PERFORATIO Specify F	ON RECORD - Bridge Plug cotage of Each Interval Per	s Set/Type	Acid, Frac	ture, Shot, Cement	Squeeze Recom		
one	Open Hole Comple			(Am	ount and Kind of Ma	terial Used)	Depth	
BING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
ending Inj. App.	oduction, SWD or ENHF	R. Producing Metho	_	Toni in .				
mated Production Per 24 Hours	Оії Вы			Gas Lift Other	er (Explain)Ga	s-Oil Ratio	Gravity	
DISPOSITION	OF GAS:		THOD OF COMPL			PRODUCTION	INTERVAL:	
(if vonted, Submit		Other (Specify)	(Submit	y Comp. Commit ACO-5) (Submit A	ngled (CO-4)	<u> </u>	RECEIVE	

Mail to: KCC - Conservation Division 130 S Market - Room 2078 Wichita Kansas 87202

JAN 2 4 2012

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc. which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO: BB001

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON KS

B12/18 B & B COOP, VENTURES/BIRK OIL 58 W TO WAYSIDE RD N 1 MI TO 5TH RD W 1/2 MI WELL # PARMELY A #61 LE ROY, KS 66857

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	4 101	DRIVER/TRUCK	A DIE	PLANT/TRANSACTION #
12:18:14p	WELL To Date	12.00 yd	12.00 yd 48.00 yd	0.00	35	0.00°	20003
DATE	oday	LOAD#	YARDS DEL	BATCH#	WATER TRIM	SLUMP "	TICKET NUMBER
STATE OF							A A A

WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement: Wear Rubber Bobts and Gloves: PHOLONGED CONTIACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, if Inflation-Persists, Gel Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IN A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEXIVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR WELLCODE Wheseripfion SACKS PER UNIT

PROPERTY DAMAGE RELEASE

(TO BE SIGND IF DEUVERY TO BE AMDE INSIDE CURB LINE)

Dear Customer-The other of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property. It places the material in this load where you desire it. It is cut when to help you line every wey that we can, but in order to do this the different requesting that you sign this RELEASE relieving him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, drheways, cuths, etc., by the delivery of this material, and that when the control that the will not itself the property and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

UNIT PRICE

EXTENDED PRICE

2.50 12.00

TRUCKING MIX&HAUL

TRUCKING CHARGE

MIXING & HAULING

12.00

TIME ALLOWED DELAY EXPLANATION/CYLINDER TEST TAKEN FINISH UNLOADING RETURNED TO PLANT LEFT JOB TRUCK BROKE DOWN
 ACCIDENT
 CITATION
 OTHER 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER START UNLOADING TIME DUE ARRIVED JOB LEFT PLANT DELAY TIME TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

RECEIVED JAN 2 4 2012 KCC WICHITA