ORIGIN. AT

KANS'AS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15					
Name: Birk Petroleum	Spot Description:					
Address 1: 874 12th Rd SW	NE_SW_NE_SW Sec. 29 Twp. 22 S. R. 17 ☑ East West					
Address 2:						
City: Burlington State: Ks Zip: 66839 +	3,465 Feet from 🗹 East / 🗌 West Line of Section					
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:					
Phone: (620) 364-1311	□ne □nw ☑se □sw					
CONTRACTOR: License # 31280	County: Coffey					
Name: Birk Petroleum	Lease Name: Parmely A Well #: 37					
Wellsite Geologist: None	Field Name: Parmely					
Purchaser: Coffeyville Resources	Producing Formation: Squirrel					
Designate Type of Completion:	Elevation: Ground: 1063 est Kelly Bushing:					
√ New Well	Total Depth: 1000' Plug Back Total Depth: 1000'					
☐ cii ☐ wsw ☐ swb ☐ siow	Amount of Surface Pipe Set and Cemented at: 42 Feet					
Gas D&A DENHR SIGW	Multiple Stage Cementing Collar Used? Yes No					
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet					
CM (Coel Bed Methane)	If Alternate II completion, cement circulated from: 980					
Cathodic Other (Core, Expl., etc.):	feet depth to: surface w/ 120 sx cmt.					
If Workover/Re-entry: Old Well Info as follows:	w/sx cmt.					
Operator:						
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Original Comp. Date: Original Total Depth:						
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls					
☐ Conv. to GSW	Dewatering method used:					
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauted offsite:					
Commingled Permit #:	Operator Name:					
Dual Completion Permit #:	Lease Name: License #:					
SWD Permit #:	Quarter Sec. Twp. S. R. East West					
☐ ENHR Permit #:	_ _					
GSW Permit #:	County: Permit #:					
12/08/2011 12/12/2011 12/12/2011 12/12/2011						
Spud Date or Date Reached TD Completion Date or Recompletion Date						
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copfished two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentil report shall be attached with this form. ALL CEMENTING TICKETS MUST					
·						
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and re	KCC Office Use ONLY					
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received RECEIVED					
and the statements hereimare complete and correct to the best of my knowledg	е.					
tolly () Ling	U Confidential Release Date: JAN 2-3 2012					
Signature: 19040						
Title: Agent Date: 01/19/2012	UIC Distribution ALT					
	ALT []1 []11 Approved by: Date: 30 1-2					

Side Two

Operator Name: Birk Petroleum				Leas	Lease Name: Parmely A			Well #:37		
Sec. 29 Twp.22	s. R. <u>17</u>	✓ East	☐ West	Cour	nty: Coffe	<u>эу</u>	····			
INSTRUCTIONS: Shi time tool open and clo recovery, and flow rate line Logs surveyed. A	osed, flowing and shu es if gas to surface to	t-in press st, along	ures, whether si with final chart(hut-in pr	essure rea	ched static level,	hydrostatic	pressures, bottom l	hole temp	perature, fluid
Drill Stern Tests Taken				Log Formation (Top), De			oth and Datum		Sample	
Samples Sent to Geological Survey		es 🗸 No	Nan Squir		_		Top 987		Datum 76	
Electric Log Run		Y Y	Yes 🔽 No							
List All E. Logs Run:										
			CASING	RECORL) Ne	w Used				
	Size Hole		ort all strings set-c	T	surface, inte	ermediate, producti Setting	on, etc. Type of	f # Sacks	Topo	end Percent
Purpose of String	Drilled		t (In O.D.)		s. / Ft.	Depth	Cemen			Additives
Surface Casing	9 7/8*	7"		17#		42'	Portland	15	Calciu	m
Long String	6 1/8"	2 7/8"		6.5#		980'	Portland	120	<u> </u>	
				<u> </u>			L		<u> </u>	
Purpose:	Depth	Type	ADDITIONAL of Cement		ting / SQL ks Used	JEEZE RECORD	TVne	and Percent Additives		
—— Perforate —— Protect Casing	Top Bottom	-yr				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
Plug Back TD Plug Off Zone										
				<u> </u>		<u> </u>	· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
None	Open hole comple	etion 980	-1000'							
										
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes [] No		
Date of First, Resumed Production, SWD or ENHR. Producing Method: pending inj. application Producing Method: Gas Lift Other (Explain)										
Estimated Production Per 24 Hours	Oll	Bbls.	Gas	Mcf	Wat	er Bl	ois.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:			METHOD (OF COMPLE	ETION:		PRODUCTION	ON INTER	······································
Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled										
(If vented, Sub	ornit ACO-18.)		Other (Specify)		(Suprill)		nit ACO-4)		RE(EIVED

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under trucks own power. Due to delivery at owner's our intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, threeways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will, be made for holding trucks longer. This condition contains correct water contents for strength or mix indicated. We do not as time responsibility for

strength test when water is added at customer's re NOTICE TO OWNER lure of this contractor to pay those persons supplying material or services to mplete this contract can result in the filling of a machanic sten on the property ich is the subject of this contract.

SHIP TO

SOLD TO:

BBB01

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON KS

B12/18

B & B COOP, VENTURES/BIRK OIL 58 W TO WAYSIDE RD N 1 MI TO

的技术

STH RD W 1/2 Min

WELL # PARMELY A #37

		66835		LERDY	LKS EERSTER		上述林林	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #	
10:35:23a	WELL	12.00 vd	1 12.00 vd	% CAL 0.00	JE 32	% AIR	*-1	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
12-12-11	To Date Today	3	36.00 yd	19318	G/vd ala	4.00 in	X den	
			Walling and the contraction	to according to the second	Francisco Witten to Detail contains Contains D. J.			

WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality, No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE) INSIDE CURB LINE:

Dear Dustomer-The driver of this truck in presenting this RELEASE to
you fee your signature is of the opinion that the size and weight of his
truck imay possibly cause damage to the premises and/or adjacent
property if a places the matterial in this load where you desire is, it is
our sigh to help you in every way that we can, but in order to do this
order to the control of the con

X

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 12.00 WELL (10 SACKS PER UNIT) WELL 12.00 76.00 912 00 2.50 TRUCKING TRUCKING CHARGE 125,00 2,50 50.00

RETURNED TO PLANT FINISH UNLOADING LEFT JOB DELAY-EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED Submotal \$ JOB NOT READY 6. TRUCK BROKE DOWN SLOW POUR OR PUMP TRUCK AHEAD ON JOB ACCIDENT TM % 6,300 65.88 CONTRACTOR BROKE DOWN 9. OTHER EFT PLANT ABRIVED JOB START UNLOADING TIME DUE Total \$ 1100133 ADDED WATER Ordel 1108.33 ADDITIONAL CHARGE 1 TAL ROUND TRIP TOTAL AT-JOB UNLOADING TIME **DELAY TIME** ADDITIONAL CHARGE 2 **GRAND TOTAL**

> RECEIVED JAN 23 2012 KCC WICHITA